

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**EVO-STIK GENERAL PURPOSE PVA EVOBOND** 

Supercedes Date: 04-Jul-2019

Revision date 04-Feb-2021 Revision Number 1.02

This Safety Data Sheet is prepared voluntarily: it is not required according to Article 31 of Regulation (EC) No 1907/2006

\_\_\_\_\_

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product Identifier

Product Name EVO-STIK GENERAL PURPOSE PVA EVOBOND

Pure substance/mixture Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Primers, Sealers, and Undercoaters.

Uses advised against None known

#### 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

#### 1.4. Emergency telephone number

**United Kingdom** +44 (1785) 272650

**Ireland** +353 (1) 8624900 (Monday- Friday 9am-5pm)

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Not classified

#### 2.2. Label Elements

Not classified

#### Signal word

None

### **Hazard statements**

Not classified

#### **EU Specific Hazard Statements**

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]. May produce an allergic reaction

## **Precautionary statements**

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

#### 2.3. Other Hazards

**EVO-STIK GENERAL PURPOSE PVA EVOBOND** 

Supercedes Date: 04-Jul-2019

No information available

## PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	EC No.	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Vinyl acetate	203-545-4	108-05-4	0.1 - <1	STOT SE 3 (H335) Carc. 2 (H351) Acute Tox. 4 (H332) Flam Liq. 2 (H225) Aquatic Chronic 3 (H412)		01-2119471301- 50-XXXX
Methyl alcohol	200-659-6	67-56-1	0.1 - <1	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	01-2119392409- 28-XXXX
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]	611-341-5	55965-84-9	<0.0015	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute = 100 M Factor Chronic = 100	Eye Dam. 1 ::  C>=0.6% Irrit. 2 ::  0.06%<=C<0.6%  Skin Corr. 1C ::  C>=0.6%  Skin Irrit. 2 ::  0.06%<=C<0.6%  Skin Sens. 1 ::  C>=0.0015%	01-2120764691- 48-XXXX

Full text of H- and EUH-phrases: see section 16

Revision date 04-Feb-2021

#### **EVO-STIK GENERAL PURPOSE PVA EVOBOND**

Supercedes Date: 04-Jul-2019 Revision Number 1.02

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand. Show this safety

data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

**Skin contact** Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors** Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

**Unsuitable extinguishing media** Full water jet. Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of toxic and corrosive gases/vapours.

Hazardous combustion products Carbon dioxide (CO2).

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing.

Other information Ventilate the area. Prevent further leakage or spillage if safe to do so.

**EVO-STIK GENERAL PURPOSE PVA EVOBOND** 

Supercedes Date: 04-Jul-2019

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

**Environmental precautions** Do not flush into surface water or sanitary sewer system. Do not allow to enter into

soil/subsoil. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Use a non-combustible material like vermiculite, sand or earth to soak up the product

and place into a container for later disposal.

Take up mechanically, placing in appropriate containers for disposal. Methods for cleaning up

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing.

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink General hygiene considerations

or smoke when using this product. Wash thoroughly after handling. Take off all

contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep container tightly closed in a dry and well-ventilated place. Keep away from food,

drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific Use(s)

Primers, Sealers, and Undercoaters.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

**Exposure Limits** 

**Derived No Effect Level (DNEL)** No information available

Derived No Effect Level (DNEL)			
Vinyl acetate (108-05-4)			
Туре			Safety factor
		(DNEL)	
worker	Inhalation	17.6 mg/m <sup>3</sup>	

Revision date 04-Feb-2021

**EVO-STIK GENERAL PURPOSE PVA EVOBOND** 

Supercedes Date: 04-Jul-2019 Revision Number 1.02

Long term			
Systemic health effects			
worker Short term	Inhalation	35.2 mg/m³	
Systemic health effects worker	Inhalation	17.6 mg/m³	
Long term Local health effects	i i i i i i i i i i i i i i i i i i i	i i i i i i i i i i i i i i i i i i i	
worker Short term Local health effects	Inhalation	35.2 mg/m³	
worker Long term Systemic health effects	Dermal	0.42 mg/kg bw/d	

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)				
Vinyl acetate (108-05-4)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.016 mg/l			
Marine water	0.002 mg/l			
Microorganisms in sewage treatment	6 mg/l			
Freshwater sediment	0.067 mg/kg dry weight			
Marine sediment	0.007 mg/kg dry weight			
Soil	0.004 mg/kg dry weight			

## 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment** 

Eye/face protection Wear safety glasses with side shields (or goggles). Avoid contact with eyes. Hand protection

Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the

gloves depends on the material and the thickness as well as the temperature.

Skin and body protection Wear protective gloves and protective clothing. During spraying wear suitable respiratory equipment. Respiratory protection

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Liquid Physical state Appearance Viscous Colour White

Slight, Petroleum Odour **Odour threshold** No information available

Remarks • Method **Property Values** 

рΗ 4 - 6 0 °C Melting point / freezing point Boiling point / boiling range 100 °C

Flash point No data available Not applicable

**Evaporation rate** No data available

Flammability (solid, gas) Not applicable for liquids .

**EVO-STIK GENERAL PURPOSE PVA EVOBOND** 

Flammability Limit in Air

Supercedes Date: 04-Jul-2019

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressure No data available Relative vapour density No data available

Relative density 1.05 - None known

Water solubility dispersible Solubility(ies) No data available **Partition coefficient** No data available No data available **Autoignition temperature** No data available **Decomposition temperature** Kinematic viscosity No data available Dynamic viscosity No data available **Explosive properties** No data available **Oxidising properties** No data available

9.2. Other information

Solid content (%) 28

VOC Content (%)

Pensity

No information available
No information available

## **SECTION 10: Stability and reactivity**

10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

products

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Information on likely routes of exposure

Revision date 04-Feb-2021

**EVO-STIK GENERAL PURPOSE PVA EVOBOND** 

·

Product Information

Supercedes Date: 04-Jul-2019

**Inhalation** Based on available data, the classification criteria are not met.

**Eye contact** Based on available data, the classification criteria are not met.

**Skin contact** Based on available data, the classification criteria are not met.

**Ingestion** Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Numerical measures of toxicity

#### **Acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 88,808.00 mg/kg ATEmix (inhalation-dust/mist) 341.78 mg/l ATEmix (inhalation-vapour) 2,046.60 mg/l

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Vinyl acetate	=2900 mg/kg (Rattus)	= 2335 mg/kg (Oryctolagus	=11.4 mg/L (Rattus) 4 h =
108-05-4		cuniculus)	3680 ppm (Rattus) 4 h
Methyl alcohol	=2500 mg/kg (Rattus)	200-1000 mg/kg (Oryctolagus	=22500 ppm (Rattus) 8 h =
67-56-1		cuniculus)	64000 ppm (Rattus) 4 h
reaction mass of	=53 mg/kg (Rattus)	LD50 = 87.12 mg/kg	
5-chloro-2-methyl-2H-isothiazo		(Oryctolagus cuniculus)	
I-3-one and			
2-methyl-2H-isothiazol-3-one			
(3:1) [C(M)IT/MIT]			
55965-84-9			

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Chemical name	European Union
Vinyl acetate	Carc. 2
108-05-4	

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Revision date 04-Feb-2021

**EVO-STIK GENERAL PURPOSE PVA EVOBOND** 

Supercedes Date: 04-Jul-2019 Revision Number 1.02

Component Information				
Vinyl acetate (108-05-4)				
Method	Species	Results		
OECD Test No. 453: Combined Chronic	Rat	Carcinogenic		
Toxicity/Carcinogenicity Studies		_		

Reproductive toxicity Based on available data, the classification criteria are not met.

Component Information				
Vinyl acetate (108-05-4)				
Method	Species	Results		
OECD Test No. 416: Two-Generation Rat NOAEL 100 mg/kg bw/d				
Reproduction Toxicity				

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

**12.1. Toxicity** 

**Ecotoxicity** Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Vinyl acetate 108-05-4	-	LC50 96 h = 14 mg/L (Pimephales promelas static)	EC50 = 2080 mg/L 5 min	EC50 48 h = 12.6 mg/L (Daphnia magna )		
Methyl alcohol 67-56-1	-	LC50: >100mg/L (96h, Pimephales promelas) LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss) LC50: =28200mg/L (96h, Pimephales promelas) LC50: 13500 - 17600mg/L (96h, Lepomis macrochirus) LC50: 19500 - 20700mg/L (96h, Oncorhynchus mykiss)	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	-		
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and	EC50 (72h) =0.048 mg/L (Pseudokirchner	EC50 (96h) = 0.22 mg/L	-	EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD	100	100

**EVO-STIK GENERAL PURPOSE PVA EVOBOND** 

Supercedes Date: 04-Jul-2019 Revision Number 1.02

2-methyl-2H-isothiazol-	iella	mykiss) (OECD	202)	
3-one (3:1)	subcapitata)	211)		
[C(M)IT/MIT]	(OECD 201)			
55965-84-9				

## 12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

### **Component Information**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Vinyl acetate	0.73	-
108-05-4		
Methyl alcohol	-0.77	10
67-56-1		
reaction mass of	-	3.16
5-chloro-2-methyl-2H-isothiazol-3-one and		
2-methyl-2H-isothiazol-3-one (3:1)		
[C(M)IT/MIT]		
55965-84-9		

### 12.4. Mobility in soil

Mobility in soil No information available.

## 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment . The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Vinyl acetate	The substance is not PBT / vPvB
108-05-4	PBT assessment does not apply
Methyl alcohol	The substance is not PBT / vPvB
67-56-1	PBT assessment does not apply
	Further information relevant for the PBT assessment is
	necessary
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	
55965-84-9	

### 12.6. Other adverse effects

Other adverse effects No information available.

**Endocrine Disruptor Information** 

Chemical name	EU - Endocrine Disrupters	EU - Endocrine Disruptors -
	Candidate List	Evaluated Substances
Vinyl acetate	Group III Chemical	-

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused Dispose of contents/container in accordance with local, regional, national, and

**EVO-STIK GENERAL PURPOSE PVA EVOBOND** 

Supercedes Date: 04-Jul-2019

international regulations as applicable. products

Contaminated packaging Do not reuse empty containers. Handle contaminated packages in the same way as the

product itself.

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special Provisions None

#### **IMDG**

14.1 UN number or ID number Not regulated Not regulated 14.2 Proper Shipping Name 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated

NP 14.5 Marine pollutant 14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

## Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable 14.6 Special Provisions None

## Section 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

## **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Revision date 04-Feb-2021

#### **EVO-STIK GENERAL PURPOSE PVA EVOBOND**

Supercedes Date: 04-Jul-2019

Revision date 04-Feb-2021 Revision Number 1.02

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Methyl alcohol	67-56-1	69.

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

#### Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Methyl alcohol - 67-56-1	500	5000

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

### **Persistent Organic Pollutants**

Not applicable

#### National regulations

## 15.2. Chemical safety assessment

Exposure scenario

### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

## Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H331 - Toxic if inhaled

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H351 - Suspected of causing cancer

H370 - Causes damage to organs

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
\* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure

**EVO-STIK GENERAL PURPOSE PVA EVOBOND** 

Supercedes Date: 04-Jul-2019 Revision Number 1.02

STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

## Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 04-Feb-2021

Indication of changes

Revision note Not applicable.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**