*

*

Page 1/9



- GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.12.2015

Version number 91

Revision: 10.12.2015

	ntifier IR CRAFTS E	FFECT COLOURS SILVER 400 ML
Article number		the substance or mixture and uses advised against
Sector of Use	entified uses of	the substance of mixture and uses davised against
SU21 Consum		e households / general public / consumers
		lic domain (administration, education, entertainment, services, craftsmen)
Process categor	•	ings and paints, thinners, paint removers
PROC7 Indust	trial spraying	
PROC11 Non		
Environmental ERC8a Wide d		ry or use of processing aids in open systems
ERC8d Wide a	lispersive outdo	por use of processing aids in open systems
Application of a	the substance /	the mixture Paint
		he safety data sheet
Manufacturer/S MOTIP DUPLI		
Wolfraamweg 2		
NL- 8471 XC W	ⁱ olvega	
The Netherland		
T = 1 + 21 (0) C C		
<i>Tel:</i> $+31(0)56$ <i>Fax:</i> $+31(0)56$		
<i>Tel:</i> +31 (0)56 <i>Fax:</i> +31 (0)56 <i>e-mail info@nl.</i>	1 694411	1
Fax: +31 (0)56 e-mail info@nl.	1 694411 motipdupli.com	
Fax: +31 (0)56 e-mail info@nl. Further inform	1 694411 motipdupli.com ation obtainab	n le from: Department Product Safety aber: +31 (0)561-694400 (09:00h - 17:00h)
Fax: +31 (0)56 e-mail info@nl. Further inform	1 694411 motipdupli.com ation obtainab	le from: Department Product Safety
Fax: +31 (0)56 e-mail info@nl. Further inform	1 694411 motipdupli.com ation obtainab telephone num	le from: Department Product Safety aber: +31 (0)561-694400 (09:00h - 17:00h)
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2:	1 694411 motipdupli.com ation obtainab telephone num Hazards ide	<i>le from:</i> Department Product Safety aber: +31 (0)561-694400 (09:00h - 17:00h) entification
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2. 2.1 Classification	1 694411 motipdupli.com ation obtainab telephone num Hazards ide on of the substa	<i>le from:</i> Department Product Safety aber: +31 (0)561-694400 (09:00h - 17:00h) entification
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2. 2.1 Classification Classification a	1 694411 motipdupli.com ation obtainab telephone num Hazards ide on of the substa according to Re	le from: Department Product Safety aber: +31 (0)561-694400 (09:00h - 17:00h) entification ance or mixture
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2. 2.1 Classification Classification a	1 694411 motipdupli.com ation obtainab telephone num Hazards ide on of the substa	le from: Department Product Safety aber: +31 (0)561-694400 (09:00h - 17:00h) entification ance or mixture
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2. 2.1 Classification Classification a GHS	1 694411 motipdupli.com ation obtainable telephone num Hazards ide on of the substa according to Re 02 flame	le from: Department Product Safety aber: +31 (0)561-694400 (09:00h - 17:00h) entification ance or mixture egulation (EC) No 1272/2008
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2. 2.1 Classification Classification a	1 694411 motipdupli.com ation obtainable telephone num Hazards ide on of the substa according to Re 02 flame	le from: Department Product Safety aber: +31 (0)561-694400 (09:00h - 17:00h) entification ance or mixture
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2. 2.1 Classification Classification a GHS Aerosol 1	1 694411 motipdupli.com ation obtainable telephone num Hazards ide on of the substa ccording to Re 02 flame H222-H229	le from: Department Product Safety aber: +31 (0)561-694400 (09:00h - 17:00h) entification ance or mixture egulation (EC) No 1272/2008
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2. 2.1 Classification Classification a GHS	1 694411 motipdupli.com ation obtainable telephone num Hazards ide on of the substa ccording to Re 02 flame H222-H229	le from: Department Product Safety aber: +31 (0)561-694400 (09:00h - 17:00h) entification ance or mixture egulation (EC) No 1272/2008
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2. 2.1 Classification Classification a GHS Aerosol 1 GHS	1 694411 motipdupli.com ation obtainable telephone num Hazards ide on of the substate cording to Re 02 flame H222-H229	le from: Department Product Safety aber: +31 (0)561-694400 (09:00h - 17:00h) entification ance or mixture egulation (EC) No 1272/2008 9 Extremely flammable aerosol. Pressurised container: May burst if heated.
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2. 2.1 Classification Classification a GHSU Aerosol 1 Eye Irrit. 2	1 694411 motipdupli.com ation obtainable telephone num Hazards ide on of the substa according to Re 02 flame H222-H229 07 H319	le from: Department Product Safety aber: +31 (0)561-694400 (09:00h - 17:00h) entification ance or mixture egulation (EC) No 1272/2008 9 Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation.
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2. 2.1 Classification Classification a GHSU Aerosol 1 Eye Irrit. 2 STOT SE 3	1 694411 motipdupli.com ation obtainable telephone num Hazards ide on of the substa according to Re 02 flame H222-H229 07 H319 H335-H330	le from: Department Product Safety aber: +31 (0)561-694400 (09:00h - 17:00h) entification ance or mixture egulation (EC) No 1272/2008 9 Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. 6 May cause respiratory irritation. May cause drowsiness or dizziness.
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2. 2.1 Classification Classification a GHSU Aerosol 1 Eye Irrit. 2	1 694411 motipdupli.com ation obtainable telephone num Hazards ide on of the substa according to Re 02 flame H222-H229 07 H319 H335-H330	le from: Department Product Safety aber: +31 (0)561-694400 (09:00h - 17:00h) entification ance or mixture egulation (EC) No 1272/2008 9 Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation.

Page 2/9


Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.12.2015

Version number 91

Revision: 10.12.2015

Trade name: AIR CRAFTS EFFECT COLOURS SILVER 400 ML



· vPvB: Not applicable.

*

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 74-98-6	propane	20-25%
EINECS: 200-827-9	Flam. Gas 1, H220	
Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21-xxxx	Press. Gas C, H280	
CAS: 106-97-8	butane	12,5-20%
EINECS: 203-448-7	🚸 Flam. Gas 1, H220	
Index number: 601-004-00-0	Press. Gas C, H280	
Reg.nr.: 01-2119474691-32-xxxx		
CAS: 75-28-5	isobutane	12,5-20%
EINECS: 200-857-2	🚸 Flam. Gas 1, H220	
Index number: 601-004-00-0	Press. Gas C, H280	
Reg.nr.: 01-2119485395-27-xxxx		
		(Contd. on page 3

Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.12.2015

Version number 91

Revision: 10.12.2015

Trade name: AIR CRAFTS EFFECT COLOURS SILVER 400 ML

		(Contd. of page 2
CAS: 64742-95-6 EC number: 918-668-5 Reg.nr.: 01-2119455851-35-xxxx	Solvent naphtha (petroleum), light arom. Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 STOT SE 3, H335-H336	10-12,5%
CAS: 1330-20-7 EINECS: 215-535-7 Index number: 601-022-00-9 Reg.nr.: 01-2119488216-32-xxxx	xylene Flam. Liq. 3, H226 STOT RE 2, H373; Asp. Tox. 1, H304 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	5-10%
CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8 Reg.nr.: 01-2119471330-49-xxxx	acetone Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	5-10%
CAS: 100-41-4 EINECS: 202-849-4 Index number: 601-023-00-4 Reg.nr.: 01-2119489370-35-xxxx	ethylbenzene Flam. Liq. 2, H225 STOT RE 2, H373; Asp. Tox. 1, H304 Acute Tox. 4, H332	2,5-5%

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Generally the product does not irritate the skin.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

 $No\ further\ relevant\ information\ available.$

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents: Water with full jet

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Keep away from ignition sources.
6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.12.2015

Version number 91

Revision: 10.12.2015

Trade name: AIR CRAFTS EFFECT COLOURS SILVER 400 ML

(Contd. of page 3)

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

*

• Requirements to be met by storerooms and receptacles: Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

• Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· 8.1 Control parameters	
\cdot Ingredients with limit values that require monitoring at the workplace:	
106-97-8 butane	
WEL Short-term value: 1810 mg/m ³ , 750 ppm	
Long-term value: 1450 mg/m ³ , 600 ppm	
<i>Carc</i> (<i>if more than 0.1% of buta-1,3-diene</i>)	
1330-20-7 xylene	
WEL Short-term value: 441 mg/m ³ , 100 ppm	
Long-term value: 220 mg/m ³ , 50 ppm	
Sk, BMGV	
67-64-1 acetone	
WEL Short-term value: 3620 mg/m ³ , 1500 ppm	
Long-term value: 1210 mg/m ³ , 500 ppm	
100-41-4 ethylbenzene	
WEL Short-term value: 552 mg/m ³ , 125 ppm	
Long-term value: 441 mg/m ³ , 100 ppm	
Sk	
· Ingredients with biological limit values:	
1330-20-7 xylene	
BMGV 650 mmol/mol creatinine	
Medium: urine	
Sampling time: post shift	
Parameter: methyl hippuric acid	
• Additional information: The lists valid during the making were used as basis.	
· 8.2 Exposure controls	
· Personal protective equipment:	
· General protective and hygienic measures:	
Wash hands before breaks and at the end of work.	
Do not inhale gases / fumes / aerosols.	
	(0 1

GB

Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.12.2015

Version number 91

Revision: 10.12.2015

Trade name: AIR CRAFTS EFFECT COLOURS SILVER 400 ML

(Contd. of page 4)

· Respiratory protection: Not required.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves Not required.

· Penetration time of glove material Not required.

· Eye protection: Not required.

*

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical an	d chemical properties
• General Information • Appearance:	
Form:	Aerosol
Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Not applicable, as aerosol.
· Flash point:	$< 0 \ ^{\circ}C \ (< 32 \ ^{\circ}F)$
	Not applicable, as aerosol.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	365 °C (689 °F)
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
• Danger of explosion:	<i>Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.</i>
· Explosion limits:	
Lower:	0.7 Vol %
Upper:	10.9 Vol %
· Vapour pressure at 20 °C (68 °F):	3500 hPa (2625 mm Hg)
• Density at 20 °C (68 °F):	0.682 g/cm ³ (5.691 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water	r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	85.6 %
· EU-VOC:	583.8 g/l

*

Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.12.2015

Version number 91

Revision: 10.12.2015

Trade name: AIR CRAFTS EFFECT COLOURS SILVER 400 ML

		(Contd. of page 5)
• EU-VOC in %:	85.60 %	
~ ***		

· Solids content:

149%

• 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values relev	ant for classification:
106-97-8 b	utane	
Inhalative	LC50 / 4 h	658000 mg/m3 (rat)
64742-95-	6 Solvent no	aphtha (petroleum), light arom.
Oral	LD50	3592 mg/kg (rat) (OECD401)
Dermal	LD50	>3160 mg/kg (rab) (OECD402)
Inhalative	LC50/4 h	>6193 mg/m3 (rat)
1330-20-7	xylene	
Oral	LD50	3523 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)
Inhalative	LC50 / 4 h	22.1 mg/m3 (rat)
67-64-1 ac	etone	
Oral	LD50	5800 mg/kg (rat)
Dermal	LD50	20000 mg/kg (rabbit)
Inhalative	LC50/4 h	39 mg/m3 (rat)
100-41-4 е	thylbenzene	2
Oral	LD50	3500 mg/kg (rat)
Dermal	LD50	17800 mg/kg (rabbit)
Primary ir	ritant effect	1

Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation

Causes serious eye irritation.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB

Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.12.2015

Version number 91

Revision: 10.12.2015

(Contd. of page 6)

Trade name: AIR CRAFTS EFFECT COLOURS SILVER 400 ML

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity	
• Aquatic toxicity:	
64742-95-6 Solvent	t naphtha (petroleum), light arom.
EC50 / 24 h	150 mg/l (daphnia magna)
EC50 / 48 h	7.4 mg/l (daphnia magna)
LC50/96 h	3.77 mg/l (fish)
1330-20-7 xylene	
EC50 / 48 h	7.4 mg/l (daphnia magna)
LC50/96 h	13.5 mg/l (fish)
67-64-1 acetone	
EC50 / 48 h	8800 mg/l (daphnia magna)
LC50 / 48 h	2262 mg/l (daphnia magna)
LC50/96 h (static)	5540 mg/l (fish)
· 12.2 Persistence an	d degradability No further relevant information available.
 12.3 Bioaccumulati 	ive potential No further relevant information available.
· 12.4 Mobility in soi	l No further relevant information available.
· Ecotoxical effects:	
• Remark: Harmful to	o fish
· Additional ecologic	al information:
· General notes:	
	2 (German Regulation) (Self-assessment): hazardous for water
Do not allow produ	ct to reach ground water, water course or sewage system.
Danger to drinking	water if even small quantities leak into the ground.

Harmful to aquatic organisms

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

×

*

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 01 11* waste paint and varnish containing organic solvents or other hazardous substances

15 01 04 metallic packaging

· Uncleaned packaging:

· Recommendation: Non contaminated packagings may be recycled.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR, IMDG, IATA

UN1950

· 14.2 UN proper shipping name · ADR

1950 AEROSOLS

(Contd. on page 8)

⁻ GB

Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.12.2015

Version number 91

Revision: 10.12.2015

Trade name: AIR CRAFTS EFFECT COLOURS SILVER 400 ML

	(Contd. of pag
IMDG IATA	AEROSOLS Aerosols, flammable
14.3 Transport hazard class(es)	Aerosois, junimuote
-	
ADR	
2	
Class	2 5F Gases.
Label	2.1
IMDG, IATA	
Class	2.1
Label	2.1
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Gases.
Danger code (Kemler): EMS Number:	- F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
5	SW22 For AEROSOLS with a maximum capacity of 1 lit
	Category A. For AEROSOLS with a capacity above 1 litt
	Category B. For WASTE AEROSOLS: Category C, Clea of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 liti
	Segregation as for class 9. Stow "separated from" class
	except for division 1.4. For AEROSOLS with a capacity
	above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS:
	Subarysion of class 2. For which here here subdivision of class 2 Segregation as for the appropriate subdivision of class 2
14.7 Transport in bulk according to An	· · · · · ·
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (\widetilde{EQ})	Code: E0
Transport estacom	Not permitted as Excepted Quantity
Transport category Tunnel restriction code	2 D
IMDG	~
IMDG Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
_ · · ·	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

×

Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.12.2015

Version number 91

Revision: 10.12.2015

Trade name: AIR CRAFTS EFFECT COLOURS SILVER 400 ML

(Contd. of page 8)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
- **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas. H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H280 Contains gas under pressure; may explode if heated. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation. H319 Causes serious eve irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H373 May cause damage to the hearing organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects. · Department issuing MSDS: R&D legislation and regulatory advisor · Contact: Mr. K. Smedeman · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases, Hazard Category 1 Aerosol 1: Flammable aerosols, Hazard Category 1 Press. Gas C: Gases under pressure: Compressed gas Flam. Liq. 2: Flammable liquids, Hazard Category 2 Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Asp. Tox. 1: Aspiration hazard, Hazard Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 • * Data compared to the previous version altered.