Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK)



# **SAFETY DATA SHEET**

Glow In the Dark

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- 1.1 Product identifier Product name Product description Product type
- : Glow In the Dark
- : Paint.
  - : Liquid.

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

## 1.3 Details of the supplier of the safety data sheet

Rust-Oleum Corporation Portobello Industrial Estate Birtley County Durham United Kingdom DH3 2RE Telephone no.: +44 (0) 191 4106611 Fax no.: +44 (0) 191 4920125

e-mail address of person responsible for this SDS

: rpmeurohas@ro-m.com

## 1.4 Emergency telephone number

Telephone number	: +44 (0) 207 858 1228
Hours of operation	: 24/7

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Product definition

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

: Mixture

## Classification according to Directive 1999/45/EC [DPD]

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

**Classification** : Not classified.

See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	1	No signal word.
Hazard statements	1	No known significant effects or critical hazards.
Precautionary statements		
General	:	Keep out of reach of children.
Prevention	1	Use personal protective equipment as required.
Response	1	IF ON SKIN: Wash with plenty of soap and water.
Storage	1	Store in a well-ventilated place.
Response	:	IF ON SKIN: Wash with plenty of soap and water.

```
Date of issue/Date of revision
```

: 1

Glow In the Dark

# **SECTION 2: Hazards identification**

Disposal	: Dispose of contents/container to recognised waste collection point.
Supplemental label elements	: Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requirem	ents
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.

## 2.3 Other hazards

Other hazards which do : None known. not result in classification

# **SECTION 3: Composition/information on ingredients**

Substance/mixture	: Mixture				
			Cla	ssification	
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
propane-1,2-diol	REACH #: 02-2119752808-26 EC: 200-338-0 CAS: 57-55-6	1 - <5	Not classified.	Not classified.	[2]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

# **SECTION 4: First aid measures**

4.1 Description of firs	t aid measures
General	<ul> <li>In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.</li> </ul>
Eye contact	<ul> <li>Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.</li> </ul>
Inhalation	<ul> <li>Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.</li> </ul>
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

Glow In the Dark

## **SECTION 4: First aid measures**

Ingestion

: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.

Protection of first-aiders

Keep person warm and at rest. Do NOT induce vomiting.No action shall be taken involving any personal risk or without suitable training.

## 4.2 Most important symptoms and effects, both acute and delayed

There are no data available on the mixture itself. See Sections 2 and 3 for details.

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in nonallergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

## 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	Treat symptomatically. Contact poison treatment specialist immediately quantities have been ingested or inhaled.	if large
Specific treatments	No specific treatment.	

See toxicological information (Section 11)

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	Recommended: alcohol-resistant foam, CO <sub>2</sub> , powders, water spray.	
Unsuitable extinguishing media	Do not use water jet.	
5.2 Special hazards arising fr	the substance or mixture	
Hazards from the substance or mixture	Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.	
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.	
5.3 Advice for firefighters		
Special protective actions for fire-fighters	Cool closed containers exposed to fire with water. Do not release runoff from fire drains or watercourses.	∍ to
Special protective equipment for fire-fighters	Appropriate breathing apparatus may be required.	
Additional information	No unusual hazard if involved in a fire.	

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	te	ctive equipment and emergency procedures
For non-emergency personnel	:	Exclude sources of ignition and ventilate the area. Avoid breathing vapour or mist. Refer to protective measures listed in sections 7 and 8.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.
6.2 Environmental precautions	:	Do not allow to enter drains or watercourses. If the product contaminates lakes, rivers, or sewers, inform the appropriate authorities in accordance with local regulations.

Glow In the Dark

<b>SECTION 6: Accider</b>	ntal release measures
6.3 Methods and materials for containment and cleaning up	: Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Preferably clean with a detergent. Avoid using solvents.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

7.1 Precautions for safe handling		Keep away from heat, sparks and flame. No sparking tools should be used. Avoid contact with skin and eyes. Avoid inhalation of dust from sanding. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Put on appropriate personal protective equipment (see Section 8). Never use pressure to empty. Container is not a pressure vessel. Always keep in containers made from the same material as the original one. Comply with the health and safety at work laws.
7.2 Conditions for safe storage, including any incompatibilities		Store in accordance with local regulations. <b>Notes on joint storage</b> Keep away from: oxidising agents, strong alkalis, strong acids. <b>Additional information on storage conditions</b> Observe label precautions. Store in a dry, cool and well-ventilated area. Keep away from heat and direct sunlight. Keep container tightly closed. Keep away from sources of ignition. No smoking. Prevent unauthorised access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
7.3 Specific end use(s)		
Recommendations	:	Not available.
Industrial sector specific solutions	:	Not available.

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Occupational exposure limits**

Product/ingredient r	name	Exposure limit values
propane-1,2-diol		EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Particulate TWA: 474 mg/m <sup>3</sup> 8 hours. Form: Sum of vapour and particulates TWA: 150 ppm 8 hours. Form: Sum of vapour and particulates
Recommended monitoring : procedures	atmosphere or to of the ventilation protective equip the following: E the assessment limit values and atmospheres - C of exposure to c	ontains ingredients with exposure limits, personal, workplace biological monitoring may be required to determine the effectiveness in or other control measures and/or the necessity to use respiratory oment. Reference should be made to monitoring standards, such as suropean Standard EN 689 (Workplace atmospheres - Guidance for to of exposure by inhalation to chemical agents for comparison with measurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment chemical and biological agents) European Standard EN 482 hospheres - General requirements for the performance of procedures

Glow In the Dark

		controls/personal protection
		for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
DNELs/DMELs No DNELs/DMELs availab	le.	
PNECs		
No PNECs available		
2 Exposure controls		
Appropriate engineering controls	:	Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapours below the OEL, suitable respiratory protection must be worn.
Individual protection meas	ures	5
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	1	Safety glasses with side shields. (EN166)
Skin protection		
Hand protection		
		egularly and if there is any sign of damage to the glove material.
The performance or effect maintenance.	ctive	e free from defects and that they are stored and used correctly. ness of the glove may be reduced by physical/chemical damage and poor rotect the exposed areas of the skin but should not be applied once exposure has
The performance or effeo maintenance. Barrier creams may help	ctive to p	e free from defects and that they are stored and used correctly. ness of the glove may be reduced by physical/chemical damage and poor
The performance or effect maintenance. Barrier creams may help occurred.	ctive to p	e free from defects and that they are stored and used correctly. ness of the glove may be reduced by physical/chemical damage and poor rotect the exposed areas of the skin but should not be applied once exposure has
The performance or effect maintenance. Barrier creams may help occurred.	ctive to p	e free from defects and that they are stored and used correctly. ness of the glove may be reduced by physical/chemical damage and poor rotect the exposed areas of the skin but should not be applied once exposure has For prolonged or repeated handling, use the following type of gloves:
The performance or effect maintenance. Barrier creams may help occurred.	ctive to p	e free from defects and that they are stored and used correctly. ness of the glove may be reduced by physical/chemical damage and poor rotect the exposed areas of the skin but should not be applied once exposure has For prolonged or repeated handling, use the following type of gloves: Recommended: nitrile rubber The recommendation for the type or types of glove to use when handling this product is based on information from the following source: EN 374-3 : 2003
The performance or effect maintenance. Barrier creams may help occurred.	ctive to p :	e free from defects and that they are stored and used correctly. ness of the glove may be reduced by physical/chemical damage and poor rotect the exposed areas of the skin but should not be applied once exposure has For prolonged or repeated handling, use the following type of gloves: Recommended: nitrile rubber The recommendation for the type or types of glove to use when handling this product is based on information from the following source: EN 374-3 : 2003 The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of
The performance or effect maintenance. Barrier creams may help occurred. Gloves	ctive top :	e free from defects and that they are stored and used correctly. ness of the glove may be reduced by physical/chemical damage and poor rotect the exposed areas of the skin but should not be applied once exposure has For prolonged or repeated handling, use the following type of gloves: Recommended: nitrile rubber The recommendation for the type or types of glove to use when handling this product is based on information from the following source: EN 374-3 : 2003 The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.
The performance or effect maintenance. Barrier creams may help occurred. Gloves Body protection	ctive top : :	e free from defects and that they are stored and used correctly. ness of the glove may be reduced by physical/chemical damage and poor rotect the exposed areas of the skin but should not be applied once exposure has For prolonged or repeated handling, use the following type of gloves: Recommended: nitrile rubber The recommendation for the type or types of glove to use when handling this product is based on information from the following source: EN 374-3 : 2003 The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. Wear overalls or long sleeved shirt. (EN 467) Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be
The performance or effect maintenance. Barrier creams may help occurred. Gloves Body protection Other skin protection	ctive top : :	e free from defects and that they are stored and used correctly. ness of the glove may be reduced by physical/chemical damage and poor rotect the exposed areas of the skin but should not be applied once exposure has For prolonged or repeated handling, use the following type of gloves: Recommended: nitrile rubber The recommendation for the type or types of glove to use when handling this product is based on information from the following source: EN 374-3 : 2003 The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. Wear overalls or long sleeved shirt. (EN 467) Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. If workers are exposed to concentrations above the exposure limit, they must use

#### FLINTS Theatrical Chandlers

# Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - United Kingdom (UK)

Glow In the Dark

## **SECTION 8: Exposure controls/personal protection**

Environmental exposure : Do not allow to enter drains or watercourses. controls

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties		
Appearance		
Physical state	: Liquid.	
Colour	: Off-white. to Green.	
Odour	: Not available.	
рН	: Not available.	
Melting point/freezing point	: 0°C	
Initial boiling point and boiling range	: >100°C	
Flash point	: [Product does not sustain combustion.]	
Evaporation rate	: <1 (butyl acetate = 1)	
Flammability (solid, gas)	: Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat and shocks and mechanical impacts. Non-flammable but will burn on prolonged exposure to flame or high temperature.	
Burning time	: Not applicable.	
Burning rate	: Not applicable.	
Upper/lower flammability or explosive limits	: Not available.	
Vapour pressure	: Not available.	
Vapour density	: >1 [Air = 1]	
Relative density	: 1.32 to 1.33	
Solubility(ies)	: Soluble in the following materials: cold water and hot water. Very slightly soluble in the following materials: methanol.	
Solubility in water	: Not available.	
Partition coefficient: n-octanol/ water	: Not available.	
Auto-ignition temperature	: Not available.	
Decomposition temperature	: Not available.	
Viscosity	: Not available.	
Explosive properties	<ul> <li>Non-explosive in the presence of the following materials or conditions: open flames, sparks and static discharge and heat.</li> <li>No unusual hazard if involved in a fire.</li> </ul>	
Oxidising properties	: Not available.	

## 9.2 Other information

No additional information.

## **SECTION 10: Stability and reactivity**

10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.

Glow In the Dark

# SECTION 10: Stability and reactivity 10.4 Conditions to avoid : When exposed to high temperatures may produce hazardous decomposition products. 10.5 Incompatible materials : Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids. 10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced. If involved in a fire, toxic gases including CO, CO2 and smoke can be generated.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

There are no data available on the mixture itself. See Sections 2 and 3 for details.

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in nonallergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

#### Acute toxicity

Conclusion/Summary Acute toxicity estimates Not available.	-	Not available.
Irritation/Corrosion		
Conclusion/Summary	:	Not available.
Sensitisation		
Conclusion/Summary	:	Not available.
Mutagenicity		
Conclusion/Summary	:	Not available.
Carcinogenicity		
Conclusion/Summary	:	Not available.
Reproductive toxicity		
Conclusion/Summary	:	Not available.
Teratogenicity		
Conclusion/Summary	:	Not available.
Specific target organ toxici Not available.	ty (s	single exposure)
Specific target organ toxici	tv (ı	eneated exposu

## Specific target organ toxicity (repeated exposure) Not available.

#### **Aspiration hazard**

Not available.

#### Other information : Not available.

Glow In the Dark

# **SECTION 12: Ecological information**

## 12.1 Toxicity

There are no data available on the mixture itself. Do not allow to enter drains or watercourses.

**Conclusion/Summary** : Not available.

#### 12.2 Persistence and degradability

**Conclusion/Summary** : Not available.

## 12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.
12.5 Results of PRT and w	PvR assessment

12.5 Results of FBT and	
PBT	: Not applicable.
vPvB	: Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

#### **13.1 Waste treatment methods**

	-
Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes.
Disposal considerations	<ul> <li>Do not allow to enter drains or watercourses.</li> <li>Dispose of according to all federal, state and local applicable regulations.</li> <li>If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.</li> <li>For further information, contact your local waste authority.</li> </ul>

#### European waste catalogue (EWC)

The European Waste Catalogue classification of this product, when disposed of as waste, is:

Waste code	Waste designation	
08 01 11*	waste paint and varnish containing organic solvents or other dangerous substances	
Packaging		
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.	
Disposal considerations		
ate of issue/Date of revision	: 28-05-2014. Date of previous issue : No previous validation. Version : 1 8/10	

GIOW IN THE DARK

## **SECTION 13: Disposal considerations**

Special precautions

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Additional information	-	-	-

14.6 Special precautions for

user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation. The provisions of the national health and safety at work regulations apply to the use of this product at work.

**CN code** : 3209 10 00

EU Regulation (EC) No. 1907/2006 (REACH)

## Annex XIV - List of substances subject to authorisation

#### Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Other EU regulations	
VOC for Ready-for-Use Mixture	: IIA/e. Interior/exterior trim varnishes and woodstains, including opaque woodstains. EU limit value for this product : 150g/l (2007) 130g/l (2010.) This product contains a maximum of 130 g/l VOC.
Europe inventory National regulations	: All components are listed or exempted.

10/10

# Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - United Kingdom (UK)

Glow In the Dark

# SECTION 15: Regulatory information

15.2 Chemical Safety<br/>Assessment: This product contains substances for which Chemical Safety Assessments are still<br/>required.

# **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative	Abbreviations and acronyms	DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classi	fication	Justification
Not classified.		
Full text of abbreviated H statements	: Not applicable.	
Full text of classifications [CLP/GHS]	: Not applicable.	
Full text of abbreviated R phrases	: Not applicable.	
Full text of classifications [DSD/DPD]	: Not applicable.	
Date of printing	: 28-05-2014.	
Date of issue/ Date of revision	: 28-05-2014.	
Date of previous issue	: No previous validation.	
Version	: 1	
Notice to reader		

## Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.