## **Safety Data Sheet**

Productname : Ref.Nr.:	COM 300 UDS000240_3_20170629 (EN)	Creationdate : Replaces:	29.06.17 UDS0002
			0200002

#### 29.06.17 Version : 2.0 UDS000240\_20160729

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

COM 300 Bulk

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Release Agents

#### 1.3. Details of the supplier of the safety data sheet

CRC Industries UK Ltd. Ambersil House - Wylds Road Castlefield Industrial Estate TA6 4DD Bridgwater Somerset United Kingdom Tel.: +44 1278 727200 Fax.: +44 1278 425644 E-mail : hse.uk@crcind.com

#### 1.4. Emergency telephone number

#### (+44)(0)1278 72 7200 (office hours)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Physical:	Flammable liquid, category 3
-	Flammable liquid and vapour.
Classification is based or	n test data.
Health:	Aspiration Hazard Category 1
	May be fatal if swallowed and enters airways.
	Specific target organ toxicity - single exposure, category 3
	May cause drowsiness or dizziness.
	Specific Target Organ Toxicity - Repeated Exposure Category 1
	Causes damage to organs through prolonged or repeated exposure .
Classification based on c	alculation method.
Environment:	Hazardous to the aquatic environment, chronic category 2
	Toxic to aquatic life with long lasting effects.
Classification based on c	alculation method.
Other hazards :	Repeated exposure may cause skin dryness or cracking.
	1/9



207703 7700	Unit		State, Diackiloi se Roau, E		Theatrical
Safety Data Sheet Regulation EC No 1907/2006 Art.31					
oductname : ef.Nr.:	COM 300 UDS000240_3_20	0170629 (EN)	Creationdate : Replaces:	29.06.17 Version : 2.0 UDS000240_20160729	
Other haza	ards :	Not classified			
2. Label eleme	nts				
abelling accord	ding to Regulation	(EC) No 1272/20	008		
Product id	entifier:	Contains: Hvdrocarbons	, C9-12, n-alkanes, is	soalkanes. cvclic	
Hazard pic	togram(s):				
Signal wor	rd:	Danger	•	• •	
Hazard statement(s): H304 : May be fatal if swallowed a H336 : May cause drowsiness or		e fatal if swallowed ar ause drowsiness or di s damage to organs t	nd enters airways. izziness. hrough prolonged or repeated exposure .		
Precautionary statement(s):       P101 : If medical advice is needed, have product container or label at hand P102 : Keep out of reach of children.         P210 : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.       P260 : Do not breathe dust/fume/gas/mist/vapours/spray.         P271 : Use only outdoors or in a well-ventilated area.       P301/310 : IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.         P331 : Do NOT induce vomiting.       P405 : Store locked up.					
				iner to an authorised waste collection poir	nt.
Supplemental Hazard information: Repeated exposure may cause skin dryness or cracking.					

#### 2.3. Other hazards

No information available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable.

#### 3.2. Mixtures

Hazardous ingredient	Registration number	CAS- nr.	EC-nr	w/w %	Hazard Class and Category	Hazard statement	Notes
Hydrocarbons, C9-12, n- alkanes, isoalkanes, cyclic	01-2119458049- 33	-	(919- 446-0)	60- 100	Flam. Liq. 3, Asp. Tox. 1, STOT SE 3, STOT RE 1, Aquatic Chronic 2	H226,H304,H336,H372,H411	B,Q
Explanation notes							
B : substance with national established workplace exposure limit							
B : substance with national established workplace exposure limit							



CRC Industries UK Limited

Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,

Somerset, TA6 4DD Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

T٠	020	7703	9786
	020	1105	//00

## **Safety Data Sheet**

Productname :	COM 300	Creationdate :	29.06.17 Version : 2.0
Ref.Nr.:	UDS000240_3_20170629 (EN)	Replaces:	UDS000240_20160729

Q : The CAS-no is only an indicative identifier to be used outside the EU for global inventory entries.

(\* Explanation phrases : see chapter 16)

# SECTION 4: First aid measures

## 4.1. Description of first aid measures

Contact with eyes :	If substance has got into eyes, immediately wash out with plenty of water for several minutes Seek medical attention if irritation persists
Contact with skin :	Wash with water and soap. Seek medical attention if irritation persists
Inhalation :	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Ingestion :	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation :	Excessive inhalation of solvent vapours may give rise to nausea, headaches and dizziness
Ingestion :	After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia. Symptoms : sore throat, abdominal pain, nausea, vomiting
Skin contact :	Mildly irritating to skin Symptoms : redness and pain
Eye contact :	Mildly irritating to eyes Symptoms : redness and pain

#### 4.3. Indication of any immediate medical attention and special treatment needed

General Advice :If you feel unwell, seek medical advice (show the label where possible<br/>If symptoms persist always call a doctor

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

foam, carbon dioxide or dry agent

#### 5.2. Special hazards arising from the substance or mixture

May form explosive vapour/air mixtures Forms hazardous decomposition products CO,CO2

#### 5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water



3/9

## Safety Data Sheet

Productname :	COM 300	Creationdate :	29.06.17 Version : 2.0
Ref.Nr.:	UDS000240_3_20170629 (EN)	Replaces:	UDS000240_20160729

In case of fire, do not breathe fumes

# SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources Ensure adequate ventilation Wear suitable protective clothing including eye/face protection. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../equipment.

### 6.2. Environmental precautions

Do not allow to enter public sewers and watercourses

### 6.3. Methods and material for containment and cleaning up

Absorb spillage in suitable inert material

### 6.4. Reference to other sections

For further information see section 8

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Keep away from heat and sources of ignition Take precautionary measures against static discharges Equipment should be earthed Use explosion-proof electrical/ventilating/lighting/.../equipment. Use only non-sparking tools. Do not breathe aerosols or vapours. Ensure adequate ventilation Avoid contact with skin and eyes. Wash thoroughly after use Wear protective gloves/protective clothing/eye protection/face protection.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed, in a cool, well ventilated place. Keep out of reach of children.

## 7.3. Specific end use(s)

Release Agents

# SECTION 8: Exposure controls/personal protection



4/9

## Safety Data Sheet

Productname :	COM 300	Creationdate :	29.06.17 Version : 2.0
Ref.Nr.:	UDS000240_3_20170629 (EN)	Replaces:	UDS000240_20160729

#### 8.1. Control parameters

#### Exposure limits :

No information available

### 8.2. Exposure controls

Control procedures :	Ensure adequate ventilation
	Keep away from heat and sources of ignition
	Take precautionary measures against static discharges
Personal protection :	Take precautions to avoid contact with skin and eyes when handling the product.
	It is good practice to wear gloves and to provide adequate ventilation whenever using the product.
	In all cases handle and use the product in accordance with good industrial hygiene practices.
inhalation :	In case of insufficient ventilation, wear suitable respiratory equipment.
recommended respiratory protection:	Air purifying respirator equiped with organic gas/vapor cartridge (type A)
hands and skin :	Wear suitable protective gloves against chemicals. Check the appropriateness of the recommended gloves for your own particular conditions of use and replace gloves regularly after check for signs of damage or defects.
Recommended gloves:	Nitrile
eyes :	Wear safety eyewear according to EN 166.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Apperance : physical state :	Liquid.
colour :	Beige.
odour :	White spirit.
рН :	Not applicable.
Boiling point/range :	100 °C
Flash point :	38 °C (Closed Cup)
Evaporation rate :	Not available.
Explosion limits : upper limit :	8 %
lower limit :	0.9 %
Vapour pressure :	Not available.
Relative density :	0.78 g/cm3 (@ 20°C).
Solubility in water :	Insoluble in water
Auto-ignition :	230 °C
Viscosity :	Not available.

#### 9.2. Other information

## SECTION 10: Stability and reactivity



5/9

## **Safety Data Sheet**

Productname :	COM 300	Creationdate :	29.06.17 Version : 2.0
Ref.Nr.:	UDS000240_3_20170629 (EN)	Replaces:	UDS000240_20160729

Regulation EC No 1907/2006 Art.31

### 10.1. Reactivity

No hazardous reactions known if used for its intended purpose

### 10.2. Chemical stability

Stable

### 10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

### 10.4. Conditions to avoid

Avoid overheating

### 10.5. Incompatible materials

Strong oxidising agent

### 10.6. Hazardous decomposition products

CO,CO2

## SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

acute toxicity:	based on available data the classification criteria are not met
skin corrosion/irritation:	based on available data the classification criteria are not met
serious eye damage/irritation:	based on available data the classification criteria are not met
respiratory or skin sensitisation:	based on available data the classification criteria are not met
germ cell mutagenicity:	based on available data the classification criteria are not met
carcinogenicity:	based on available data the classification criteria are not met
toxicity for reproduction:	based on available data the classification criteria are not met
STOT-single exposure:	May cause drowsiness or dizziness.
STOT repeated exposure:	Causes damage to organs through prolonged or repeated exposure .
aspiration hazard:	May be fatal if swallowed and enters airways.

#### Information on likely routes of exposure:

Inhalation :	Inhalation of solvent vapours may give rise to nausea, headaches and dizziness
Ingestion :	After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia.
Skin contact :	Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis
Eye contact :	May cause irritation.



6/9

## **Safety Data Sheet**

Productname :	COM 300	Creationdate :	29.06.17 Version : 2.0
Ref.Nr.:	UDS000240_3_20170629 (EN)	Replaces:	UDS000240_20160729

Regulation EC No 1907/2006 Art.31

## Toxicological data :

Hazardous ingredient		method	
Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclic	-	LD50 oral rat	> 5000 mg/kg
		LC50 inhal.rat	> 10 mg/l
		LD50 derm.rabit	> 4 mg/kg

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Hazardous to the aquatic environment, chronic category 2 Toxic to aquatic life with long lasting effects.

### Ecotoxicological data:

Hazardous ingredient		method	
Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclic	-	IC50 algae	4.6-10 mg/l
		LC50 fish	10-30 mg/l
		EC50 daphnia	10-22 mg/l

### 12.2. Persistence and degradability

No information available

#### 12.3. Bioaccumulative potential

No information available

### 12.4. Mobility in soil

Insoluble in water

## 12.5. Results of PBT and vPvB assessment

No information available

#### 12.6. Other adverse effects

No information available

# SECTION 13: Disposal considerations

### 13.1. Waste treatment methods



7/9

020 7703 9786 Unit 9		state, Blackhorse Road, L		FLINT Theatrical Chand
Safety Data Sheet		Regulation EC No 1	907/2006 Art.31	
Productname : COM 300 Ref.Nr.: UDS000240_3_20	170629 (EN)	Creationdate : Replaces:	29.06.17 Version : 2.0 UDS000240_20160729	
Product : Contaminated packaging :	Do not discha waste collecti	rge into drains or the on point.	t be disposed of in a safe way. environment, dispose to an authorised with local, state or national legislation	
SECTION 14: Transport infor	mation			
14.1. UN number				
UN-number :	1300			
14.2. UN proper shipping name				
Proper shipping name:	TURPENTINE	E SUBSTITUTE		
14.3. Transport hazard class(es)				
Class: ADR/RID - Classification code:	3 F1			
14.4. Packing group				
Packing group:				
14.5. Environmental hazards				
ADR/RID - Environmentally hazardous: IMDG - Marine pollutant: IATA/ICAO - Environmentally hazardous:	Yes Marine polluta Yes	ant		
14.6. Special precautions for user				
ADR/RID - Tunnelcode: IMDG - Ems: IATA/ICAO - PAX: IATA/ICAO - CAO	(D/E) F-E, S-E 355 366			
14.7. Transport in bulk according to	o Annex II of M	ARPOL and the IBC	Code	
Not applicable.				
SECTION 15: Regulatory info	rmation			

The Safety Data Sheet is compiled according to the current European requirements.



## **Safety Data Sheet**

Productname :	COM 300	Creationdate :	29.06.17 Version : 2.0
Ref.Nr.:	UDS000240_3_20170629 (EN)	Replaces:	UDS000240_20160729

Regulation (EC) No 1907/2006 (REACH) Regulation (EC) No 1272/2008 (CLP)

### 15.2. Chemical safety assessment

No information available

# **SECTION 16: Other information**

*Explanation hazard statements:	<ul> <li>H226 : Flammable liquid and vapour.</li> <li>H304 : May be fatal if swallowed and enters airways.</li> <li>H336 : May cause drowsiness or dizziness.</li> <li>H372 : Causes damage to organs through prolonged or repeated exposure .</li> <li>H411 : Toxic to aquatic life with long lasting effects.</li> </ul>
REVISIONS IN CHAPTRE :	8.2. Exposure controls
acronyms and synonyms:	TWA = time weight average STEL = short time exposure limit VOC = volatile organic compounds PBT = persistant bioaccumulative toxic vPvB = very persitant very bioaccumulative

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.



9/9