



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 11-Feb-2020

Revision Date: 11-Feb-2020

Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name Product Code Alternate Product Code Product Class Color Recommended use Restrictions on use

ROSCO OFF BROADWAY RAW SIENNA

RF5355 XY5107 Water thinned paint Yellow brown Paint No information available

Roscolab Limited

Blanchard Works Kangley Bridge Road Sydenham London SE26 5AQ Phone: +44 (0) 20 8659 2300 (Monday - Friday, 9 am to 5 pm GMT) Email: info.emea@rosco.com

Rosco Laboratories Inc.

52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900 www.rosco.com

Emergency Telephone

CHEMTREC: +1-703-741-5970 CHEMTREC (United Kingdom Local Number): +44-870-8200418

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008
Specific target organ toxicity (repeated exposure)

Category 2 - (H373)

2.2. Label elements

Product Identifier

Page 1/11



Revision Date: 11-Feb-2020



Contains Cristobalite Signal word Warning

Hazard statements

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust/fume/gas/mist/vapors/spray P314 - Get medical advice/attention if you feel unwell P501 - Dispose of contents/container to industrial incineration plant

2.3. Other hazards

General Hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Cristobalite	238-455-4	14464-46-1	>=5 - <10	STOT RE 1 (H372)	Not available
Diatomaceous silica, flux-calcined	272-489-0	68855-54-9	>=1 - <5	STOT RE 2 (H373)	Not available
Iron oxide	215-168-2	1309-37-1	>=1 - <5	Not available	Not available
Propylene glycol	200-338-0	57-55-6	>=1 - <5	Not available	01-2119456809-23-02 24
Titanium dioxide	236-675-5	13463-67-7	>=0.5 - <1	Not available	01-2119489379-17-01 68
Silica, crystalline	238-878-4	14808-60-7	>=0.1 - <0.3	STOT RE 1 (H372)	Not available
Distillates, petroleum, solvent-refined heavy paraffinic	265-090-8	64741-88-4	>=0.1 - <0.3	Repr. 2 (H361) STOT RE 1 (H372) Asp. Tox 1 (H304)	Not available

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Description of first aid measures



General Advice	No hazards which require special first aid measures.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects	None known.
---------------------------------	-------------

4.3. Indication of any immediate medical attention and special treatment needed

Notes To Physician

Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available.
5.2. Special hazards arising from the substance or mix	<u>sture</u>
Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.
Sensitivity to static discharge	No
Sensitivity to mechanical impact	No
5.3. Advice for firefighters	
Destanting a minus out and una soutions for firsticktors	Wear all contained breathing apparetus and protective

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.
Other Information	Observe all relevant local and international regulations.



Revision Date: 11-Feb-2020

6.2. Environmental precautions	
Environmental precautions	Prevent spreading of vapors through sewers, ventilation systems and confined areas.
6.3. Methods and material for containment and cleanir	ng up
Methods for Containment	Absorb with inert material and place in suitable container for disposal.
Methods for Cleaning Up	Clean contaminated surface thoroughly.
6.4. Reference to other sections	
Other information	See Section 12 for additional information.
Section 7: HANDLING AND STORAGE	
7.1. Precautions for safe handling	
Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.
Hygiene Measures	Wash thoroughly after handling.
7.2. Conditions for safe storage, including any incomp	patibilities
Storage	Keep container tightly closed. Keep out of the reach of children.
7.3. Specific end use(s)	
Specific Uses	Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.
Risk Management Methods (RMM)	Not Applicable.
Section 8: EXPOSURE CONTROLS/PE	RSONAL PROTECTION

8.1. Control parameters

Chemical name	European Union	Belgium	Bulgaria	Cyprus	France	Ireland
Cristobalite 14464-46-1	TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.07 mg/m ³	-	TWA: 0.05 mg/m ³	TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³
Diatomaceous silica, flux-calcined 68855-54-9	-	-	-	-	-	TWA: 1.2 mg/m ³ STEL: 3.6 mg/m ³
Iron oxide 1309-37-1	-	TWA: 5 mg/m³	TWA: 5.0 mg/m ³	-	TWA: 5 mg/m³ TWA: 10 mg/m³	TWA: 5 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 10 mg/m ³ STEL: 12 mg/m ³ STEL: 30 mg/m ³
Propylene glycol 57-55-6	-	-	-	-	-	TWA: 10 mg/m ³ TWA: 150 ppm TWA: 470 mg/m ³



Revision Date: 11-Feb-2020

										S	EL: 1410 mg/m ³ TEL: 30 mg/m ³ TEL: 450 ppm
Chemical name	Germany	Greece		Hungary Ic		lce	eland		Italy		Latvia
Cristobalite 14464-46-1	-	-			5 5		g/m³ TWA - g/m³ TWA			-	
Diatomaceous silica, flux-calcined 68855-54-9	TWA: 0.3 mg/m ³	-	-			1.5 mg/m³ TWA		-			-
Iron oxide 1309-37-1	-	TWA: 10 mg STEL: 10 m	0	TWA: 6 r	mg/m³	3.5 mg	g/m³ TWA		-		-
Propylene glycol 57-55-6	-	-	-		-		-		Т	TWA: 7 mg/m ³	
Chemical name	Lithuania	Netherlands	I	Poland	Rom	ania	Spain	I	Sweden		United Kingdom
Cristobalite 14464-46-1	TWA: 0.05 mg/m ³	TWA: 0.075 mg/m ³	TWA	: 0.1 mg/m ³	TWA mg	: 0.05 /m³	TWA: 0. mg/m [:]		TLV: 0.05 mg/	′m³ -	TWA: 0.1 mg/m ³
Diatomaceous silica, flux-calcined 68855-54-9	-	-		A: 2 mg/m ³ A: 1 mg/m ³		-	-		-		-
Iron oxide 1309-37-1	TWA: 3.5 mg/m ³	-			EL: 5 mg/m ³ STEL: 10 mg, A: 2.5 mg/m ³		TWA: 5 m	g/m³	TLV: 3.5 mg/r		TWA: 5 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 10 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³
Propylene glycol 57-55-6	TWA: 7 mg/m ³	-	TWA	: 100 mg/m ³		-	-		-	7	TWA: 150 ppm FWA: 474 mg/m ³ TWA: 10 mg/m ³ STEL: 450 ppm STEL: 1422 mg/m ³ STEL: 30 mg/m ³

8.2. Exposure controls

Occupational exposure controls

Engineering Measures

Personal Protective Equipment

Respiratory Protection

Eye Protection

Skin Protection

Hand protection

Hygiene Measures

Ensure adequate ventilation, especially in confined areas.

In case of insufficient ventilation wear suitable respiratory equipment.

Safety glasses with side-shields.

Lightweight protective clothing.

Impervious gloves.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Odor liquid little or no odor



Revision Date: 11-Feb-2020

Odor Threshold

Property Density (g/L) **Relative Dens** рΗ Viscosity (cps Solubility(ies) Water solubil **Evaporation F** Vapor pressu Vapor density Wt. % Solids Vol. % Solids Wt. % Volatile Vol. % Volatile **Boiling Point Freezing Poin Melting Point** Pour Point Flash Point (° Flammability Upper flamma Lower flamma Autoignition Decompositio Partition coef **Explosive pro Oxidizing Prop**

No information available

	Values	Remarks/ Method
	1246 - 1294	None known
isity	1.24 - 1.29	
	No information available	None known
os)	No information available	None known
s)	No information available	None known
ility	No information available	None known
Rate	No information available	None known
ure	No information available	None known
ty	No information available	None known
5	40 - 50	None known
S	25 - 35	None known
les	50 - 60	None known
iles	65 - 75	None known
t (°C)	100	None known
int (°C)	0	None known
it (°C)	No information available	None known
	No information available	None known
(°C)	Not applicable	None known
(solid, gas)	No information available	None known
nability limit:	No information available	None known
nability limit:	No information available	None known
Temperature (°C)	No information available	None known
ion Temperature (°C)	No information available	None known
efficient	No information available	None known
operties	No information available	None known
operties	No information available	None known

Section 10: STABILITY AND REACTIVITY

<u>10.1. Reactivity</u> Reactivity	Not Applicable.
10.2. Chemical stability	
Chemical Stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal conditions of use.
10.4. Conditions to avoid	
Conditions to avoid	Prevent from freezing.
10.5. Incompatible materials	
Incompatible Materials	No materials to be especially mentioned.
10.6. Hazardous decomposition products	
Hazardous Decomposition Products	None under normal conditions of use.

Product Information



RF5355 - ROSCO OFF BROADWAY RAW SIENNA

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	There is no data available for this product.
Ingestion	There is no data available for this product.
Acute Toxicity	

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Iron oxide 1309-37-1	> 10000 mg/kg (Rat)		
Propylene glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Distillates, petroleum, solvent-refined heavy paraffinic 64741-88-4	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5530 mg/m³ (Rat)4 h

Skin corrosion/irritation

Eye damage/irritation

Sensitization

No information available.

No information available.

No sensitizing effects known.

No information available.

Carcinogenic effects

Mutagenic Effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Cristobalite 14464-46-1		1 - Human Carcinogen
Titanium dioxide 13463-67-7		2B - Possible Human Carcinogen
Silica, crystalline 14808-60-7		1 - Human Carcinogen

• Crystalline Silica has been determined to be carcinogenic to humans by IARC (1) when in respirable form. Risk of cancer depends on duration and level of inhalation exposure to spray mist or dust from sanding the dried paint.

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend



Revision Date: 11-Feb-2020

IARC - International Agency for Research on Cancer	
Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure if inhaled.
Neurological Effects	No information available.
Target organ effects	No information available.
Symptoms	No information available.
Aspiration Hazard	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Iron oxide		LC50: =100000mg/L (96h, Danio	
1309-37-1		rerio)	
Propylene glycol	EC50: =19000mg/L (96h,	LC50 41 - 47 mL/L Oncorhynchus	EC50 > 1000 mg/L (48 h)
57-55-6	Pseudokirchneriella subcapitata)	mykiss (96 h)	EC50 > 10000 mg/L (24 h)
		LC50 = 710 mg/L Pimephales	
		promelas (96 h)	
		LC50 = 51600 mg/L Oncorhynchus	
		mykiss (96 h)	
		LC50 = 51400 mg/L Pimephales	
		promelas (96 h)	
Distillates, petroleum,		LC50: >5000mg/L (96h,	EC50: >1000mg/L (48h, Daphnia
solvent-refined heavy paraffinic		Oncorhynchus mykiss)	magna)
64741-88-4			

12.2. Persistence and degradability

Persistence / Degradability	No information available.
12.3. Bioaccumulative potential	
Bioaccumulation	There is no data for this product.
<u>12.4. Mobility in soil</u>	
Mobility in soil	No information available.
Mobility in Environmental Media	No information available.
12.5. Results of PBT and vPvB assessment	



PBT and vPvB assessment

No information available.

Chemical name	PBT and vPvB assessment
Diatomaceous silica, flux-calcined 68855-54-9	PBT assessment does not apply
Iron oxide	The substance is not PBT / vPvB PBT assessment
1309-37-1	does not apply
Propylene glycol	The substance is not PBT / vPvB PBT assessment
57-55-6	does not apply
Titanium dioxide	The substance is not PBT / vPvB PBT assessment
13463-67-7	does not apply
Distillates, petroleum, solvent-refined heavy paraffinic 64741-88-4	The substance is not PBT / vPvB

12.6. Other adverse effects

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused ProductsDispose of in accordance with the European Directives on
waste and hazardous waste.Contaminated PackagingEmpty containers should be taken for local recycling,
recovery or waste disposal.EWC waste disposal NoNo information availableOther InformationWaste codes should be assigned by the user based on the
application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG	Not regulated
<u>RID</u>	Not regulated
ADR	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)



Revision Date: 11-Feb-2020

RF5355 - ROSCO OFF BROADWAY RAW SIENNA

Chemical name	French RG number
Cristobalite 14464-46-1	RG 25
Iron oxide 1309-37-1	RG 44,RG 44,RG 94
Propylene glycol 57-55-6	RG 84
Silica, crystalline 14808-60-7	RG 25

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS No - Not all of the components are listed. **DSL: Canada** Yes - All components are listed or exempt. **EINECS: European Union** No - Not all of the components are listed. No - Not all of the components are listed. ENCS IECSC No - Not all of the components are listed. **KECL (Annex 1)** No - Not all of the components are listed. No - Not all of the components are listed. PICCS **TSCA: United States** Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 IECSC - China Inventory of Existing Chemical Substances
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H304 - May be fatal if swallowed and enters airways

H361 - Suspected of damaging fertility or the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure

Classification procedure:

Key literature references and sources for data

Prepared By

Expert judgment and weight of evidence determination

Data from internal and external sources

Product Stewardship Department Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900



Revision Date: 11-Feb-2020

Issuing Date	11-Feb-2020
Revision Date:	11-Feb-2020
Revision Summary	Change to Format

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet