



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 13-Mar-2020

Revision Date: 17-Mar-2020

**Revision Number: 1** 

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name Product Code Alternate Product Code Product Class Color Recommended use Restrictions on use

## **ROSCO OFF BROADWAY FIRE RED**

RF5360 XY5103 Water thinned paint Red Paint No information available

#### **Roscolab Limited**

Blanchard Works Kangley Bridge Road Sydenham London SE26 5AQ Phone: +44 (0) 20 8659 2300 (Monday - Friday, 9 am to 5 pm GMT) Email: info.emea@rosco.com

#### **Rosco Laboratories Inc.**

52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900 www.rosco.com

#### **Emergency Telephone**

CHEMTREC: +1-703-741-5970 CHEMTREC (United Kingdom Local Number): +44-870-8200418

## Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Specific target organ toxicity (repeated exposure)

Category 2 - (H373)

#### 2.2. Label elements

Product Identifier



Revision Date: 17-Mar-2020



Contains Cristobalite Signal word Warning

#### Hazard statements

H373 - May cause damage to organs through prolonged or repeated exposure

#### Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P314 - Get medical advice/attention if you feel unwell

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other hazards

**General Hazards** 

No information available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Cristobalite	238-455-4	14464-46-1	>=5 - <10	STOT RE 1 (H372)	Not available
Diatomaceous silica, flux-calcined	272-489-0	68855-54-9	>=1 - <5	STOT RE 2 (H373)	Not available
Propylene glycol	200-338-0	57-55-6	>=1 - <5	Not available	01-2119456809-23-02 24

Full text of H- and EUH-phrases: see section 16

## Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Description of first aid measures

**General Advice** 

Eye Contact

No hazards which require special first aid measures.

Rinse thoroughly with plenty of water for at least 15



#### Revision Date: 17-Mar-2020

	minutes and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.
4.2. Most important symptoms and effects, both acute	e and delayed
Most Important Symptoms/Effects	None known.
4.3. Indication of any immediate medical attention and needed	d special treatment

Notes To Physician

Treat symptomatically.

# Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available.
5.2. Special hazards arising from the substance or mix	<u>kture</u>
Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.
Sensitivity to static discharge	No
Sensitivity to mechanical impact	No
5.3. Advice for firefighters	
Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit.

## Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.
Other Information	Observe all relevant local and international regulations.
6.2. Environmental precautions	
Environmental precautions	Prevent spreading of vapors through sewers, ventilation



#### Revision Date: 17-Mar-2020

	systems and confined areas.	
6.3. Methods and material for containment and cl	eaning up	
Methods for Containment	Absorb with inert material and place in suitable container for disposal.	
Methods for Cleaning Up	Clean contaminated surface thoroughly.	
6.4. Reference to other sections		
Other information	See Section 12 for additional information.	
Section 7: HANDLING AND STORA	GE	
7.1. Precautions for safe handling		
Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.	
Hygiene Measures	Wash thoroughly after handling.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage	Keep container tightly closed. Keep out of the reach of children.	
7.3. Specific end use(s)		
Specific Uses	Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.	
Risk Management Methods (RMM)	Not Applicable.	
Section 9. EVENELIDE CONTROL S		

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Chemical name	European Union	Belgium	Bulgaria	Cyprus	France	Ireland
Cristobalite 14464-46-1	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.07 mg/m <sup>3</sup>	-	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>
Diatomaceous silica, flux-calcined 68855-54-9	-	-	-	-	-	TWA: 1.2 mg/m <sup>3</sup> STEL: 3.6 mg/m <sup>3</sup>
Propylene glycol 57-55-6	-	-	-	-	-	TWA: 10 mg/m <sup>3</sup> TWA: 150 ppm TWA: 470 mg/m <sup>3</sup> STEL: 1410 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 450 ppm
Chemical name	Germany	Greece	Hungary	Iceland	Italy	Latvia
Cristobalite 14464-46-1	-	-	TWA: 0.15 mg/m <sup>3</sup>	0.15 mg/m <sup>3</sup> TWA 0.05 mg/m <sup>3</sup> TWA	-	-
Diatomaceous silica, flux-calcined 68855-54-9	TWA: 0.3 mg/m <sup>3</sup>	-	-	1.5 mg/m³ TWA	-	-
Propylene glycol 57-55-6	-	-	-	-	-	TWA: 7 mg/m <sup>3</sup>



#### Revision Date: 17-Mar-2020

Chemical name	Lithuania	Netherlands	Poland	Romania	Spain	Sweden	United Kingdom
Cristobalite 14464-46-1	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.075 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TLV: 0.05 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
Diatomaceous silica, flux-calcined 68855-54-9	-	-	TWA: 2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	-	-	-	-
Propylene glycol 57-55-6	TWA: 7 mg/m <sup>3</sup>	-	TWA: 100 mg/m <sup>3</sup>	-	-	-	TWA: 150 ppm TWA: 474 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> STEL: 450 ppm STEL: 1422 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup>

#### 8.2. Exposure controls

Occupational exposure controls

Engineering Measures

Personal Protective Equipment

**Respiratory Protection** 

**Eye Protection** 

**Skin Protection** 

Hand protection

**Hygiene Measures** 

Ensure adequate ventilation, especially in confined areas.

In case of insufficient ventilation wear suitable respiratory equipment.

Safety glasses with side-shields.

Lightweight protective clothing.

Impervious gloves.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance Odor Odor Threshold	red liquid little or no odor No information available	
Property_	Values_	Remarks/ Method
Density (g/L)	1150 - 1198	None known
Relative Density	1.15 - 1.20	
pH	No information available	None known
Viscosity (cps)	No information available	None known
Solubility(ies)	No information available	None known
Water solubility	No information available	None known
Evaporation Rate	No information available	None known
Vapor pressure	No information available	None known
Vapor density	No information available	None known
Wt. % Solids	35 - 45	None known
Vol. % Solids	20 - 30	None known
Wt. % Volatiles	55 - 65	None known
Vol. % Volatiles	70 - 80	None known



#### Revision Date: 17-Mar-2020

Deiling Deint (%C)	100
Boiling Point (°C)	100
Freezing Point (°C)	0
Melting Point (°C)	No information available
Pour Point	No information available
Flash Point (°C)	Not applicable
Flammability (solid, gas)	No information available
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Autoignition Temperature (°C)	No information available
Decomposition Temperature (°C)	No information available
Partition coefficient	No information available
Explosive properties	No information available
Oxidizing Properties	No information available

None known None known

# Section 10: STABILITY AND REACTIVITY

10.1. Reactivity Reactivity	Not Applicable.
10.2. Chemical stability	
Chemical Stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal conditions of use.
10.4. Conditions to avoid	
Conditions to avoid	Prevent from freezing.
10.5. Incompatible materials	
Incompatible Materials	No materials to be especially mentioned.
10.6. Hazardous decomposition products	
Hazardous Decomposition Products	None under normal conditions of use.

# Section 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

#### Product Information

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	There is no data available for this product.
Ingestion	There is no data available for this product.
Acute Toxicity	



#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	

Skin corrosion/irritation	No information available.
Eye damage/irritation	No information available.
Sensitization	No sensitizing effects known.
Mutagenic Effects	No information available.

#### Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Cristobalite		1 - Human Carcinogen
14464-46-1		_

• Crystalline Silica has been determined to be carcinogenic to humans by IARC (1) when in respirable form. Risk of cancer depends on duration and level of inhalation exposure to spray mist or dust from sanding the dried paint.

#### Legend

IARC - International Agency for Research on Cancer

Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure if inhaled.
Neurological Effects	No information available.
Target organ effects	No information available.
Symptoms	No information available.
Aspiration Hazard	No information available.

# Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Propylene glycol	EC50: =19000mg/L (96h,	LC50 41 - 47 mL/L Oncorhynchus	EC50 > 1000 mg/L (48 h)
57-55-6	Pseudokirchneriella subcapitata)	mykiss (96 h)	EC50 > 10000 mg/L (24 h)



#### Revision Date: 17-Mar-2020

LC50 = 710 mg/L Pimephales
promelas (96 h)
LC50 = 51600 mg/L Oncorhynchus
mykiss (96 h)
LC50 = 51400 mg/L Pimephales
promelas (96 h)

#### 12.2. Persistence and degradability

Persistence / Degradability	No information available.
12.3. Bioaccumulative potential	
Bioaccumulation	There is no data for this product.
12.4. Mobility in soil	
Mobility in soil	No information available.
Mobility in Environmental Media	No information available.
12.5. Results of PBT and vPvB assessment	

#### PBT and vPvB assessment

No information available.

Chemical name	PBT and vPvB assessment
Diatomaceous silica, flux-calcined 68855-54-9	PBT assessment does not apply
Propylene glycol 57-55-6	The substance is not PBT / vPvB PBT assessment does not apply

#### 12.6. Other adverse effects

Other adverse effects

No information available

## Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Waste from Residues/Unused Products

**Contaminated Packaging** 

EWC waste disposal No

Other Information

Dispose of in accordance with the European Directives on waste and hazardous waste.

Empty containers should be taken for local recycling, recovery or waste disposal.

No information available

Waste codes should be assigned by the user based on the application for which the product was used.

## Section 14: TRANSPORT INFORMATION

IMDG

Not regulated



Revision Date: 17-Mar-2020

Not regulated
Not regulated
Not regulated
Not regulated

## Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Cristobalite	RG 25
14464-46-1	
Propylene glycol	RG 84
57-55-6	

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### International Inventories

AICS	No - Not all of the components are listed.
DSL: Canada	Yes - All components are listed or exempt.
EINECS: European Union	No - Not all of the components are listed.
ENCS	No - Not all of the components are listed.
IECSC	No - Not all of the components are listed.
KECL (Annex 1)	No - Not all of the components are listed.
PICCS	No - Not all of the components are listed.
TSCA: United States	Yes - All components are listed or exempt.

#### Legend

AICS - Australian Inventory of Chemical Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
IECSC - China Inventory of Existing Chemical Substances
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

#### 15.2. Chemical safety assessment

**Chemical Safety Report** 

No information available

# Section 16: OTHER INFORMATION

#### Full text of H-Statements referred to under section 3

H372 - Causes damage to organs through prolonged or repeated exposure H373 - May cause damage to organs through prolonged or repeated exposure



#### Revision Date: 17-Mar-2020

Classification procedure:	Expert judgment and weight of evidence determination
Key literature references and sources for data	Data from internal and external sources
Prepared By	Product Stewardship Department Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900
Issuing Date	13-Mar-2020
Revision Date:	17-Mar-2020
Revision Summary	Change to Format

#### **Disclaimer**

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet