



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 16-Mar-2020 Revision Date: 16-Mar-2020 Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name ROSCO OFF BROADWAY DEEP RED

Product Code RF5361
Alternate Product Code XY5104

Product Class Water thinned paint

ColorRedRecommended usePaint

Restrictions on use No information available

Roscolab Limited Blanchard Works

Kangley Bridge Road

Sydenham

London SE26 5AQ

Phone: +44 (0) 20 8659 2300 (Monday - Friday, 9 am to 5 pm GMT)

Email: info.emea@rosco.com

Rosco Laboratories Inc.

52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900 www.rosco.com

Emergency Telephone

CHEMTREC: +1-703-741-5970

CHEMTREC (United Kingdom Local Number): +44-870-8200418

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Specific target organ toxicity (repeated exposure) Category 2 - (H373)

2.2. Label elements

Product Identifier



RF5361 - ROSCO OFF BROADWAY DEEP RED



Contains Cristobalite **Signal word** Warning

Hazard statements

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P314 - Get medical advice/attention if you feel unwell

P501 - Dispose of contents/container to industrial incineration plant

2.3. Other hazards

General Hazards No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | EINECS/ELINCS No. | CAS No. | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | REACH registration number |
|------------------------------------|-------------------|------------|----------|--|---------------------------|
| Cristobalite | 238-455-4 | 14464-46-1 | >=1 - <5 | STOT RE 1 (H372) | Not available |
| Diatomaceous silica, flux-calcined | 272-489-0 | 68855-54-9 | >=1 - <5 | STOT RE 2 (H373) | Not available |
| Propylene glycol | 200-338-0 | 57-55-6 | >=1 - <5 | Not available | 01-2119456809-23-02 24 |

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Description of first aid measures

General Advice No hazards which require special first aid measures.

Eye Contact Rinse thoroughly with plenty of water for at least 15



RF5361 - ROSCO OFF BROADWAY DEEP RED

minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects None known.

4.3. Indication of any immediate medical attention and special treatment

<u>needed</u>

Notes To Physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity to static discharge No

Sensitivity to mechanical impact No

5.3. Advice for firefighters

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective

suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2. Environmental precautions

Environmental precautions Prevent spreading of vapors through sewers, ventilation



RF5361 - ROSCO OFF BROADWAY DEEP RED

systems and confined areas.

6.3. Methods and material for containment and cleaning up

Methods for Containment Absorb with inert material and place in suitable container

for disposal.

Methods for Cleaning Up Clean contaminated surface thoroughly.

6.4. Reference to other sections

Other information See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

ventilation, wear suitable respiratory equipment.

Hygiene Measures Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3. Specific end use(s)

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

| Chemical name | European Union | Belgium | Bulgaria | Cyprus | France | Ireland |
|---|----------------------------|-----------------------------|-----------------------------|----------------------------------|-----------------------------|--|
| Cristobalite 14464-46-1 | TWA: 0.1 mg/m ³ | TWA: 0.05 mg/m ³ | TWA: 0.07 mg/m ³ | - | TWA: 0.05 mg/m ³ | TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³ |
| Diatomaceous silica, flux-calcined 68855-54-9 | - | - | - | - | - | TWA: 1.2 mg/m ³ STEL: 3.6 mg/m ³ |
| Propylene glycol 57-55-6 | - | - | - | - | - | TWA: 10 mg/m³ TWA: 150 ppm TWA: 470 mg/m³ STEL: 1410 mg/m³ STEL: 30 mg/m³ STEL: 450 ppm |
| Chemical name | Germany | Greece | Hungary | Iceland | Italy | Latvia |
| Cristobalite 14464-46-1 | - | - | TWA: 0.15 mg/m ³ | 0.15 mg/m³ TWA 0.05 mg/m³ TWA | - | - |
| Diatomaceous silica, flux-calcined 68855-54-9 | TWA: 0.3 mg/m ³ | - | - | 1.5 mg/m³ TWA | - | - |
| Propylene glycol 57-55-6 | - | - | | - | - | TWA: 7 mg/m ³ |



RF5361 - ROSCO OFF BROADWAY DEEP RED

| Chemical name | Lithuania | Netherlands | Poland | Romania | Spain | Sweden | United Kingdom |
|---|--------------------------------|---------------------------------|--|--------------------------------|--------------------|-----------------------------|---|
| Cristobalite 14464-46-1 | TWA: 0.05 mg/m ³ | TWA: 0.075 mg/m ³ | TWA: 0.1 mg/m ³ | TWA: 0.05 mg/m ³ | TWA: 0.05 mg/m³ | TLV: 0.05 mg/m ³ | TWA: 0.1 mg/m ³ |
| Diatomaceous silica, flux-calcined 68855-54-9 | - | - | TWA: 2 mg/m ³ TWA: 1 mg/m ³ | - | - | - | - |
| Propylene glycol 57-55-6 | TWA: 7 mg/m³ | - | TWA: 100 mg/m ³ | - | - | - | TWA: 150 ppm TWA: 474 mg/m³ TWA: 10 mg/m³ STEL: 450 ppm STEL: 1422 mg/m³ STEL: 30 mg/m³ |

8.2. Exposure controls

Occupational exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

Eye Protection Safety glasses with side-shields.

Skin Protection Lightweight protective clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearancered liquidOdorlittle or no odor

Odor Threshold No information available

| Property | Values | Remarks/ Method |
|------------------|--------------------------|-----------------|
| Density (g/L) | 1210 - 1258 | None known |
| Relative Density | 1.22 - 1.26 | |
| pH | No information available | None known |
| Viscosity (cps) | No information available | None known |
| Solubility(ies) | No information available | None known |
| Water solubility | No information available | None known |
| Evaporation Rate | No information available | None known |
| Vapor pressure | No information available | None known |
| Vapor density | No information available | None known |
| Wt. % Solids | 40 - 50 | None known |
| Vol. % Solids | 25 - 35 | None known |
| Wt. % Volatiles | 50 - 60 | None known |
| Vol. % Volatiles | 65 - 75 | None known |



RF5361 - ROSCO OFF BROADWAY DEEP RED

Boiling Point (°C) 100 None known Freezing Point (°C) None known 0 Melting Point (°C) No information available None known **Pour Point** No information available None known Not applicable Flash Point (°C) None known Flammability (solid, gas) No information available None known **Upper flammability limit:** No information available None known Lower flammability limit: No information available None known **Autoignition Temperature (°C)** No information available None known **Decomposition Temperature (°C)** No information available None known No information available **Partition coefficient** None known **Explosive properties** No information available None known **Oxidizing Properties** No information available None known

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Not Applicable.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

10.5. Incompatible materials

Incompatible MaterialsNo materials to be especially mentioned.

10.6. Hazardous decomposition products

Hazardous Decomposition Products

None under normal conditions of use.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation There is no data available for this product.

Eye contactThere is no data available for this product.

Skin contactThere is no data available for this product.

Ingestion There is no data available for this product.

Acute Toxicity



RF5361 - ROSCO OFF BROADWAY DEEP RED

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------|-----------------|--------------------------|-----------------|
| Propylene glycol | = 20 g/kg (Rat) | = 20800 mg/kg (Rabbit) | |
| 57-55-6 | | | |

Skin corrosion/irritation No information available.

Eye damage/irritationNo information available.

Sensitization No sensitizing effects known.

Mutagenic Effects No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | European Union | IARC |
|---------------|----------------|----------------------|
| Cristobalite | | 1 - Human Carcinogen |
| 14464-46-1 | | - |

[•] Crystalline Silica has been determined to be carcinogenic to humans by IARC (1) when in respirable form. Risk of cancer depends on duration and level of inhalation exposure to spray mist or dust from sanding the dried paint.

Legend

IARC - International Agency for Research on Cancer

Reproductive Effects

No information available.

Developmental EffectsNo information available.

STOT - single exposureNo information available.

STOT - repeated exposure Causes damage to organs through prolonged or repeated

exposure if inhaled.

Neurological Effects No information available.

Target organ effects No information available.

Symptoms No information available.

Aspiration Hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|------------------|----------------------------------|--------------------------------|--------------------------|
| Propylene glycol | EC50: =19000mg/L (96h, | LC50 41 - 47 mL/L Oncorhynchus | EC50 > 1000 mg/L (48 h) |
| 57-55-6 | Pseudokirchneriella subcapitata) | mykiss (96 h) | EC50 > 10000 mg/L (24 h) |



RF5361 - ROSCO OFF BROADWAY DEEP RED

Revision Date: 16-Mar-2020

| LC50 = 710 mg/L Pimephales |
|--------------------------------|
| promelas (96 h) |
| LC50 = 51600 mg/L Oncorhynchus |
| mykiss (96 h) |
| LC50 = 51400 mg/L Pimephales |
| promelas (96 h) |

12.2. Persistence and degradability

No information available. Persistence / Degradability

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

12.4. Mobility in soil

Mobility in soil No information available.

No information available. **Mobility in Environmental Media**

12.5. Results of PBT and vPvB assessment

No information available. PBT and vPvB assessment

| Chemical name | PBT and vPvB assessment |
|--|---|
| Diatomaceous silica, flux-calcined 68855-54-9 | PBT assessment does not apply |
| Propylene glycol 57-55-6 | The substance is not PBT / vPvB PBT assessment does not apply |

12.6. Other adverse effects

No information available Other adverse effects

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Section 14: TRANSPORT INFORMATION

Not regulated **IMDG**



RF5361 - ROSCO OFF BROADWAY DEEP RED

RID Not regulated

ADR Not regulated

<u>ADN</u> Not regulated

IATA Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

| Chemical name | French RG number |
|------------------|------------------|
| Cristobalite | RG 25 |
| 14464-46-1 | |
| Propylene glycol | RG 84 |
| 57-55-6 | |

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS No - Not all of the components are listed. Yes - All components are listed or exempt. **DSL: Canada EINECS: European Union** No - Not all of the components are listed. **ENCS** No - Not all of the components are listed. **IECSC** No - Not all of the components are listed. **KECL (Annex 1)** No - Not all of the components are listed. **PICCS** No - Not all of the components are listed. **TSCA: United States** Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H372 - Causes damage to organs through prolonged or repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure



RF5361 - ROSCO OFF BROADWAY DEEP RED

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for data

Data from internal and external sources

Prepared By Product Stewardship Department

Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900

Issuing Date 16-Mar-2020

Revision Date: 16-Mar-2020

Revision Summary Change to Format

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet