



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 21-Sep-2020 Revision Date: 21-Sep-2020 Revision Number: 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name ROSCO OFF BROADWAY PURPLE

Product Code RF5368
Alternate Product Code XY5170

Product Class Water thinned paint

ColorPurpleRecommended usePaint

Restrictions on use No information available

# **Roscolab Limited**

Blanchard Works Kangley Bridge Road

Sydenham

London SE26 5AQ

Phone: +44 (0) 20 8659 2300 (Monday - Friday, 9 am to 5 pm GMT)

Email: info.emea@rosco.com

## Rosco Laboratories Inc.

52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900 www.rosco.com

## **Emergency Telephone**

CHEMTREC: +1-703-741-5970

CHEMTREC (United Kingdom Local Number): +44-870-8200418

## Section 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Specific target organ toxicity (repeated exposure) Category 2 - (H373)

## 2.2. Label elements

## **Product Identifier**



## RF5368 - ROSCO OFF BROADWAY PURPLE



Contains Cristobalite Signal word Warning

#### **Hazard statements**

H373 - May cause damage to organs through prolonged or repeated exposure

EUH208 - Contains (1,2-Benzisothiazolin-3-one). May produce an allergic reaction

## Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P314 - Get medical advice/attention if you feel unwell

P501 - Dispose of contents/container to industrial incineration plant

#### 2.3. Other hazards

General Hazards No information available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances

Not applicable

## 3.2 Mixtures

| Chemical name              | EINECS/ELINCS No. | CAS No.    | Weight-%        | Classification<br>according to<br>Regulation (EC) No.<br>1272/2008 [CLP]   | REACH registration number |
|----------------------------|-------------------|------------|-----------------|--|---------------------------|
| Cristobalite               | 238-455-4         | 14464-46-1 | >=5 - <10       | STOT RE 1 (H372)   | Not available             |
| Propylene glycol           | 200-338-0         | 57-55-6    | >=1 - <5        | Not available  | 01-2119456809-23-02<br>24 |
| 1,2-Benzisothiazolin-3-one | 220-120-9         | 2634-33-5  | >=0.01 - < 0.05 | Acute Tox. 4 (H302)<br>Skin Irrit. 2 (H315)<br>Eye Dam. 1 (H318)<br>Skin Sens. 1 (H317)<br>Aquatic Acute 1<br>(H400) | Not available             |

Full text of H- and EUH-phrases: see section 16

# Section 4: FIRST AID MEASURES

## 4.1. Description of first aid measures

Description of first aid measures



## RF5368 - ROSCO OFF BROADWAY PURPLE

General Advice No hazards which require special first aid measures.

Eye Contact Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment

<u>needed</u>

Notes To Physician Treat symptomatically.

# **Section 5: FIRE FIGHTING MEASURES**

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity to static discharge No

Sensitivity to mechanical impact No

5.3. Advice for firefighters

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective

SUI

## Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.



## RF5368 - ROSCO OFF BROADWAY PURPLE

·

6.2. Environmental precautions

**Environmental precautions** Prevent spreading of vapors through sewers, ventilation

systems and confined areas.

6.3. Methods and material for containment and cleaning up

Methods for Containment Absorb with inert material and place in suitable container

for disposal.

Methods for Cleaning Up Clean contaminated surface thoroughly.

6.4. Reference to other sections

Other information See Section 12 for additional information.

## Section 7: HANDLING AND STORAGE

## 7.1. Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

ventilation, wear suitable respiratory equipment.

**Hygiene Measures** Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3. Specific end use(s)

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

| Chemical name        | European Union             | Belgium                     | Bulgaria                    | Cyprus                     | France                      | Ireland                      |
|----------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|
| Cristobalite         | TWA: 0.1 mg/m <sup>3</sup> | TWA: 0.05 mg/m <sup>3</sup> | TWA: 0.07 mg/m <sup>3</sup> | -                          | TWA: 0.05 mg/m <sup>3</sup> | TWA: 0.1 mg/m <sup>3</sup>   |
| 14464-46-1           |                            |                             |                             |                            |                             | STEL: 0.3 mg/m <sup>3</sup>  |
| Diatomaceous silica, | -                          | -                           | -                           | -                          | -                           | TWA: 1.2 mg/m <sup>3</sup>   |
| flux-calcined        |                            |                             |                             |                            |                             | STEL: 3.6 mg/m <sup>3</sup>  |
| 68855-54-9           |                            |                             |                             |                            |                             |                              |
| Propylene glycol     | -                          | -                           | =                           | <u>=</u>                   | =                           | TWA: 10 mg/m <sup>3</sup>    |
| 57-55-6              |                            |                             |                             |                            |                             | TWA: 150 ppm                 |
|                      |                            |                             |                             |                            |                             | TWA: 470 mg/m <sup>3</sup>   |
|                      |                            |                             |                             |                            |                             | STEL: 1410 mg/m <sup>3</sup> |
|                      |                            |                             |                             |                            |                             | STEL: 30 mg/m <sup>3</sup>   |
|                      |                            |                             |                             |                            |                             | STEL: 450 ppm                |
| Chemical name        | Germany                    | Greece                      | Hungary                     | Iceland                    | Italy                       | Latvia                       |
| Cristobalite         | -                          | -                           | TWA: 0.15 mg/m <sup>3</sup> | 0.15 mg/m <sup>3</sup> TWA | =                           | -                            |
| 14464-46-1           |                            |                             |                             | 0.05 mg/m <sup>3</sup> TWA |                             |                              |



## RF5368 - ROSCO OFF BROADWAY PURPLE

Revision Date: 21-Sep-2020

| Diatomaceous silica,<br>flux-calcined<br>68855-54-9 | TWA: 0.3 mg/m <sup>2</sup>     | -                               |                            | -  |             | 1.5 mg        | g/m³ TWA                     |   | -              | -   |
|---|--------------------------------|---------------------------------|----------------------------|--|-------------|---------------|------------------------------|---|----------------|---|
| Propylene glycol<br>57-55-6                         | -                              | -                               |                            | -  |             |               | -                            |   | -              | TWA: 7 mg/m <sup>3</sup>  |
| Chemical name                                       | Lithuania                      | Netherlands                     | F                          | Poland   | Rom         | ania          | Spain                        | 1 | Sweden         | United<br>Kingdom   |
| Cristobalite<br>14464-46-1                          | TWA: 0.05<br>mg/m <sup>3</sup> | TWA: 0.075<br>mg/m <sup>3</sup> | TWA                        | : 0.1 mg/m <sup>3</sup>                          | TWA:<br>mg. | : 0.05<br>/m³ | TWA: 0.<br>mg/m <sup>2</sup> |   | TLV: 0.05 mg/n | n³ TWA: 0.1 mg/m³   |
| Diatomaceous silica,<br>flux-calcined<br>68855-54-9 | -                              | -                               |                            | A: 2 mg/m <sup>3</sup><br>A: 1 mg/m <sup>3</sup> | -           | -             | -                            |   | -              | -   |
| Propylene glycol<br>57-55-6                         | TWA: 7 mg/m³                   | -                               | TWA: 100 mg/m <sup>3</sup> |  | -           | -             | -                            |   | -              | TWA: 150 ppm<br>TWA: 474 mg/m³<br>TWA: 10 mg/m³<br>STEL: 450 ppm<br>STEL: 1422<br>mg/m³<br>STEL: 30 mg/m³ |

## 8.2. Exposure controls

Occupational exposure controls

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

**Respiratory Protection** In case of insufficient ventilation wear suitable respiratory

equipment.

Safety glasses with side-shields. **Eye Protection** 

**Skin Protection** Lightweight protective clothing.

Hand protection Impervious gloves.

**Hygiene Measures** Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

thoroughly after handling.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

**Appearance** liquid

Odor little or no odor

**Odor Threshold** No information available

**Values** Remarks/ Method **Property** Density (g/L) 1150 - 1198 None known 1.15 - 1.19 **Relative Density** pН No information available None known No information available None known Viscosity (cps) Solubility(ies) No information available None known Water solubility No information available None known No information available **Evaporation Rate** None known Vapor pressure No information available None known No information available None known Vapor density



#### RF5368 - ROSCO OFF BROADWAY PURPLE

Wt. % Solids 35 - 45 None known Vol. % Solids 20 - 30None known Wt. % Volatiles 55 - 65 None known Vol. % Volatiles 70 - 80 None known **Boiling Point (°C)** 100 None known Freezing Point (°C) 0 None known Melting Point (°C) No information available None known **Pour Point** No information available None known Flash Point (°C) Not applicable None known Flammability (solid, gas) No information available None known **Upper flammability limit:** No information available None known Lower flammability limit: No information available None known **Autoignition Temperature (°C)** No information available None known **Decomposition Temperature (°C)** No information available None known **Partition coefficient** No information available None known **Explosive properties** No information available None known **Oxidizing Properties** No information available None known

## Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Not Applicable.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

10.5. Incompatible materials

**Incompatible Materials**No materials to be especially mentioned.

10.6. Hazardous decomposition products

Hazardous Decomposition Products

None under normal conditions of use.

## Section 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

## **Product Information**

**Inhalation** There is no data available for this product.

**Eye contact**There is no data available for this product.



#### RF5368 - ROSCO OFF BROADWAY PURPLE

**Skin contact**Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

**Ingestion** There is no data available for this product.

**Acute Toxicity** 

## **Component Information**

| Chemical name                           | Oral LD50          | Dermal LD50              | Inhalation LC50 |
|---|--------------------|--------------------------|-----------------|
| Propylene glycol<br>57-55-6             | = 20 g/kg (Rat)    | = 20800 mg/kg ( Rabbit ) |                 |
| 1,2-Benzisothiazolin-3-one<br>2634-33-5 | = 1020 mg/kg (Rat) |                          |                 |

**Skin corrosion/irritation**No information available.

**Eye damage/irritation**No information available.

**Sensitization** May cause an allergic skin reaction.

Mutagenic Effects No information available.

## Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name                     | European Union | IARC                 |
|-----------------------------------|----------------|----------------------|
| Cristobalite<br>14464-46-1        |                | 1 - Human Carcinogen |
| Silica, crystalline<br>14808-60-7 |                | 1 - Human Carcinogen |

<sup>•</sup> Crystalline Silica has been determined to be carcinogenic to humans by IARC (1) when in respirable form. Risk of cancer depends on duration and level of inhalation exposure to spray mist or dust from sanding the dried paint.

#### Legend

IARC - International Agency for Research on Cancer

Reproductive Effects No information available.

Developmental Effects No information available.

**STOT - single exposure**No information available.

STOT - repeated exposure Causes damage to organs through prolonged or repeated

exposure if inhaled.

Neurological Effects No information available.

Target organ effects No information available.

**Symptoms** No information available.

**Aspiration Hazard** No information available.



## RF5368 - ROSCO OFF BROADWAY PURPLE

# **Section 12: ECOLOGICAL INFORMATION**

## 12.1. Toxicity

The environmental impact of this product has not been fully investigated

| Chemical name    | Algae/aquatic plants             | Fish                           | Crustacea                |
|------------------|----------------------------------|--------------------------------|--------------------------|
| Propylene glycol | EC50: =19000mg/L (96h,           | LC50 41 - 47 mL/L Oncorhynchus | EC50 > 1000 mg/L (48 h)  |
| 57-55-6          | Pseudokirchneriella subcapitata) | mykiss (96 h)                  | EC50 > 10000 mg/L (24 h) |
|                  |                                  | LC50 = 710 mg/L Pimephales     |                          |
|                  |                                  | promelas (96 h)                |                          |
|                  |                                  | LC50 = 51600 mg/L Oncorhynchus |                          |
|                  |                                  | mykiss (96 h)                  |                          |
|                  |                                  | LC50 = 51400 mg/L Pimephales   |                          |
|                  |                                  | promelas (96 h)                |                          |

## 12.2. Persistence and degradability

Persistence / Degradability

No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** 

There is no data for this product.

| Chemical name              | Partition coefficient |
|----------------------------|-----------------------|
| 1,2-Benzisothiazolin-3-one | 1.3                   |
| 2634-33-5                  |                       |

## 12.4. Mobility in soil

Mobility in soil No information available.

Mobility in Environmental Media No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

| Chemical name                           | PBT and vPvB assessment                                       |
|---|---|
| Propylene glycol<br>57-55-6             | The substance is not PBT / vPvB PBT assessment does not apply |
| 1,2-Benzisothiazolin-3-one<br>2634-33-5 | The substance is not PBT / vPvB                               |

## 12.6. Other adverse effects

Other adverse effects No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

## 13.1. Waste treatment methods

**Waste from Residues/Unused Products** 

Dispose of in accordance with the European Directives on waste and hazardous waste.



#### RF5368 - ROSCO OFF BROADWAY PURPLE

·

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

## Section 14: TRANSPORT INFORMATION

IMDG Not regulated

RID Not regulated

ADR Not regulated

<u>ADN</u> Not regulated

<u>IATA</u> Not regulated

# Section 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## Occupational Illnesses (R-463-3, France)

| Chemical name              | French RG number |
|----------------------------|------------------|
| Cristobalite               | RG 25            |
| 14464-46-1                 |                  |
| Propylene glycol           | RG 84            |
| 57-55-6                    |                  |
| 1,2-Benzisothiazolin-3-one | RG 65            |
| 2634-33-5                  |                  |

## **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

## **International Inventories**

**AICS** No - Not all of the components are listed. Yes - All components are listed or exempt. **DSL: Canada EINECS: European Union** No - Not all of the components are listed. No - Not all of the components are listed. **ENCS** No - Not all of the components are listed. **IECSC KECL (Annex 1)** No - Not all of the components are listed. **PICCS** No - Not all of the components are listed. **TSCA: United States** Yes - All components are listed or exempt.

## Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances



#### RF5368 - ROSCO OFF BROADWAY PURPLE

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances **TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

## 15.2. Chemical safety assessment

Chemical Safety Report

No information available

## Section 16: OTHER INFORMATION

## Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for data

Data from internal and external sources

Prepared By Product Stewardship Department

Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900

Issuing Date 21-Sep-2020

Revision Date: 21-Sep-2020

Revision Summary Change to Format

## **Disclaimer**

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

**End of Safety Data Sheet**