



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 05-Mar-2020

Revision Date: 17-Mar-2020

Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name Product Code Alternate Product Code Product Class Color Recommended use Restrictions on use

ROSCO OFF BROADWAY PAYNES GRAY

RF5382 XY5177 Water thinned paint Gray Paint No information available

Roscolab Limited

Blanchard Works Kangley Bridge Road Sydenham London SE26 5AQ Phone: +44 (0) 20 8659 2300 (Monday - Friday, 9 am to 5 pm GMT) Email: info.emea@rosco.com

Rosco Laboratories Inc.

52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900 www.rosco.com

Emergency Telephone

CHEMTREC: +1-703-741-5970 CHEMTREC (United Kingdom Local Number): +44-870-8200418

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Specific target organ toxicity (repeated exposure)

Category 2 - (H373)

2.2. Label elements

Product Identifier



Revision Date: 17-Mar-2020



Contains Cristobalite Signal word Warning

Hazard statements

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P314 - Get medical advice/attention if you feel unwell

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

General Hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | EINECS/ELINCS No. | CAS No. | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | REACH registration number |
|------------------|-------------------|------------|--------------|--|------------------------------|
| Cristobalite | 238-455-4 | 14464-46-1 | >=5 - <10 | STOT RE 1 (H372) | Not available |
| Propylene glycol | 200-338-0 | 57-55-6 | >=1 - <5 | Not available | 01-2119456809-23-02 24 |
| Carbon black | 215-609-9 | 1333-86-4 | >=0.5 - <1 | Not available | Not available |
| Titanium dioxide | 236-675-5 | 13463-67-7 | >=0.1 - <0.3 | Not available | 01-2119489379-17-01 68 |

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Description of first aid measures

General Advice

Eye Contact

No hazards which require special first aid measures.

Rinse thoroughly with plenty of water for at least 15



Revision Date: 17-Mar-2020

| | minutes and consult a physician. | | | |
|--|---|--|--|--|
| Skin Contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. | | | |
| Inhalation | Move to fresh air. If symptoms persist, call a physician. | | | |
| Ingestion | Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary. | | | |
| 4.2. Most important symptoms and effects, both acute | e and delayed | | | |
| Most Important Symptoms/Effects | None known. | | | |
| 4.3. Indication of any immediate medical attention and special treatment needed | | | | |

Notes To Physician

Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
|--|---|
| Unsuitable Extinguishing Media | No information available. |
| 5.2. Special hazards arising from the substance or mix | <u>kture</u> |
| Specific Hazards Arising From The Chemical | Closed containers may rupture if exposed to fire or extreme heat. |
| Sensitivity to static discharge | No |
| Sensitivity to mechanical impact | No |
| 5.3. Advice for firefighters | |
| Protective equipment and precautions for firefighters | Wear self-contained breathing apparatus and protective suit. |

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

| Personal Precautions | Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. |
|--------------------------------|--|
| Other Information | Observe all relevant local and international regulations. |
| 6.2. Environmental precautions | |
| Environmental precautions | Prevent spreading of vapors through sewers, ventilation |



RF5382 - ROSCO OFF BROADWAY PAYNES GRAY systems and confined areas. 6.3. Methods and material for containment and cleaning up **Methods for Containment** Absorb with inert material and place in suitable container for disposal. Methods for Cleaning Up Clean contaminated surface thoroughly. 6.4. Reference to other sections Other information See Section 12 for additional information. Section 7: HANDLING AND STORAGE 7.1. Precautions for safe handling Avoid contact with skin, eyes and clothing. Avoid breathing Handling vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. **Hygiene Measures** Wash thoroughly after handling. 7.2. Conditions for safe storage, including any incompatibilities Keep container tightly closed. Keep out of the reach of Storage children. 7.3. Specific end use(s) Architectural coating. Apply as directed. Refer to product **Specific Uses** label / literature for specific instructions. **Risk Management Methods (RMM)** Not Applicable.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

| Chemical name | European Union | Belgium | Bulgaria | Cyprus | France | Ireland |
|---|----------------------------|-----------------------------|-----------------------------|--|-----------------------------|--|
| Cristobalite 14464-46-1 | TWA: 0.1 mg/m ³ | TWA: 0.05 mg/m ³ | TWA: 0.07 mg/m ³ | - | TWA: 0.05 mg/m ³ | TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³ |
| Diatomaceous silica, flux-calcined 68855-54-9 | - | - | - | - | - | TWA: 1.2 mg/m ³ STEL: 3.6 mg/m ³ |
| Propylene glycol 57-55-6 | - | - | - | - | - | TWA: 10 mg/m ³ TWA: 150 ppm TWA: 470 mg/m ³ STEL: 1410 mg/m ³ STEL: 30 mg/m ³ STEL: 450 ppm |
| Chemical name | Germany | Greece | Hungary | Iceland | Italy | Latvia |
| Cristobalite 14464-46-1 | - | - | TWA: 0.15 mg/m ³ | 0.15 mg/m ³ TWA 0.05 mg/m ³ TWA | - | - |
| Diatomaceous silica, flux-calcined 68855-54-9 | TWA: 0.3 mg/m ³ | - | - | 1.5 mg/m³ TWA | - | - |
| Propylene glycol 57-55-6 | - | - | - | - | - | TWA: 7 mg/m ³ |

Revision Date: 17-Mar-2020



Revision Date: 17-Mar-2020

| Chemical name | Lithuania | Netherlands | Poland | Romania | Spain | Sweden | United Kingdom |
|---|--------------------------------|---------------------------------|--|--------------------------------|--------------------------------|-----------------------------|---|
| Cristobalite 14464-46-1 | TWA: 0.05 mg/m ³ | TWA: 0.075 mg/m ³ | TWA: 0.1 mg/m ³ | TWA: 0.05 mg/m ³ | TWA: 0.05 mg/m ³ | TLV: 0.05 mg/m ³ | TWA: 0.1 mg/m ³ |
| Diatomaceous silica, flux-calcined 68855-54-9 | - | - | TWA: 2 mg/m ³ TWA: 1 mg/m ³ | - | - | - | - |
| Propylene glycol 57-55-6 | TWA: 7 mg/m ³ | - | TWA: 100 mg/m ³ | - | - | - | TWA: 150 ppm TWA: 474 mg/m ³ TWA: 10 mg/m ³ STEL: 450 ppm STEL: 1422 mg/m ³ STEL: 30 mg/m ³ |

8.2. Exposure controls

Occupational exposure controls

Engineering Measures

Personal Protective Equipment

Respiratory Protection

Eye Protection

Skin Protection

Hand protection

Hygiene Measures

Ensure adequate ventilation, especially in confined areas.

In case of insufficient ventilation wear suitable respiratory equipment.

Safety glasses with side-shields.

Lightweight protective clothing.

Impervious gloves.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| Appearance Odor Odor Threshold | gray liquid little or no odor No information available | | |
|--------------------------------------|--|-----------------|--|
| Property_ | Values_ | Remarks/ Method | |
| Density (g/L) | 1246 - 1294 | None known | |
| Relative Density | 1.25 - 1.29 | | |
| pH | No information available | None known | |
| Viscosity (cps) | No information available | None known | |
| Solubility(ies) | No information available | None known | |
| Water solubility | No information available | None known | |
| Evaporation Rate | No information available | None known | |
| Vapor pressure | No information available | None known | |
| Vapor density | No information available | None known | |
| Wt. % Solids | 45 - 55 | None known | |
| Vol. % Solids | 30 - 40 | None known | |
| Wt. % Volatiles | 45 - 55 | None known | |
| Vol. % Volatiles | 60 - 70 | None known | |

100



RF5382 - ROSCO OFF BROADWAY PAYNES GRAY

| Boiling Point (°C) |
|---------------------------------------|
| Freezing Point (°C) |
| Melting Point (°C) |
| Pour Point |
| Flash Point (°C) |
| Flammability (solid, gas) |
| Upper flammability limit: |
| Lower flammability limit: |
| Autoignition Temperature (°C) |
| Decomposition Temperature (°C) |
| Partition coefficient |
| Explosive properties |
| Oxidizing Properties |

0 No information available No information available Not applicable No information available No information available

Revision Date: 17-Mar-2020

None known None known

Section 10: STABILITY AND REACTIVITY

| Not Applicable. |
|--|
| |
| Stable under normal conditions. |
| |
| None under normal conditions of use. |
| |
| Prevent from freezing. |
| |
| No materials to be especially mentioned. |
| |
| None under normal conditions of use. |
| |

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

| Inhalation | There is no data available for this product. |
|----------------|--|
| Eye contact | There is no data available for this product. |
| Skin contact | There is no data available for this product. |
| Ingestion | There is no data available for this product. |
| Acute Toxicity | |



Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|---------------------|------------------------|-----------------|
| Propylene glycol 57-55-6 | = 20 g/kg (Rat) | = 20800 mg/kg (Rabbit) | |
| Carbon black 1333-86-4 | > 15400 mg/kg (Rat) | > 3 g/kg (Rabbit) | |
| Titanium dioxide 13463-67-7 | > 10000 mg/kg (Rat) | | |

No information available.

No information available.

No information available.

No sensitizing effects known.

| Skin corrosion/i | rritation |
|------------------|-----------|
|------------------|-----------|

Eye damage/irritation

Sensitization

Mutagenic Effects

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | European Union | IARC |
|------------------|----------------|--------------------------------|
| Cristobalite | | 1 - Human Carcinogen |
| 14464-46-1 | | |
| Carbon black | | 2B - Possible Human Carcinogen |
| 1333-86-4 | | |
| Titanium dioxide | | 2B - Possible Human Carcinogen |
| 13463-67-7 | | |

Crystalline Silica has been determined to be carcinogenic to humans by IARC (1) when in respirable form. Risk of cancer depends on duration and level of inhalation exposure to spray mist or dust from sanding the dried paint.
Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer

| Reproductive EffectsNo information available. | |
|---|-----------------------|
| Developmental Effects No information available. | |
| STOT - single exposure No information available. | |
| STOT - repeated exposureCauses damage to organs through p exposure if inhaled. | prolonged or repeated |
| Neurological Effects No information available. | |
| Target organ effectsNo information available. | |
| Symptoms No information available. | |
| Aspiration Hazard No information available. | |



Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|------------------|----------------------------------|--------------------------------|-------------------------------|
| Propylene glycol | EC50: =19000mg/L (96h, | LC50 41 - 47 mL/L Oncorhynchus | EC50 > 1000 mg/L (48 h) |
| 57-55-6 | Pseudokirchneriella subcapitata) | mykiss (96 h) | EC50 > 10000 mg/L (24 h) |
| | | LC50 = 710 mg/L Pimephales | |
| | | promelas (96 h) | |
| | | LC50 = 51600 mg/L Oncorhynchus | |
| | | mykiss (96 h) | |
| | | LC50 = 51400 mg/L Pimephales | |
| | | promelas (96 h) | |
| Carbon black | | | EC50: >5600mg/L (24h, Daphnia |
| 1333-86-4 | | | magna) |

12.2. Persistence and degradability

Persistence / Degradability

No information available.

There is no data for this product.

12.3. Bioaccumulative potential

Bioaccumulation

12.4. Mobility in soil

Mobility in soil

Mobility in Environmental Media

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available.

No information available.

No information available.

| Chemical name | PBT and vPvB assessment |
|--------------------------------|---|
| Propylene glycol 57-55-6 | The substance is not PBT / vPvB PBT assessment does not apply |
| Carbon black 1333-86-4 | The substance is not PBT / vPvB PBT assessment does not apply |
| Titanium dioxide 13463-67-7 | The substance is not PBT / vPvB PBT assessment does not apply |

12.6. Other adverse effects

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Dispose of in accordance with the European Directives on

Contaminated Packaging

EWC waste disposal No

Other Information



RF5382 - ROSCO OFF BROADWAY PAYNES GRAY

Revision Date: 17-Mar-2020

waste and hazardous waste.

Empty containers should be taken for local recycling, recovery or waste disposal.

No information available

Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

| IMDG | Not regulated |
|------------|---------------|
| <u>RID</u> | Not regulated |
| ADR | Not regulated |
| ADN | Not regulated |
| ΙΑΤΑ | Not regulated |

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

| Chemical name | French RG number |
|-----------------------------|------------------|
| Cristobalite 14464-46-1 | RG 25 |
| Propylene glycol 57-55-6 | RG 84 |
| Carbon black 1333-86-4 | RG 16,RG 16bis |

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS No - Not all of the components are listed. Yes - All components are listed or exempt. **DSL: Canada EINECS: European Union** No - Not all of the components are listed. No - Not all of the components are listed. ENCS No - Not all of the components are listed. IECSC KECL (Annex 1) No - Not all of the components are listed. PICCS No - Not all of the components are listed. **TSCA: United States** Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances



Revision Date: 17-Mar-2020

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H372 - Causes damage to organs through prolonged or repeated exposure

| Classification procedure: | Expert judgment and weight of evidence determination |
|--|--|
| Key literature references and sources for data | Data from internal and external sources |
| Prepared By | Product Stewardship Department Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900 |
| Issuing Date | 05-Mar-2020 |
| Revision Date: | 17-Mar-2020 |
| Revision Summary | Change to Format |

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet