



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 23-Oct-2019 Revision Date: 21-Nov-2019 Revision Number: 2

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name ROSCO TOUGH PRIME WHITE

Product Code RF6050 Alternate Product Code XY7501

Product Class Water thinned paint

**Color** White **Recommended use** Paint

**Restrictions on use**No information available

#### **Roscolab Limited**

Blanchard Works Kangley Bridge Road

Sydenham

London SE26 5AQ

Phone: +44 (0) 20 8659 2300 (Monday - Friday, 9 am to 5 pm GMT)

Email: info.emea@rosco.com

# Rosco Laboratories Inc.

52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900

www.rosco.com

#### **Emergency Telephone**

CHEMTREC: +1-703-741-5970

CHEMTREC (United Kingdom Local Number): +44-870-8200418

# Section 2: HAZARDS IDENTIFICATION

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Chronic aquatic toxicity Category 3 - (H412)

# 2.2. Label elements

# Product Identifier Hazard statements

H412 - Harmful to aquatic life with long lasting effects



### RF6050 - ROSCO TOUGH PRIME WHITE

EUH208 - Contains (5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)). May produce an allergic reaction

EUH210 - Safety data sheet available on request

### Precautionary Statements - EU (§28, 1272/2008)

P273 - Avoid release to the environment

P501 - Dispose of contents/container to industrial incineration plant

# 2.3. Other hazards

General Hazards No information available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances

Not applicable

### 3.2 Mixtures

| Chemical name   | EINECS/ELINCS No. | CAS No.    | Weight-%           | Classification<br>according to<br>Regulation (EC) No.<br>1272/2008 [CLP]   | REACH registration number |
|---|-------------------|------------|--------------------|--|---------------------------|
| Titanium dioxide  | 236-675-5         | 13463-67-7 | >=10 - <15         |  | 01-2119489379-17-01<br>68 |
| Limestone   | 215-279-6         | 1317-65-3  | >=5 - <10          |  | Not available             |
| Zinc oxide  | 215-222-5         | 1314-13-2  | >=0.5 - <1         | Aquatic Acute 1(H400)<br>Aquatic Chronic<br>1(H410)  | Not available             |
| Silica amorphous  | 231-545-4         | 7631-86-9  | >=0.5 - <1         |  | 01-2119379499-16-02<br>81 |
| Propylene glycol  | 200-338-0         | 57-55-6    | >=0.1 - <0.3       | Not available  | 01-2119456809-23-02<br>24 |
| 5-Chloro-2-methyl-3(2H)-isothi<br>azolone mixture with<br>2-methyl-3(2H)-isothiazolone<br>(3:1) | -                 | 55965-84-9 | >=0.0001 - <0.0005 | Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Acute Tox. 3 (H331) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | Not available             |

Full text of H- and EUH-phrases: see section 16

# Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

Description of first aid measures

General Advice No hazards which require special first aid measures.

Eye Contact

Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician.



RF6050 - ROSCO TOUGH PRIME WHITE

Revision Date: 21-Nov-2019

Skin Contact Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects May cause allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment

<u>needed</u>

Notes To Physician Treat symptomatically.

# Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity to static discharge No

Sensitivity to mechanical impact No

5.3. Advice for firefighters

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective

suit.

# Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2. Environmental precautions

Environmental precautions Prevent spreading of vapors through sewers, ventilation

systems and confined areas.



RF6050 - ROSCO TOUGH PRIME WHITE

6.3. Methods and material for containment and cleaning up

Methods for Containment Absorb with inert material and place in suitable container

for disposal.

Methods for Cleaning Up Clean contaminated surface thoroughly.

6.4. Reference to other sections

Other information See Section 12 for additional information.

# Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

ventilation, wear suitable respiratory equipment.

**Hygiene Measures** Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3. Specific end use(s)

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

| Chemical name   | European Union                      | Belgium  |   | Bulga                 | ria   | Cy                      | prus                      |      | France                  | Ireland  |
|---|-------------------------------------|--|---|-----------------------|-------|-------------------------|---------------------------|------|-------------------------|--|
| Titanium dioxide  | -                                   | TWA: 10 mg/  | /m³   | TWA: 10.0             | 0     |                         | -                         | TW   | A: 10 mg/m <sup>3</sup> | TWA: 10 mg/m <sup>3</sup>                              |
| 13463-67-7  |                                     |  |   | TWA: 1.0              | mg/m³ |                         |                           |      |                         | TWA: 4 mg/m <sup>3</sup>                               |
|   |                                     |  |   |                       |       |                         |                           |      |                         | STEL: 30 mg/m <sup>3</sup>                             |
|   |                                     |  |   |                       |       |                         |                           |      |                         | STEL: 12 mg/m³   |
| Limestone   | -                                   | TWA: 10 mg/  | /m <sup>3</sup>                                     | TWA: 1.0 fi           |       |                         | -                         |      | -                       | TWA: 10 mg/m <sup>3</sup>                              |
| 1317-65-3   |                                     |  |   | TWA: 10               | mg/m³ |                         |                           |      |                         | TWA: 4 mg/m <sup>3</sup><br>STEL: 30 mg/m <sup>3</sup> |
|   |                                     |  |   |                       |       |                         |                           |      |                         | STEL: 30 mg/m <sup>3</sup>                             |
| Kaolin  | _                                   | TWA: 2 mg/r  | m <sup>3</sup>                                      | TWA: 3.0              | ma/m³ |                         | _                         | T\// | A: 10 mg/m <sup>3</sup> | TWA: 2 mg/m <sup>3</sup>                               |
| 1332-58-7   |                                     | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1  | '''   | TWA: 6.0              | 0     |                         |                           |      | 7 t. 10 mg/m            | 1 vv/ (. 2 mg/m  |
| Chamical name   | -                                   | -  |   |                       | ٠.    |                         |                           |      |                         |  |
| Chemical name   | Germany                             | Greece   |   | Hunga                 | ary   | Ice                     | eland                     |      | Italy                   | Latvia   |
| Titanium dioxide  | Germany<br>-                        | TWA: 10 mg/  | /m³   | Hunga<br>-            | ary   |                         | eland<br>m³ TWA           |      | Italy<br>-              | Latvia TWA: 10 mg/m <sup>3</sup>                       |
|   | Germany<br>-                        |  |   | Hunga<br>-            | ary   |                         |                           |      | Italy<br>-              | 200  |
| Titanium dioxide<br>13463-67-7<br>Limestone                                     | Germany<br>-<br>-                   | TWA: 10 mg/<br>TWA: 5 mg/r<br>TWA: 10 mg/                                    | m <sup>3</sup><br>/m <sup>3</sup>                   | Hunga<br>-<br>TWA: 10 |       |                         |                           |      | Italy<br>-<br>-         | 200  |
| Titanium dioxide<br>13463-67-7  | Germany<br>-<br>-                   | TWA: 10 mg/<br>TWA: 5 mg/r   | m <sup>3</sup><br>/m <sup>3</sup>                   | -                     |       |                         |                           |      | Italy<br>-<br>-         | 200  |
| Titanium dioxide<br>13463-67-7<br>Limestone<br>1317-65-3<br>Kaolin              | Germany<br>-<br>-<br>-              | TWA: 10 mg/<br>TWA: 5 mg/r<br>TWA: 10 mg/                                    | m <sup>3</sup><br>/m <sup>3</sup>                   | -                     |       | 6 mg/                   |                           |      | Italy<br>-<br>-<br>-    | 200  |
| Titanium dioxide<br>13463-67-7<br>Limestone<br>1317-65-3<br>Kaolin<br>1332-58-7 | -                                   | TWA: 10 mg/r<br>TWA: 5 mg/r<br>TWA: 10 mg/r<br>TWA: 5 mg/r                   | m <sup>3</sup><br>/m <sup>3</sup><br>m <sup>3</sup> | TWA: 10               | mg/m³ | 6 mg/                   | m³ TWA<br>-<br>g/m³ TWA   |      | -                       | TWA: 10 mg/m³ -  |
| Titanium dioxide<br>13463-67-7<br>Limestone<br>1317-65-3<br>Kaolin              | Germany<br>-<br>-<br>-<br>Lithuania | TWA: 10 mg/<br>TWA: 5 mg/r<br>TWA: 10 mg/                                    | m <sup>3</sup><br>/m <sup>3</sup><br>m <sup>3</sup> | -                     |       | 6 mg/                   | m³ TWA                    |      | -<br>-<br>Sweden        | TWA: 10 mg/m³ United                                   |
| Titanium dioxide 13463-67-7 Limestone 1317-65-3 Kaolin 1332-58-7 Chemical name  | -<br>-<br>-<br>Lithuania            | TWA: 10 mg/r<br>TWA: 5 mg/r<br>TWA: 10 mg/r<br>TWA: 5 mg/r                   | m <sup>3</sup><br>/m <sup>3</sup><br>m <sup>3</sup> | TWA: 10               | mg/m³ | 6 mg/<br>2.0 mg<br>ania | m³ TWA - g/m³ TWA Spain   |      | -<br>-<br>-<br>Sweden   | TWA: 10 mg/m³  United Kingdom                          |
| Titanium dioxide<br>13463-67-7<br>Limestone<br>1317-65-3<br>Kaolin<br>1332-58-7 | -                                   | TWA: 10 mg/<br>TWA: 5 mg/r<br>TWA: 10 mg/<br>TWA: 5 mg/r<br>-<br>Netherlands | m <sup>3</sup> /m <sup>3</sup> m <sup>3</sup> P     | TWA: 10               | mg/m³ | 6 mg/                   | m³ TWA -  y/m³ TWA  Spain |      | -                       | TWA: 10 mg/m³  United Kingdom                          |



#### RF6050 - ROSCO TOUGH PRIME WHITE

|                        |   |   | mg/m³<br>STEL: 30 mg/m³        |                           |                          |   | STEL: 30 mg/m <sup>3</sup><br>STEL: 12 mg/m <sup>3</sup>  |
|------------------------|---|---|--------------------------------|---------------------------|--------------------------|---|---|
| Limestone<br>1317-65-3 | - | - | -                              | TWA: 10 mg/m <sup>3</sup> | -                        |   | TWA: 10 mg/m <sup>3</sup><br>TWA: 4 mg/m <sup>3</sup><br>STEL: 30 mg/m <sup>3</sup><br>STEL: 12 mg/m <sup>3</sup> |
| Kaolin<br>1332-58-7    | - | - | TWA: 10.0<br>mg/m <sup>3</sup> | -                         | TWA: 2 mg/m <sup>3</sup> | - | TWA: 2 mg/m <sup>3</sup><br>STEL: 6 mg/m <sup>3</sup>   |

### 8.2. Exposure controls

Occupational exposure controls

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

**Eye Protection** Safety glasses with side-shields.

**Skin Protection** Lightweight protective clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

thoroughly after handling.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

Appearance liquid

Odor little or no odor

Odor Threshold No information available

**Values** Remarks/ Method **Property** 1222 - 1258 Density (g/L) None known 1.22 - 1.26 **Relative Density** Hq No information available None known Viscosity (cps) No information available None known Solubility(ies) No information available None known Water solubility No information available None known **Evaporation Rate** No information available None known No information available Vapor pressure None known Vapor density No information available None known Wt. % Solids 45 - 55 None known 30 - 40 Vol. % Solids None known Wt. % Volatiles 45 - 55 None known Vol. % Volatiles 60 - 70 None known 100 **Boiling Point (°C)** None known Freezing Point (°C) None known Melting Point (°C) No information available None known **Pour Point** No information available None known



#### RF6050 - ROSCO TOUGH PRIME WHITE

Flash Point (°C) Not applicable None known Flammability (solid, gas) No information available None known **Upper flammability limit:** No information available None known Lower flammability limit: No information available None known **Autoignition Temperature (°C)** No information available None known **Decomposition Temperature (°C)** No information available None known Partition coefficient No information available None known **Explosive properties** No information available None known **Oxidizing Properties** No information available None known

# Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Not Applicable.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

10.5. Incompatible materials

**Incompatible Materials**No materials to be especially mentioned.

10.6. Hazardous decomposition products

Hazardous Decomposition Products

None under normal conditions of use.

# Section 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

### **Product Information**

**Inhalation** There is no data available for this product.

**Eye contact**There is no data available for this product.

**Skin contact**Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

**Ingestion** There is no data available for this product.

**Acute Toxicity** 



#### RF6050 - ROSCO TOUGH PRIME WHITE

### Component Information

| Chemical name                       | Oral LD50          | Dermal LD50              | Inhalation LC50      |
|-------------------------------------|--------------------|--------------------------|----------------------|
| Titanium dioxide                    | > 10000 mg/kg(Rat) |                          |                      |
| 13463-67-7                          |                    |                          |                      |
| Zinc oxide                          | > 5000 mg/kg (Rat) |                          |                      |
| 1314-13-2                           |                    |                          |                      |
| Silica amorphous                    | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit)    | > 2.2 mg/L (Rat) 1 h |
| 7631-86-9                           |                    |                          |                      |
| Propylene glycol                    | = 20 g/kg (Rat)    | = 20800 mg/kg ( Rabbit ) |                      |
| 57-55-6                             |                    |                          |                      |
| 5-Chloro-2-methyl-3(2H)-isothiazolo | = 53 mg/kg (Rat)   |                          |                      |
| ne mixture with                     |                    |                          |                      |
| 2-methyl-3(2H)-isothiazolone (3:1)  |                    |                          |                      |
| 55965-84-9                          |                    |                          |                      |

**Skin corrosion/irritation**No information available.

**Eye damage/irritation**No information available.

**Sensitization** May cause sensitization of susceptible persons.

Mutagenic Effects No information available.

### Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name    | European Union | IARC                           |
|------------------|----------------|--------------------------------|
| Titanium dioxide |                | 2B - Possible Human Carcinogen |
| 13463-67-7       |                |                                |

<sup>•</sup> Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

# Legend

IARC - International Agency for Research on Cancer

NTP - National Toxicity Program

OSHA - Occupational Safety & Health Administration

Reproductive Effects No information available.

**Developmental Effects**No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Neurological Effects No information available.

Target organ effects No information available.

**Symptoms** No information available.

Aspiration Hazard No information available.

# **Section 12: ECOLOGICAL INFORMATION**



### RF6050 - ROSCO TOUGH PRIME WHITE

# 12.1. Toxicity

Harmful to aquatic life with long lasting effects

| Chemical name                 | Algae/aquatic plants   | Fish   | Crustacea   |
|-------------------------------|------------------------|--|---|
| Silica amorphous<br>7631-86-9 | EC50 = 440 mg/L (72 h) | LC50 = 5000 mg/L Brachydanio<br>rerio (96 h)   | EC50 = 7600 mg/L (48 h)                             |
| Propylene glycol<br>57-55-6   |                        | LC50 41 - 47 mL/L Oncorhynchus<br>mykiss (96 h)<br>LC50 = 710 mg/L Pimephales<br>promelas (96 h)<br>LC50 = 51600 mg/L Oncorhynchus<br>mykiss (96 h)<br>LC50 = 51400 mg/L Pimephales<br>promelas (96 h) | EC50 > 1000 mg/L (48 h)<br>EC50 > 10000 mg/L (24 h) |

12.2. Persistence and degradability

Persistence / Degradability

No information available.

12.3. Bioaccumulative potential

**Bioaccumulation**No information available.

12.4. Mobility in soil

Mobility in soil No information available.

Mobility in Environmental Media No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

| Chemical name                 | PBT and vPvB assessment                        |
|-------------------------------|--|
| Titanium dioxide              | The substance is not PBT / vPvB PBT assessment |
| 13463-67-7                    | does not apply                                 |
| Zinc oxide                    | The substance is not PBT / vPvB PBT assessment |
| 1314-13-2                     | does not apply                                 |
| Silica amorphous<br>7631-86-9 | The substance is not PBT / vPvB PBT assessment |
|                               | does not apply                                 |
| Propylene glycol              | The substance is not PBT / vPvB PBT assessment |
| 57-55-6                       | does not apply                                 |

# 12.6. Other adverse effects

Other adverse effects No information available

# Section 13: DISPOSAL CONSIDERATIONS

# 13.1. Waste treatment methods

Waste from Residues/Unused Products

Dispose of in accordance with the European Directives on waste and hazardous waste.



RF6050 - ROSCO TOUGH PRIME WHITE

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

# Section 14: TRANSPORT INFORMATION

IMDG Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

<u>IATA</u> Not regulated

# Section 15: REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# Occupational Illnesses (R-463-3, France)

| Chemical name                 | French RG number |
|-------------------------------|------------------|
| Silica amorphous<br>7631-86-9 | RG 25            |
| Propylene glycol<br>57-55-6   | RG 84            |

# **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

### **International Inventories**

**AICS** No - Not all of the components are listed. **DSL: Canada** Yes - All components are listed or exempt. No - Not all of the components are listed. **EINECS: European Union** No - Not all of the components are listed. **ENCS IECSC** No - Not all of the components are listed. **KECL** No - Not all of the components are listed. **PICCS** No - Not all of the components are listed. **TSCA: United States** Yes - All components are listed or exempt.

### Legend

**AICS** - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances



#### RF6050 - ROSCO TOUGH PRIME WHITE

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

### 15.2. Chemical safety assessment

**Chemical Safety Report** 

No information available

# Section 16: OTHER INFORMATION

### Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H331 - Toxic if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for data

Data from internal and external sources

Prepared By Product Stewardship Department

Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900

Issuing Date 23-Oct-2019

Revision Date: 21-Nov-2019

Revision Summary Initial Release

### Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

**End of Safety Data Sheet**