

Article No.: ROSXXXXX Print date: 25.06.2019 Version: 5.2 Roscopaint Supersat Revision date: 09.05.2019 Issue date: 09.05.2019

51310 EN Page 1 / 6

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. product identifiers

Article No. (manufacturer/supplier) Identification of the substance or mixture ROSXXXXX Roscopaint Supersat 15965-56002

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

Rosco Ibérica C/Oro,76 Polígono Industrial Sur 28770 Colmenar Viejo, Madrid, España

Telephone: +34 918 473 900 Fax: +34 918 463 634 info.spain@rosco.com

#### 1.4. Emergency telephone numberg

(Rosco Ibérica): +34 918 473 900 (Rosco UK): +44 (0)20 8659 2300

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms

#### Hazard statements

not applicable

Precautionary statements not applicable

contains:

not applicable

#### Supplemental Hazard information (EU)

EUH208Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H<br/>-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.EUH210Safety data sheet available on request.

## 2.3. Other hazards

# **SECTION 3: Composition / information on ingredients**

#### 3.2. Mixtures

 Product description / chemical characterization

 Description
 Paint

 Hazardous ingredients

 Classification according to Regulation (EC) No 1272/2008 [CLP]

 EC No.
 REACH No.

 CAS No.
 Chemical name

 INDEX No.
 classification: // Remark

Wt %

not applicable

Additional information



flints.co.uk

Article No.:	ROSXXXXX	Roscopaint Supersat		
Print date:	25.06.2019	Revision date: 09.05.2019	51310 EN	
Version:	5.2	Issue date: 09.05.2019	Page 2 / 6	

Full text of H-phrases: see section 16.

This mixture does not contain any substances which either present a health or environmental hazard according to directive 67/548/EEC or have an occupational exposure limit assigned.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media:

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons:

strong water jet

#### 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours. See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

# 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal



flints.co.ul

Article No.:	ROSXXXXX	Roscopaint Supersat	54240 EN	
Print date:	25.06.2019	Revision date: 09.05.2019	51310 EN	
Version:	5.2	Issue date: 09.05.2019	Page 3 / 6	

protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

#### Further information on storage conditions

Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

# Occupational exposure limit values:

not applicable

#### 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

#### Occupational exposure controls

# **Respiratory protection**

Not applicable.

## Hand protection

For prolonged or repeated handling the following glove material must be used:

Thickness of the glove material 0,4 mm Breakthrough time (maximum wearing time) 30 min

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin: Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye protection

Wear closely fitting protective glasses in case of splashes.

### Protective clothing

Wear suitable protective clothing and gloves.

#### **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance:	
Physical state:	Liquid
Colour:	refer to label
Odour:	characteristic
Odour threshold:	not applicable
pH at 20 °C::	not applicable
Melting point/freezing point:	not applicable
Initial boiling point and boiling range:	not determined
Flash point:	not applicable
Evaporation rate:	not applicable

# flints.co.ul

# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830



Article Print d Versio	late:	ROSXXXXX 25.06.2019 5.2	Roscopaint Sup Revision date: ( Issue date: 09.0	)9.05.2019	51310 EN Page 4 / 6	
	Flammability (solid, gas): Burning time (s):		not applicable			
	Upper/lower flammability or explosive limits: Lower explosion limit: Upper explosion limit:			not determined not determined		
	Vapour p	ressure at 20 °C::		not determined		
	Vapour d	ensity:		not applicable		
	Relative density: Density at 20 °C::		1,37 g/cm³			
	Solubility Water so	/(ies): blubility (g/L) at 20	°C::	mixable with water		
	Partition	coefficient: n-octa	anol/water:	see section 12		
	Auto-igni	tion temperature:		not applicable		
	Decompo	sition temperatur	e:	not applicable		
	Viscosity	at °C::		n.a.		
	Explosive	e properties:		not applicable		
	Oxidising	properties:		not applicable		
9.2.	Other info	ormation				
	Solid con	itent (%):		55,00 Wt %		
	solvent c	ontent:				
		solvents:		0 Wt %		
	Water:			40 Wt %		
	Solvent s	eparation test (%)	):	< 3 Wt % (ADR/RID)		

## 10.1. Reactivity

#### 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

#### 10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

## 10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

# 10.5. Incompatible materials

#### 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

# **SECTION 11: Toxicological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

#### 11.1. Information on toxicological effects

# Acute toxicity

Toxicological data are not available.

skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

#### Respiratory or skin sensitisation

Toxicological data are not available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Toxicological data are not available.

# Specific target organ toxicity



flints.co.ul

Article No.:	ROSXXXXX	Roscopaint Supersat
Print date:	25.06.2019	Revision date: 09.05.2019
Version:	5.2	Issue date: 09.05.2019

51310 EN Page 5 / 6

Toxicological data are not available.

#### Aspiration hazard

Toxicological data are not available.

## Practical experience/human evidence

Other observations:

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### **Overall Assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

#### **SECTION 12: Ecological information**

#### overall evaluation

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

No information available.

#### Long-term Ecotoxicity

Toxicological data are not available.

12.2. **Persistence and degradability** Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

# **Bioconcentration factor (BCF)**

Toxicological data are not available.

#### 12.4. Mobility in soil

Toxicological data are not available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Other adverse effects

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Appropriate disposal / Product

#### Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

Waste paint and varnish containing organic solvents or other dangerous substances

packaging

080111\*

#### Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

#### **SECTION 14: Transport information**

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

#### No dangerous good in sense of this transport regulation.

14.1. UN number

# flints.co.uk

# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2015/830



Article Print c Versio	late:	ROSXXXXX 25.06.2019 5.2	Roscopaint Supersat Revision date: 09.05.2019 Issue date: 09.05.2019	51310 EN Page 6 / 6			
14.3.	Transport	hazard class(es)					
44.4	De ekiner en		not applicable				
14.4.	Packing gr	oup	not applicable	not applicable			
14.5	Environme	ntal hazards					
		ort (ADR/RID)	not applicable				
	Marine pollu	. ,	not applicable				
14.6. Special precautions for user							
	case of an a	lways in closed, u accident or leakag safe handling: se	je.	that persons transporting the product know what to do in			
Further information							
	Land trans	port (ADR/RID)					
	tunnel restri	• • •	-				
	Sea transp	ort (IMDG)					
	EmS-No.		not applicable				
	Air transpo	ort (ICAO-TI / IAT	A-DGR)				
14.7.	<ul> <li>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable</li> </ul>						
SEC	TION 15: R	egulatory infor	mation				
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture						
	EU legislat	ion					

Directive 2010/75/EU on industrial emissions VOC-value (in g/L): 34,927

National regulations

# **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

## Water pollution class (VwVwS): 1

# 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

# **SECTION 16: Other information**

## Full text of classification in section 3

#### Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

#### **Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.