

## ADHESIVES


## CONTACT ADHESIVES

When using contact adhesives please follow the health and safety instructions carefully. Pay particular attention to ensure that there are no naked flames and, as the fumes are heavy, beware of low level pilot lights. When using these glues on polystyrene ensure that the glue has completely dried before joining sheets as trapped solvent can cause damage even with recommended adhesives.

✓ = suitable on polystyrene X = NOT suitable on polystyrene



Class  
1 Fire Rating  
- when dry




**General Purpose Adhesive** [polystyrene ✓] This is a very popular brush grade general purpose contact adhesive. It will work on painted or unpainted steel. This adhesive has a strong wet tack and excellent adhesion. It rapidly dries in 15 minutes and when dry conforms with BS476 parts 6 and 7 [class] fire rating suitable for stage use behind the iron. Toluene free.

Coverage 4m<sup>2</sup> per litre.

General Purpose Adhesive	code	5L	Tradeline per 5x5L
	ADH1088	£24.00	£20.36 each

1.76



Made  
exclusively  
for Flints!



**Tretobond 375** [polystyrene ✓] Its funny how manufacturers keep dropping their best products! We have managed to persuade Tremco to continue making this popular glue just for us. Tretobond 375 is a synthetic rubber resin contact adhesive, based in solvents. Typically used for the bonding of expanded polystyrene to itself and to other smooth surfaces. Both surfaces require a thin uniform coat and Tretobond

375 spreads easily. The surfaces must be completely dry [otherwise the trapped solvents can have a deleterious effect on polystyrene], before they are brought together preferably under pressure. Health and Safety information should be strictly followed. Do not mix the cleaner into the glue. As Flints purchase this glue in very high volumes we are able to sell it at almost half the old recommended retail price. Coverage around 4m<sup>2</sup> per litre.

Tretobond 375	code	5L	Tradeline per 5x5L
	ADH063	£36.68	£32.97 each
C21 Cleaner	ADH068	£29.77	



**Evo-stik 584** [polystyrene ✓]

A synthetic rubber, resin contact adhesive, based in a solvent. Typically used for the bonding of expanded polystyrene.

Evo-stik 584	code	5L	Tradeline per 5x5L
	ADH080	£55.37	£49.85 each



**Evo-stik 528** [polystyrene X]

A synthetic rubber, resin contact adhesive, based in a blend of solvents. The most popular general purpose contact adhesive particularly suitable for bonding decorative laminate sheets and rigid plastic sheets of PVC or ABS.

Evo-stik 528	code	1L	5L
	ADH081/082	£18.91	£56.65

This page was updated 01/02/12



Very  
easy to  
spread



**Evo-stik TX 528** [polystyrene X] Just like the Evostick 528, a synthetic rubber resin contact adhesive, but with a thixotropic agent which makes it much easier to apply. This jelly like adhesive spreads like soft butter rather than hot gruyère. Ideal for use on large and vertical surfaces as well as intricate work. It is easier to control and less likely to stray onto clean areas. Particularly suitable for bonding decorative laminate sheets and rigid plastic sheets of PVC or ABS.

Evo-stik	code	1L	5L
Evo-stik TX 528	ADH079/0792	£19.22	£56.65
Evo-stik 191 Cleaner	ADH083	-----	£42.64



**Evo-stik Impact** Similar to the 528, this contact adhesive bonds decorative laminates wood, chipboard, hardboard, rigid PVC, ABS plastics, leather, cork, stone, china and earthenware. Sold in small sizes for convenient storage in the touring prop skip.

Evo-stik Impact	code	small tube	large tube	250ml	500ml
	ADH08[X]	£2.89	£5.83	£7.09	£11.48
		[62]	[61]	[6]	[7]

## TRADELINE

Box of 12 x 500ml = £114.28



Contact  
glue for  
flexible PVC



**Bostik 3206** A polyurethane based contact adhesive specifically formulated for bonding PVC to a wide range of substrates. Typically used to make inflatables. This adhesive has less initial grab than conventional contact adhesives and requires a little more pressure, however the ultimate bond is very powerful.

Bostik 3206	code	1L
	ADH3206	£16.67

## WATERBASED CONTACT ADHESIVE

**Treadfast 108** A pressure sensitive adhesive for vinyl floor and wall coverings. It is solvent free, non-flammable and has low toxicity. Treadfast 108 will give a strong permanent bond. Use a 1.5x5mm notched trowel to apply and immediately roll with a paint roller wetted with the adhesive. Allow to dry [goes clear] then position and roll with 68kg roller. Coverage 6-8m<sup>2</sup> per L.

Treadfast 108	code	5L	price	code	15L	price
	ADH1085		£41.82	ADH10815		£113.19



**Safe 80** A solvent free, non-flammable contact adhesive. The high coverage of 15-20m<sup>2</sup>/L each surface - many solvent based contacts cover around 4m<sup>2</sup>/L - makes this adhesive less expensive than it initially seems. See also Flints Cyclorama Adhesive

on page 1.77.

Safe 80	code	5L
	ADH80	£129.78

## ADHESIVE TROWELS



**Notched Adhesive Trowel**

For rapid application of most contact adhesives over large areas.

Adhesive Trowel	code	each
Notched	ADHTAS007	£15.00
Small	ADHT850	£3.36

**CLOTH ADHESIVES**

new



Great for scrimming Polystyrene



**FlintsBond** A fire resistant water borne PVA emulsion which is easy to spread. Suitable for use as a primer or for gluing cloths such as light canvas, calico or muslin to flats or for scrimming polystyrene. It can also be used as a concrete dust sealer by diluting 50% with water and applying with airless spray, brush or roller. It dries clear and will comply with BS 476 parts 6 and 7 (class 1) fire rating. Coverage 3-5m<sup>2</sup> per litre.

✓ Class 1 Fire Rating.

FlintsBond	code	5L
	ADH141	£24.53



**Sheppy PVA M155** A medium viscosity compounded emulsion glue. It has good running characteristics and dries to a strong flexible film. Excellent for gluing large areas of canvas and very popular with the big workshops.

✓ Easy spreading for large areas.

Sheppy PVA	code	5kg	12.5kg
	ADH00X	£30.41	£55.00
		[8]	[9]



**Clam 2, Brummer Latex Adhesive** A rubber latex, solvent free non-flammable adhesive which provides an exceptionally strong bond with a good open time for working on large areas. Thixotropic, it can be applied by brush or roller and is generally used

for fixing canvas to open framed flats. Staple canvas to the inside edge of the frame along the long edge first, flap back the canvas, brush on the Clam, fold back the canvas and rub with a piece of timber with the arris removed to force the glue into the material. Once the long edge has set, staple the canvas to the rest of the frame [ensuring it is kept square] and repeat. Clam 2 can also be used for bonding leather, cork, card, etc. ✓ Tenacious strength.

Clam 2	code	RRP	5L
	ADH095	£65.60	£55.76

**Rosco Flexbond Adhesive** Clear, flexible scenic glue which bonds many porous and non-porous scenic materials. Dries to a clear, hard but pliable coating that does not remain 'tacky' as other flexible coatings do. The adhesive bond does not crack and break when flexed. Recommended for bonding textures such as micafil and rubber granules. This adhesive also works well on polystyrene. Flexbond is water-based and safe to use. ✓ Clear and very flexible.

Rosco Flexbond	code	3.79L	18.95L
Rosco Flexbond	ROS6075X[XXX]	£34.50	£157.00
		[3]	[0019]



**Evobond** A universal adhesive, sealer and primer. Improves adhesion when used as a primer and will effectively bond many light sheet materials and cloths. Excellent value.

Evobond	code	each
5L	ADH025	£17.01



new size

Use it as a water-based contact adhesive!



**Flints Cyclorama Glue** This best selling environmentally friendly glue is water based and safe to use. We highly recommend it for sticking large canvas murals and cycloramas but it has many other uses including bonding vinyl dance floor to plywood or hardboard. Many of our clients use it to consolidate texturing compounds such as rubber crumbs. It makes a great polystyrene adhesive too! It can be

used as a dry bond, wet bond or contact adhesive.

Its unique advantages when used as a dry bond are:

- ✓ **No bleed through** - The glue will not damage the artwork. As the glue is only applied to the wall and the cloth is positioned when the glue is dry it can not bleed through.
- ✓ **Repositionable** - If you get a wrinkle in your cloth or it goes out of alignment just gently peel back and try again.
- ✓ **Removable** - It is not permanent. You can actually remove the artwork from the wall when you have finished and no glue sticks to the canvas. Just roll the canvas up and transport to the next venue. It saves having to slit cloths down scenery joins after the first venue of a tour and allows expensive scenic artwork to travel separately from its heavy backings.
- ✓ **Paint off site** - Murals can be painted in the artists studios rather than having to close down public areas of museums etc. while the painting is taking place.
- ✓ **Waterbased** - It is waterbased and is safe to use in areas where other contact adhesives could not be risked. The virtual lack of odour makes it a good choice when venues need to be re-opened quickly, reducing down time.
- ✓ **Multi Purpose** - The glue can also be used as a wet lay or double bond for more permanent applications. It is suitable for bonding vinyl and rubber as well as natural cloths.
- ✓ **Easy and clean to use** - The adhesive comes with simple instructions and your tools just clean in water.

**The Three Methods**

**Dry bond** - Apply the adhesive to the wall and allow to dry. Gently position the cloth on the wall, adjust as necessary, then press down firmly. The cloth can be removed at a later date by peeling off.

**The Double Bond** - Flints Cyclorama Adhesive performs well as a waterbased contact adhesive. Apply adhesive to both the wall and the cloth. Allow to dry. Press the cloth onto the wall for a permanent bond. This method will provide a strong bond for many surfaces including dance floors.

**Wet Bond** - Use as a conventional glue. Apply the cloth to the wet adhesive and allow to dry for a permanent bond. Use it to consolidate texturing compounds such as foam crumbs.

Great for polystyrene too!

Covers approximately 4.5 - 5m<sup>2</sup> per litre. Now also in 15L pails.

Flints Cyclorama Glue	code	each
5L	ADH130	£41.82
15L	ADH131	£113.19



**Unibond Super PVA** PVA adhesive, sealer and primer. As a priming coat dilute with 5 parts water, as a bonding coat mix 3 parts Unibond to 1 part water and apply the plaster while still tacky. For use as a woodworking adhesive just use neat.

Unibond Super PVA	code	5L
	ADH210	£27.48



**Copydex Adhesive** Natural rubber latex, solvent free non-flammable adhesive, used widely for bonding canvas, serge, velour as well as paper, card, cork, plastic, etc... When using with serge or velour the adhesive will show through if too much pressure is applied. It can be used as a contact or wet bond glue. If making cut cloths be sure to dust any excess glue with French Chalk [page 1.15] before rolling up to prevent accidental dry contact gluing.

Copydex	code	125ml	250ml	1L	5x1L
	ADH09X	£4.99	£8.33	£14.87	£54.45
		[2]	[3]	[0]	

5L no longer available so we have reduced to price for 5 x 1L



**Granular Size** The most popular traditional glue for sticking canvas to timber flats and also used in the preparation of traditional primers and scenic paints [see page 1.13]. To prepare size as a glue, mix 1 part of size with 1.5 parts of water whilst agitating. Leave to soak for 1 hour. Then dissolve by warming in a double bucket [water jacket]

diluting further to a working consistency. Do not exceed 55° C. Apply to the timber with a glue brush. While still warm fold the canvas down and swab through with a warm damp cloth until a soap appears on the surface of the canvas. Ideally this is done with two people one gluing and the other swabbing. Keeps you lovely and warm, although you won't smell great.

Granular Size	code	1kg	25kg
	PAT852	£4.66	£97.25

For glue brushes see page 1.48.



**Pearl Glue** Like granular size but supplied in a pearl form. Traditionally used for sticking canvas to flat frames. Add 1 part of glue to 1.5 parts of water whilst agitating. Leave to soak for one hour and then dissolve by warming in a double bucket. It can be diluted further with water. Do not exceed 55°C. Use while warm.

Pearl Glue	code	1kg	25kg
	ADH096	£7.79	£171.75



It's rubbish don't buy it!

**Rabbit Skin Glue** The preferred glue of non-vegetarian fine artists for sizing canvas and making gesso.

Rabbit Skin Glue	code	price
250g	ADH098	£8.18

WOODWORKING ADHESIVES



**Resin 168** This is the woodworking PVA that we recommend to the large user. It is suitable for bonding wood to wood and Formica to wood. It is not designed to be used in a wet environment. We supply it in 5L containers and also in handy 25L plastic drums with a tap for easy dispensing. Coverage approximately 7.5m<sup>2</sup> per litre.

Resin 168	code	5L
	ADH017	£25.99

TRADELINE

25 litre drum (ADH018) = £92.09

Spare Drum Tap	ADH017T	£5.00
Handling Trolley		<b>DISCONTINUED</b>



**Sheppy M211 Water Resistant Wood Glue** This glue is recommended for environments which may be exposed to dampness. It is not an exterior grade or boat-building glue although it would probably be satisfactory for short term exterior scenery.

Sheppy M211	code	5kg[5.6L]
	ADH005	£25.00



**Polyten** Extra water resistant wood adhesive, with a new ten minute fast grab formulation, that can be handled within 30 minutes. Suitable for all woods, interior and exterior use. It is not suitable for continuous immersion in water. It dries clear and can be applied by brush, roller or straight from the bottle.

Polyten	code	500ml	1L	5L
	ADHAPTXX	£4.10	£7.04	£30.58
		[500]	[1]	[5]



**Evostik Resin W** A one part synthetic resin emulsion adhesive for bonding hard and soft woods. Widely used for framework assembly, bonds wood veneers and laminated plastics to wood and chipboard. Complies with BS 4071: 1966.

Evostik Resin W	code	250ml	500ml	1L	5L
	ADH08X	£5.74	£7.75	£15.05	£43.85
		[41]	[42]	[4]	[5]



**Scotch Glue** A high quality jelly bone glue, manufactured from selected raw materials. It has a breaking strain far in excess of BS745, and is recommended for antique restoration, chair frames, veneering, and any trade where a first class, long-lasting joint is necessary. Preservatives in this formulation keep the glue free from mould and bacteria for a long time in the glue pot. Its slower setting characteristics enable the glue to penetrate hard woods and provides a longer open time for intricate assembly work and veneering operations. To use: Warm gently until it reaches the consistency of paint, never so hot that it shows steam.

Scotch Glue	code	1kg	5kg
	ADH007X	£12.60	£34.90
		[1]	[5]

## MARINE GRADE ADHESIVES



**Polyproof** Completely water resistant resorcinol glue suitable for boatbuilding with continuous immersion in water [even boiling water!]. Used for the construction of laminated roof beams and bridge arches. Glues polystyrene, Formica and difficult timbers like teak. Superior to epoxy in terms of proven longevity, ideal for mast making. Consists of a liquid resin with a powder hardener.

Polyproof	code	670g
	ADHAPP670	£20.00



new



**Collano Semparoc** For water-proof and weather resistant bonding of all timber materials, stone, cement based boards, cork etc. They are suitable for assembly work and for use with hardwoods, softwoods and non-flammable building boards.

Semparoc	code	800g
Rapid V [Approx 15mins working time]	PATCSR	£19.92
60 [Approx 1hr working time]	PATCS60	£16.92

## WALLPAPER ADHESIVE



**Solvite Fast Mix All Purpose Wallpaper Adhesive** Each giant sachet will hang up to 15 rolls.

Solvite	code	giant sachet	Tradeline per 24
	ADH110	£5.78	£4.90 each



**Peel** A revolutionary product which allows wallcoverings to be removed from a wall without soaking or scraping. Coat the walls with Peel before you hang your paper and when you redecorate the old paper pulls off in complete lengths. Ideal for TV, theatrical and display applications where frequent decoration is necessary.

Peel	code	1L	code	5L
	ADH111	£17.62	ADH112	£51.25

See also Mask It on page 2.85.

## GLUE STICKS



**All Purpose Glue Sticks** These quality glue sticks represent very good value.

All Purpose Glue Sticks	code	1kg	Tradeline per 5kg
190mm long	ADH220	£12.00	£30.00

new

**Low Temperature Glue Sticks** Suitable for bonding materials that may be affected by high temperatures.

Low Temperature Glue Sticks	code	1kg
190mm long	ADH221	£14.12

new

**Black Glue Sticks** High-quality coloured hot-melt adhesive. For bonding a variety of materials.

Black Glue Sticks	code	per pack of 8
	ADH04821	£7.00

Coloured and glittered glue sticks can also be ordered in [subject to minimum quantities]. Please call and ask for prices.

## GLUE GUNS

new



Best of both worlds

**Steinel 5000 Cordless Glue Gun** This is a cordless glue gun for real versatility yet the cord can also be plugged directly to the gun for continuous output. Warm up time 3-5 minutes. Very high melting capacity delivering 22g per minute. Uses 11mm Ø glue sticks.

Steinel 5000 Cordless Glue Gun	code	list price	our price
	POW332716	£60.00	£51.00



**Steinel Spreader Nozzle 12mm** for spreading glue on larger areas. Will only fit Steinel Glue Gun.

Steinel Spreader Nozzle 12mm	code	each
	POW76269	£7.00



**Steinel Glue Gun Spare Nozzle 2.8mm**

Steinel Nozzle 2.8mm	code	each
	POW075965	£5.50



**Bosch PKP18E** A good quality, very popular general purpose gun 16- 200W. Ideal for pro shops and display work. 20g per minute.

Bosch PKP18E	code	each
	POW090	£22.50

new



**Rapid Professional Glue Gun EG330** This is a high output glue gun delivering up to 1600g/h. It will reach working temperature very quickly and then provide a constant working temperature. Silicon protected nozzle.

Rapid Professional Glue Gun EG330	code	list price	each
	POWEG330	£90.27	£72.22

## SPRAY APPLIED ADHESIVES

new

Fast and Class 1 fire proof



**Permagrip PG107** The well-proven market leader, the PG107 grade remains the one of the best rubber-based high-solids non-flammable contact adhesives in a canister. Its unique resin formulation gives it an outstandingly high temperature resistance for a rubber-based grade, capable of withstanding short-term temperatures in excess of 125°C. Its cure cycle results in a superlative bond strength, capable of resisting the stresses of adverse environments

for most common substrates. It meets the requirements of BS 476 Surface Spread of Flame Part 7: 1997 for Class 1 fire rating, BS 6222 Domestic Kitchen Equipment

Part 3: 1999 for bond quality of kitchen worktops, IMO A653 (16) Fire Test for Surface Flammability of Marine Bulkhead, Ceiling and Deck Finishes, and also JAR 25.853 Flammability and Toxic Gas Emissions for aircraft interiors. PG107 was specifically designed for bonding high pressure laminates (HPL) and other decorative finishes to wood based sheet materials, GRP and metals, as well as to each other. One pack will cover between 80 and 130 square metres.

Permagrip 107	code	each
22L of adhesive	ADHWSNF	£189.00
Gun	ADHWSG	£117.00
Hose [4m]	ADHWSH	£39.00

Now cheaper!



**3M Spray Mount** Provides an instant repositionable adhesive for most surfaces. The controlled spray pattern reduces adhesive mist. Ideally suited for mounting light materials where fine texture of the adhesive is unlikely to cause disturbance to the face surface. For heavier materials try Display Mount.

3M Spray Mount	code	400ml	Tradeline per 12
	ADH120	£14.95	£13.49 each

Now cheaper!



**3M Display Mount** The ideal choice for mounting exhibition lettering in foam, card, plastic or fabric. Can be used on polystyrene if applied thinly to prevent any solvent entrapment.

3M Display Mount	code	400ml	Tradeline per 12
	ADH121	£15.95	£14.76 each



**Ambersil NC500** Suitable for paper, rubber, plastics, fabrics, foam, wood, metals, hessian, cork, felt, upholstery, carpets and flooring. A slightly coarser spray pattern than the 3M sprays but great value for a large 500ml can.

Ambersil NC500	code	500ml	Tradeline per 12
	ADH139	£5.63	£5.07 each



**Idenden Multi Purpose Adhesive** [polystyrene X] A popular, seriously economical spray adhesive that is perfect for bonding polyurethane foam, felt, cork and most plastics to wood and steel. There is a variable spray nozzle enabling large or small areas to be coated without overspray. Glue wastage is eliminated and it is a quick, clean and efficient means of bonding. Contains no Methylene Chloride.

Idenden Multi Purpose Adhesive	code	500ml	Tradeline per 12
	ADH140	£4.22	£3.59 each

For expanded foam aerosols see page 1.75.

## MASTIC GUNS

Flints only stock top quality Cox mastic guns which will not crumple up when you are half way through a Sunday fit up.



**Easiflow HD** A low cost gun for the professional tradesman whose work includes the semi frequent application of sealants. It has been produced continuously since 1971

and differs from imitators by giving up to ten times the working life of some models. It has a 7:1 ratio trigger and a patented pressure release device which virtually eliminates sealant "flow-on". The drive rod is bent to provide a handy hook.

Easiflow HD Sealant Gun	code		each
400mm [to suit up to 350ml tubes]	ADH303		£5.92



**Powerflow Cartridge** This is the new name for the "Chilton", an advanced applicator designed for those who use sealants on a daily basis. The die cast trigger is ergonomically contoured for all hand sizes providing com-

fortable operation over long periods. The 12:1 ratio permits very smooth sealant flow for a high quality finish.

Powerflow Cartridge	code		each
400mm [to suit up to 350ml tubes]	ADH304		£13.85

## MASTIC ADHESIVES

These mastic products require mastic guns which are listed on the previous column.



new

### Stixall-Ultimate Power, Bonds and Seals VIRTUALLY EVERYTHING!

Stixall, based upon new hybrid PMS polymer technology, is the ultimate combined building adhesive and sealant, with the power to bond and seal virtually everything to anything. Stixall offers almost limitless benefits as a permanently flexible adhesive and sealant, removing the application barriers associated with conventional products.

- ✓ Stops mould growth.
- ✓ Solvent free, no odour.
- ✓ High bond strength.
- ✓ Resistant to chemicals.
- ✓ Crystal clear.
- ✓ Incredible initial grab, no slip, gap filling.
- ✓ Overpaintable.
- ✓ Exterior or interior use.
- ✓ Totally waterproof.
- ✓ Resistant to temperature extremes.
- ✓ Can be applied to wet surfaces.

- ✓ Sticks glass, granite, brick, ceramics, fibre glass, mirrors, all hard plastics, timber, roof tiles, marble, stone, all metals and much much more!

### 40 Year Lifetime Guarantee!

Stixall Clear Adhesive	code	290ml Cartridge	
	ADHSTXC		£8.54



**Gripfill** [polystyrene X] A market leading high strength gap filling mastic adhesive suitable for bonding wood, laminated plastic, metal, stone, ceramics, GRP and aluminium. One cartridge will provide a 6mm bead approximately 10.25m long.

Gripfill	code	350ml cartridge	12 x 350 ml
	ADH077G	£3.35	£35.40



No more drooping!



**Pinkgrip** Richard Black just insisted that we stock this product which has an instant strong grip with no drooping. Battens can just be stuck to a wall where they will remain without additional fixings even while the glue sets. He raves about its qualities as if he owns shares. Richard claims to have built entire sets just using Pinkgrip, lets just hope he doesn't get into aeronautics. We sell it by the pallet load so you obviously like it too.

Pinkgrip	code	350ml	12 x 350 ml
Standard	ADHPG	£2.25	£24.30
Solvent Free for acrylic mirror	ADHPGSF	£2.50	£24.30

Visit [flints.co.uk](http://flints.co.uk) to buy online and to download data sheets



**Sikaflex 291** Fast curing marine grade, one component polyurethane based flexible mastic adhesive that may be sanded and painted. Highly flexible and ideal for bedding in fittings. Provides a high strength bond with excellent shock-absorbing and vibration dampening properties. Now considerably cheaper!

Sikaflex 291	code	300ml
Black	ADH291	£8.26
White	ADH291W	£8.26
Woodcolour	ADH291B	£8.26

Flints can supply other Sikaflex products. For deck blades see page 3.11.  
For Deck Caulking see Sikaflex 290DC below

**MASTIC SEALANTS**



**Tremsil 600** A medium modulus neutral silicone sealant. Good for general purpose sealing and caulking, and ideal for bedding in glass. Conforms to BS5889 [1989] Type A.

Tremsil 600	code	310ml cartridge
Black	ADH600	£2.81
White	ADH600W	£2.81
Translucent	ADH600T	£2.81



**Sikaflex 290DC** A deck caulking compound for sealing joints in timber planking. One part polyurethane base. Use 290DC primer before application and read technical data sheets. This mastic is thixotropic but will sag slightly on vertical surfaces. For deck blades and the Fein Multimaster see page 3.11.

Sikaflex 290DC	code	each
Black 300cc cartridge	ADH290DC	£17.77
Black 600cc sausage	ADH290DCS	[to order] £23.76
Primer 250ml	ADH290DCPR	£30.24
Sausage gun 600cc	ADHAJ4001	£27.00

**STRUCTURAL ADHESIVES**



**Araldite 2015 Structural Adhesive** Legendary strength of epoxy. Excellent bonding of aluminium, mild steel, stainless steel, copper, zinc and galvanised steel.

Good bonding of rubber, glass, ceramics and moderate bonding of polycarbonate, PVC, ABS and polystyrene. Perfect for use with Aerolam lightweight honeycomb panels. Dispensed with handgun via self mixing nozzle.

Two Part Epoxy	code	price
One 200ml tube	ADH20151	£26.40
Skeleton Gun [shown]	ADHVM200	£27.14

For Epoxy Resins see page 1.72

For Very High Bond structural double sided tape see page 2.86.

**PROP SKIP ADHESIVES**



**UHU and UHU Gel** Strong crystal clear adhesives suitable for virtually everything except expanded polystyrene. The UHU gel is a non drip version which many find cleaner and easier to use.

UHU	code	size	each tube
UHU All purpose	UHU042862	33ml	£1.99
UHU Gel	UHU043435	31ml	£1.99



**Araldite Precision** This glue has a longer open time than the Rapid Araldite and makes it more suitable for larger complex adhesive jobs. It will bond metals, wood, pottery, glass, and most hard plastics.

**Araldite Rapid** A rapid fixing two part epoxy adhesive. Now supplied in an easy to use syringe dispenser.

Araldite	code	pack [two 15ml tubes]
Araldite Precision	ADH152	£5.33
Araldite Rapid	ADH153	£6.26



**Loctite Super Glue** A high performance instant cyanoacrylate glue. Not suitable for glass, polypropylene, polyethylene, and other waxy surfaces.

Loctite Super Glue	code	5g Dispenser
	ADH100	£4.07



**Zap a Gap** Fills Gaps. Allows 7-10 seconds for positioning and cures in 20 seconds. Can be accelerated with Kicker. Bonds most materials including metal, wood, rubber, pottery, and most plastics. The aerosol is an accelerator only!

Zap a Gap	code	each
1oz	ADHPT02	£4.02
4oz	ADHPT05	£13.67
2oz aerosol [Kicker]	ADHPT15	£4.91



**JB Weld** one of the world strongest adhesive! You can drill it grind it and machine it! Always handy for those unexpected breakages. Bonds steel, aluminium, wood, copper, ceramics etc.

JB Weld	code	each
JB Weld Industrial [2x 28.5g tubes]	ADHJB8270	£6.60
JB Weld Industrial [2x 142g tubes]	ADHJB8273	£18.80
JB Kwik Weld [2x 28.5g tubes]	ADHJB8276	£6.60



**Loctite Lock 'n' Seal** Handy sized thread sealant.

Loctite Lock 'n' Seal	code	each
	ADH101	£2.80



**Bostik** Sticks card, fabric, wood, metal, pottery, and most plastics. Not suitable for polystyrene, polypropylene, rayon or acetate.

Bostik	code	each
Handy size 20ml	ADH114	£2.02