

ELECTRICAL

EXTENSION LEADS

Made in Germany



Brobusta Cable Reel The reel is made of break resistant Breflex rubber and fitted with triple sockets with self closing covers and Duo Safety System against overheating and accidental restart. Fitted with a red warning light. The frame is exceptionally stable and is both galvanised and powder coated. Locking

brake and cable clip. Power capacity 3120watts/13 amps

Brobusta Cable Reel	code	price
length 50m	ELEHIG50M	£69.95

Made in Germany



Vario Line Heavy duty reels are unsuitable for use up Tallscopes and ladders so we have selected this 15m lightweight unit to take power up in the air. It is fitted with a hanging hook to clip onto the ladder rung.

Vario line	code	price
length 15m	ELECLXL	£22.63



4 Way Surge Protected Lead 13amp 2m long. BS EN60950 and 1362/A

4 way Extension Lead	code	price
length 2m	MSTRG42	£10.60

Black Rubber Cable This black rubber TRS 1.5mm cable is ideal for making up your own extension leads. Three core.

Black Rubber Cable	code	per m	per drum [100m]
	TOL3040	£1.24	£109.50



Black 13 amp Duraplug	code	price
	TOL3020	£3.44



Black 15 amp Duraplug Round Pin.	code	price
	TOL3023	£6.07

Duraplug Trailing Socket



Duraplug Trailing Socket	code	price
Single	TOL3030	£5.36
Double	TOL3031	£8.82
Fourway	TOL3032	£21.36
Single 15 Amp [round pin]	TOL3024	£8.79

Fuses

5 Amp Fuse	TOL3036	£0.39
13 Amp Fuse	TOL3037	£0.40

SOLDERING




Soldering The Weller Heat Gun tackles soldering, cutting and sealing with instant heat through interchangeable tips. Operated by finger tip control. Ready to use in six seconds.

Soldering Gear	code	price
Weller Heat Gun Kit 8100UDK, 240V	WEL8100UDK	£58.98
Weller 25w Soldering Iron, 230V	WELSP25L	£18.82
Weller 15w Soldering Iron, 230V	WELSP15L	£19.12
Weller Bench Holder and Sponge	WELKH6	£25.92
Self-fluxing Multicore Solder	MULM2	£6.70
Helping hand [shown left]	TOL60338	£5.00

NEW

This page was updated 19/04/12

CABLE TIES



Wrap Back Ties Fed up with nylon cable ties blocking stage tracks? Fed up with cutting your hands on the sharp edges left from nylon ties or with peeling sticky tape from your shoes? Why not try our wrap back ties. They have a hook

and loop fastener which is repositionable, reusable, and more environmentally sound. They are kinder on the cables [especially data and fibre optic cables] and hands. Also useful for tidying air hoses, extension leads and hemp lines. Black. Flints have these made in two useful sizes: Small Size - ideal for fixing cables to flying bars. Large Size - Ideal for tidying hoses etc

Wrap Back Ties	code	each
Small size [300mm long 25mm wide]	GEN241	£0.90
Large size [400mm long 25mm wide]	GEN242	£0.94



One Wrap This is one of the most useful products in the catalogue. It is a hook and loop fastener that is double sided so it will stick to itself. Cut it to any length. Available on rolls or by the metre. Amazingly useful. Black.

Personal favourite

One Wrap	code	per m	per 25m
16mm wide	GEN244	£0.96	£20.50
20mm wide	GEN245	£1.10	£22.50
25mm wide	GEN246	£1.15	£25.00
50mm wide	GEN248	£2.10	£46.50



Cable Ties Self extinguishing Nylon 6.6. Working temperature from -40° to +85°. Available black and natural. Remarkable value. Add an "N" to the code for natural.

Take a look at Multihooks page 1.89

Cable Ties	code	per 100	per 1000
100 x 2.5mm	GEN233	£0.64	£4.20
200 x 4.8mm	GEN232	£1.58	£10.60
300 x 4.8mm	GEN231	£3.80	£27.00
370 x 7.6mm	GEN234	£8.34	£63.00
780 x 9mm	GEN235	£19.60	£147.00

Releasable Cable Ties

Releasable Cable Ties[black]	code	per 100	per 1000
200 x 4.8mm	GEN232R	£3.50	£29.80
370 x 7.6mm	GEN234R	£7.95	£67.50

TESTERS



West Multimeter Handheld meter used for measuring DC and AC voltage, DC current, resistance, diode and transistor. DC/AC Voltage, DC/AC current, resistance, capacitance diode and transistor test, audible continuity test.

West Multimeter	code	price
	TOLWST169	£14.54



Wera Voltage Tester A tough insulated screwdriver/mains circuit tester with many other uses such as tracking cables. Voltage tested from 150-250 volts.

Mains Tester	blade length	tip width	code	price
	70mm	3.5mm	WER005655	£4.73

LIGHTING

Flints do not supply theatre lanterns which we prefer to leave to the various excellent specialist companies. The items listed here are those accessory items often used by props and stage as well as lighting departments.

LIGHTING GELS

About Gels

Filters were originally made from gelatin [hence "gels"] but by the 1950's Strand had developed acetate filters. Nowadays there are two raw materials used in making colour filters, polycarbonate and polyester. Polycarbonate is the material able to endure the highest heat and is liable to give the longest possible life.

There are two fundamental ways of manufacturing filter. The cheapest way is for the manufacturer to buy clear polyester film and to dye it on one or both surfaces. You can tell a film that is made this way because the colour can be removed by wiping the surface with a solvent or by scratching it. In most cases it will be a perfectly serviceable filter but a problem will arise if you use it in colour scrollers. This is because during the manufacturing process the film is extruded thick and then stretched and rolled to produce the final thickness. This process puts a linear orientation into the film that causes it to shrink in width when heated. It will be prone to failure in colour scrollers.

The best filters are produced from pellets of the raw material that are deep dyed then extruded to the correct thickness and finally coated with a clear film on each side. Supergel is the only filter made this way.

Lee Filter numbers were developed by Fred Bentham of Strand. The numbering system was widely adopted in Europe. Rosco E-Colours were developed using surface coated polyester to match these European numbers.

Ask for a **FREE** Supergel Swatchbook!

Supergel Rosco
Supergel is uniquely made from deep dyed pellets of polycarbonate extruded to the exact thickness and coated on either side with a microscopic clear film. It will not distort under heat and is ideal for

colour scrollers. Polycarbonate filter will last longer than polyester [Lee and E-Colour] and has better fire resistance. It will comply with virtually all fire regulations [DIN4102, B1, M1 etc]. There are over 130 colours and 30 diffusion materials. We will send you a swatch book on request. When ordering use the codes below replacing the **XXX** with the gel number.

Visit flints.co.uk to see the colours

Supergel	code	price
roll [7.62m x 610mm]	ROS103RXXX	£64.00
sheet [500mm x 610mm]	ROS103SXXX	£4.60

E-colour+ is a surface coated polyester film. The colours match the original Strand numbers with the addition of around 30 extra shades. 40 of the E-colours are coated on both sides due to the dye type but otherwise they are coated on one side. A swatch book will be sent on request. When ordering use the codes below replacing the **XXX** with the gel number from the swatch book.

E-Colour Correction Filter	code	price
roll [7.62m x 1.22m]	ROS062RXXX	£58.95
full sheet [530mm x 1.22m]	ROS062FSXXX	£4.65
half sheet [530 x 610mm]	ROS062HSXXX	£2.41

Flints can also supply Cinegel colour correction filter and CalColor.

This page was updated 04/04/11

FOLLOW SPOT SIGHTS

new



Spot Dot 2000

The "Both Eyes Open" Follow Spot Sight!

An electronic red dot followspot sight. The aiming dot is created by a mini-LED located at the rear of the sight and reflected to your eye. The 25mm viewing lens makes finding the spot simple. Mount the Spot Dot on your followspot [with the magnets provided], turn it on [low or high power] and you will be able to view the stage and the dot with BOTH EYES OPEN. The Spot Dot does not require a specific distance between your eye and the sight. Choose the distance that's most comfortable for you. Generally, about 6-12" is the most comfortable.

As used on Mamma Mia!



Spot Dot 2000	code	price
	SPOT2000	£89.00

LAMP DIP



Colorine Technicians have been colouring lamps and glass with Rosco's Colorine since 1910. Designed for use on stage with low wattage bulbs. For details of Colorine and also FEV see page 1.14.

LANTERN MASKING



Matt Cinefoil A specially coated matt black foil that soaks up light and is perfect for masking light leaks and eliminating reflections. For plain aluminium foil see page 1.61 and plain ali tape 2.86.

Black Cinefoil	code	price
30.48cm x 15.5m	ROS360113	£26.25
61cm x 7.62m	ROS360112	£26.25
1.22m x 7.62m	ROS360114	£49.00



Heat resisting matt black foil tape which can be used to mask off lamps and light leaks. Do not confuse with "Black Tack" the gungy, blobby tape - see page 2.86. We also stock unbranded matt black aluminium tape.

Blacktak	code	price
50mmx25m Blacktak	TAP071	£21.00
50mmx25m Matt Foil Tape	TAP071MF	£16.50


ULTRA VIOLET LIGHT

Ultra Violet Light Ideal for use with the wide range of UV fluorescent paints that we supply. Due to the fragile nature of these tubes we can not be responsible for damage in transport and recommend they are collected in person from our warehouse.

Ultra Violet Light	code	price
4ft tube	ELEUV4	£30.00

GOBOS

Gobos Flints can supply all Rosco and DHA Gobos. Please ask for a FREE gobo catalogue



74007



74058



78210



78237

ROSCO LITEPADS

new



LitePad™ Everywhere Lighting!

Rosco LitePad™ is a slim profile light source that generates a soft even beam of light and almost no heat. Its small form factor and light weight make the Rosco LitePad™ perfect for use in many places where a larger, typical luminaire could not fit. Drawing just a few watts of power, LitePad is simple, fast and economical to use in film and television, theatre and live entertainment, and retail and event lighting.

Use the Rosco LitePad™ for:

Accent lighting on and built into scenery

- ✓ Add light behind windows and doors with only 1" of space between framing and opening.
- ✓ Use LitePad™ as the source on the front of a TV or computer monitor, even for special effects like glowing props.

Backstage lighting

- ✓ Gently illuminate hazardous areas such as stairs and platform edges.
- ✓ Orchestra lighting.

Supplementary lighting kit for stage or set

- ✓ Small soft sources provide additional light and can be mounted into virtually any nook on set.



Standard Units

Units are sold individually and include a simple 12v transformer.



Complete Kits

Also available in convenient kits. The basic kit contains one of each of the high output LitePads [excluding the 24x24" and 12" circle versions] plus a range of accessories. The Gaffers version has two of each of the Litepads [excluding the 24x24" and 12" circle versions] plus colour filter packs and extra accessories. Both kits are safely packaged in super tough customized Pelican 1550 carrying cases. These kits would be ideal for photographers needing to light difficult areas such as car glove compartments etc.

Accessories include

Mounting Hardware, 12v 3amp Power Supply, 10ft (3m) Extension Cable, Carrying Case, Y splitter cable.

Kelvins Colours over 6000°K tend to turn to blue. The Sun for instance, has an effective photosphere temperature of 5778°K. 5500°K is normally used to match daylight on film emulsions.

LitePad™ Specifications

Colour Temperature: 6000° Kelvin
 Thickness: .3" (8 mm)
 Operating Temperature: -30C - +85C
 Lamp Life: 60,000 hrs.

Definitions FC stands for Foot Candle and is defined as "The amount of illumination produced by a standard candle at a distance of one foot." LUX is a Metric measurement of light quantity. Taken from the reflection off the object illuminated.
 1 Foot-candle = 10.76 lux.

This page was updated 04/04/11

Photometrics Litepad Day Light Model

Pad Size		6"	12"	18"	24"	36"	Watt	Amp
3"x3"	LUX	340	86	40			1.5W	.13A
	FC	32	8	3.7				
3"x6"	LUX	900	260	110	70	30	4.5W	.38A
	FC	84	25	11	6.5	2.8		
3"x12"	LUX	1500	450	240	130	60	9.0W	.75A
	FC	140	42	23	12	5.6		
6"x6"	LUX	1100	340	150	80	37	4.5W	.38A
	FC	100	32	14	7.4	3.5		
6"x12"	LUX	1700	560	280	160	75	9.0W	.75A
	FC	160	52	26	15	7		
12"x12"	LUX	3200	1300	640	370	170	18W	1.5A
	FC	300	120	60	34	16		

LitePad™ Prices and Codes Day Light Model

LitePads	size	code	price
LitePad no transformer	76x76mm [3x3"]	ROSLP303	£25.00
LitePad 240v	76x76mm [3x3"]	ROSLP303240	£36.25
LitePad no transformer	76x152mm [3x6"]	ROSLP306	£62.10
LitePad 240v	76x152mm [3x6"]	ROSLP306240	£73.00
LitePad no transformer	76x305mm [3x12"]	ROSLP312	£96.10
LitePad 240v	76x305mm [3x12"]	ROSLP312240	£111.00
LitePad no transformer	152x152mm [6x6"]	ROSLP606	£92.40
LitePad 240v	152x152mm [6x6"]	ROSLP606240	£103.50
LitePad no transformer	152x305mm [6x12"]	ROSLP612	£225.50
LitePad 240v	152x305mm [6x12"]	ROSLP612240	£240.00
LitePad no transformer	305x305mm [12x12"]	ROSLP1212	£355.00
LitePad 240v	305x305mm [12x12"]	ROSLP1212240	£370.00

Photometrics Litepad High Output Model

Pad Size		6"	12"	18"	24"	36"	Watts	Amp
3"x6"	LUX	1300	340	150	80	40	6W	.5A
	FC	120	32	14	7.4	3.7		
3"x12"	LUX	2000	640	320	180	80	12W	1A
	FC	190	60	30	17	7.4		
6"x6"	LUX	1500	420	200	110	50	6W	.5A
	FC	140	40	18	11	4.6		
6"x12"	LUX	2400	800	400	230	100	12W	1A
	FC	220	73	37	21	9		
12"x12"	LUX	4800	1800	900	520	240	24W	2A
	FC	440	170	84	50	23		
24"x24"	LUX	4200	2700	1700	1100	520	48W	4A
	FC	400	250	160	100	50		
3" Circle	LUX	900	240	110	65	30	4.7W	.39A
	FC	84	23	11	6	2.8		
12" Circle	LUX	3600	1300	600	370	160	18.8W	1.57A
	FC	340	120	55	34	15		

LitePad™ Prices and Codes High Output Model

LitePads	size	code	price
LitePad no transformer	76x152mm [3x6"]	ROSLP306H	£96.10
LitePad 240v	76x152mm [3x6"]	ROSLP306240H	£107.20
LitePad no transformer	76x305mm [3x12"]	ROSLP312H	£147.00
LitePad 240v	76x305mm [3x12"]	ROSLP312240H	£161.90
LitePad no transformer	152x152mm [6x6"]	ROSLP606H	£150.00
LitePad 240v	152x152mm [6x6"]	ROSLP606240H	£161.90
LitePad no transformer	152x305mm [6x12"]	ROSLP612H	£295.00
LitePad 240v	152x305mm [6x12"]	ROSLP612240H	£310.00
LitePad no transformer	305x305mm [12x12"]	ROSLP1212H	£391.00
LitePad 240v	305x305mm [12x12"]	ROSLP1212240H	£406.00
LitePad 240v	610x610mm [24x24"]	ROSLP2424240H	£610.00
LitePad no transformer	circle 76mm [3" diameter]	ROSLP3H	£54.75
LitePad 240v circle	76mm [3" diameter]	ROSLP3240H	£65.80
LitePad no transformer	circle 305mm [12" diameter]	ROSLP12H	£373.40
LitePad 240v circle	305mm [12" diameter]	ROSLP12240H	£388.00
3amp transformer 240v		ROSLPT	£14.80
5amp transformer 240v		ROSLPT5	£22.20
Y splitter cable		ROSLPY	£14.80
3m extension cable		ROSLP3MC	£11.05
Basic Litepad Kit [see website for details]		ROSLPKIT	£1,699.00
Gaffer Litepad Kit [see website for details]		ROSLPKIT	£2,885.00

PROJECTION SCREENS

A range of projection screen materials, each with their own properties. All Rosco screens are durable, washable and inherently flame retardant. Screens are matted in front to minimise the unwanted effects of ambient light.

Twin White Designed for front or rear projection, with no apparent difference in picture brightness. Wide viewing angles make this the most popular of screen materials.

Grey The viewing angles widen up to 120 degrees using a grey screen for back projection, the neutral colour can be used to advantage, the contrast of the image may be lower.

Black Used in situations with high quantities of ambient light, has fine detail resolution when back lit with a strong image. Viewing cone 60 degrees. Ideal for use when the screen needs to be inconspicuous until needed for projection.

Light Translucent Has very high direct light transmission and bright sharp picture quality with minimal absorption loss. Often used on stage for indirect light transmission and diffusion.

Misty Blue Moderate direct light transmission with intriguing faint misty blue colour.

Sky Blue Good for large area daylight simulation.

Front White A highly opaque, reflective material for front projection.

Projection Screen Material	code	size	price
prices per linear metre			
Twin White	ROS2101	1.4m	£13.15
	ROS2111	2.2m	£28.50
	ROS2106	2.8m	£33.00
Grey	ROS2100	1.4m	£13.15
	ROS2110	2.4m	£28.50
	ROS2105	2.8m	£33.00
Black	ROS2103	1.4m	£13.15
	ROS2107	2.8m	£33.00
Light Translucent	ROS2104	1.4m	£13.15
	ROS2113	2.2m	£28.50
	ROS2108	2.8	£33.00
Sky Blue	ROS2116	1.4m	£13.15
	ROS2118	2.4m	£28.50
Misty Blue	ROS2117	1.4m	£13.15
	ROS2119	DISCONTINUED	
Front White (front projection)	ROS2115	1.5m	£17.75
	ROS2114	2.2m	£28.50

Screens can be welded to create larger sizes or made up into screens with eyelets or pockets. Please fax a sketch of your screen for a quotation. Our sales staff will require written confirmation of the sizes before processing the order.

For Spanfixes see page 2.36 For Holdons see page 1.89.


HOOK CLAMPS

This page was updated 29/09/11

HEADLOCKS



Award winning design



Headlock Winner of the ABTT Product of the Year Award.

A simple easy to fit device which locks the head of the pan locking bolt so that

luminaires can be tightened with just one spanner- leaving your other hand free. Headlocks are available in four sizes to fit most trunion arms. The advantages of fitting Headlocks are clear:

- ✓ Easier focusing
- ✓ Quicker focusing- 30 seconds per lantern.
- ✓ Safer focusing with fewer tools being handled at height.
- ✓ Made in Bognor!

What size Headlock?

Choose the 30mm size for:

ETC Source 4, Strand SL, Thomas Par 64, Selecon Pacific.



Choose the 40mm size for:

ETC Source 4 PAR, CCT Silhouette. Strand Cantata and Harmony.

Headlock	size	code	each	Tradeline per 50
	M10x30	HLM1030	£2.80	£95.50
	M10x40	HLM1040	£2.80	£95.50
	M12x30	DISCONTINUED		
	M12x40	HLM1240	£2.80	£95.50

3.55

STANDARD HOOK CLAMPS



Standard Hook Clamps

Our standard satin black hook clamp is great value! For Wing Bolt Spanners see page 3.31.

For the award winning Headlocks see above. 📌

Hook Clamps	code	price
type	finish	for tube SWL
Standard	Satin Black	50mm 40kg
Standard	BZP	50mm 40kg
Medium	BZP	50mm 100kg
Heavy Duty	BZP	50mm 150kg
Heavy Duty	Satin Black	50mm 150kg
Standard	BZP	30mm 15kg
Standard	BZP	20mm 15kg
Light	BZP	18mm
	FHS040HC	£5.27
	DOU20100	£4.27
	DOU20102	£4.34
	DOU20400	£7.17
	DOU20401	£8.30
	DOU20200	£4.10
	DOU20301	£5.19
	DOU20000	£2.85

Truss Hook Clamp A capture clamp plate prevents damage to thin wall aluminium truss. Fits 50mm tube. SWL: 40kg.



Truss Hook Clamp	code	price
BZP	DOU21800	£6.65
Black	DOU21801	£8.22

Universal Hook Clamp Fits tubes from 20-50mm diameter. SWL: 40kg.



Universal Hook Clamp	code	price
Black	DOU21101	£6.22
BZP	DOU21100	£5.11

PREMIUM HOOK CLAMPS

new



Twenty Clamp from Doughty was officially released at Plasa 07 with a fantastic response. The Twenty Clamp is a aluminium pressure die cast clamp designed to suspend luminaires up to 20 Kg. This Clamp can be secured to tubes with a diameter of 48 - 51mm with just two turns of the Doughty Knob. Luminaires are secured via a captive M10 or M12 Bolt (M10 supplied). Damage to tubes and trussing is eliminated by using an extruded trigger. This Product is Design Fully TUV Approved. Tube Diameter: 48-51mm, Width: 28mm, Overall Height: 100mm SWL: 20 Kg, Weight: 0.28 Kg This product is Design Registered

Doughty Twenty Hook Clamp	code	price
Black	DOU58400	£10.67



"Hook" Clamp Very popular high tensile aluminium clamps widely used for attaching scenery as well as lanterns to bars and trussing. Especially suited to large and heavy luminaries. Width 50mm. Weight 0.71kg

Hook Clamp	SWL	code	price
Fitted with M12 x 50mm bolt	750kg	DOU57200	£21.19
Black version	750kg	DOU57201	£23.74
Fitted with M12 x 50mm bolt	500kg	DOU58105	£18.39
Black version	500kg	DOU58106	£19.78

3.56

new



Triple E Hook Clamp Designed primarily for the rapid attaching of Triple E tab tracks to truss or flying bars from 38-52mm but equally suitable for attaching lanterns. Width 30mm. Weight 578g

Triple E Hook Clamp	SWL	code	price
Fitted with M12 x 50mm bolt	100kg	EEETRA14	£17.75

TRIGGER CLAMPS



Basic Trigger Clamp This range has been designed to fit tubes sizes from 48mm to 51mm. A large Easygrip handle is fitted for ease of use. Available in Black or Polished Aluminium. SWL: 200 Kg, Width: 30mm, Fixings: M12 Hole, Wt: 500g

Quick Trigger Clamp This clamp is the basis of all the Quick Trigger Clamps. A large Easygrip handle is fitted for ease of use. An extremely useful clamp for hanging valuable luminaries safely and easily. SWL: 250 Kg Tube Diameters: 38 to 51mm, Width: 50mm, Fixings: M12 Hole, Weight: 760g



Slimline Quick Trigger Clamp This clamp is the basis of all the Slimline Quick Trigger Clamps. A large Easygrip handle is fitted for ease of use. An extremely useful clamp for hanging valuable luminaries safely and easily. SWL: 100 Kg, Tube Diameters: 38 to 51mm, Width: 30mm, Fixings: M12 Hole, Weight: 490g

Trigger Clamps	SWL	code	price
Basic Trigger [Black]	200kg	DOUT588601	£21.28
Quick Trigger [Black]	250kg	DOUT58201	£25.65
Slimline Quick Trigger [Black]	100kg	DOUT58301	£24.28

DOUBLE ENDED HOOK CLAMPS



Double Ended Parallel Underhangs a bar directly under the primary bar. BZP finish.SWL: 40kg

Double Ended Parallel	code	price	
150mm centre	DOU20500	£8.07	
300mm centre	DOU20700	£8.55	
600mm centre	DOU20710	£9.61	
Heavy Duty Version	SWL	code	price
535mm centre	100kg	DOU20800	£11.33



Double Ended Hook Clamp 90° twist Hangs a bar at right angles to the primary bar. SWL: 40kg.

Double Ended Hook Clamp	code	price
150mm centre	DOU21500	£8.92
300mm centre	DOU21700	£9.39
600mm centre	DOU21710	£10.75

Please ask for a full Doughty catalogue for more hook clamps!

BOOM ARMS



Boom Arm A length of 48mm Ø alloy tube welded to an aluminium coupler.

SAFETY

Note: Max load is when used on a vertical bar. On a horizontal bar the arms will rotate at around 8kg	max load	length	finish	code	price
	100kg	250mm	Self Colour	DOU57310	£36.57
	100kg	250mm	Satin Black	DOU57311	£39.62
	75kg	500mm	Self Colour	DOU57315	£40.81
	75kg	500mm	Satin Black	DOU57316	£43.90
	25kg	1m	Self Colour	DOU57320	£45.32
	25kg	1m	Satin Black	DOU57321	£48.42



Standard Boom Arm Designed to hold a light to a vertical rigging pipe. Features a 90° twist.

Standard Boom Arm	code	price
Standard Boom Arm	DOU30500	£8.62
Standard Boom Arm [black]	DOU30501	£11.59
S.B.A. with safety fixing point	DOU31500	£10.24
S.B.A. with safety fixing point [black]	DOU31501	£11.88



Straight Boom Arm Designed to hold a light to a horizontal rigging pipe.

Straight Boom Arm	code	price
Straight Boom Arm	DOU30600	£8.62
Straight Boom Arm [black]	DOU30601	£11.72
S.B.A. with safety fixing point	DOU31600	£10.24

For a wide selection of tube suspension brackets see page 2.59

TANK TRAPS

HIRE



Tank Traps Really useful for making temporary structures to hold up masking, lighting booms etc. but useless at stopping tanks. 600mm square heavy base plate with a 50mm [2"] receiver

fitted with wing bolts to firmly secure aluminium or galvanised scaffold tubes in place. The clever cut out in the base allows compact stacking for transport and storage. Wt 16.14kg. The Tradeline price includes **FREE** delivery, and they are heavy.

Tank Traps	code	each	Tradeline per 10
	DOU54250	£94.75	£85.28 each