

POWER TOOLS – FESTOOL

Festool Tools



Many years ago Flints decided that we just had to stock Festool equipment. We have used their tools and quite honestly, they are the best. The extra price you pay is amply rewarded not only by the longevity of the tools [three-year guarantee!] but by their working efficiency.

I have personally found Festool sanders to work at least twice as effectively as anything else I have tried. To put it another way, a job that was going to take four days only takes two. You soon see how the extra expenditure begins to pay dividends.

But there's more, Festool equipment is renowned for keeping dust to a minimum so your working environment becomes safer and the work you produce becomes more precise.

Our problem with Festool tools is that they are packed with so many outstanding features that we are finding it impossible to squeeze them into the catalogue pages we allocated to the range!

All of our Festool Prices are highly competitive. We are able to offer these amazing prices on the condition that we register the tool with Festool on your behalf.

By registering your tool you get all these outstanding benefits:

- ✓ 36 months Free Theft Protection
- ✓ Free 15 day Trial
- ✓ 36 months Cost Protection Guarantee
- ✓ 10 Years Spare Parts Availability
- ✓ Fast online repair and pickup system.

Any problems with your tools, just call Festool direct on 01284 760 791

FESTOOL CORDLESS DRILLS



Festool CXS Cordless Drill Set 10.8 V

This neat, lightweight tool has been updated with an even longer running battery. A great choice if a lot of your work involves difficult or awkward spaces.

When it comes to performance, size really isn't that important

- ✓ Impressive ergonomics and very low weight for convenient drilling and fastening
- ✓ The compact, handy shape makes work easier, even in cramped spaces
- ✓ Complete with CENTROTEC quick tool-change system, standard chuck and right-angle chuck. All in a Festool Systerainer
- ✓ 12 torque settings and torque switch-off for precision fastening
- ✓ Built-in work light
- ✓ Latest Li-ion battery technology for the longest sustained usage

SPECIFICATION: Battery voltage: 10.8 V. Idling speed: 1st gear/2nd gear: 0 - 430/0 - 1,300 min⁻¹. Drilling diameter: wood/steel 12/8 mm. Torque adjustment: 0.3 - 3.4 Nm. Max torque: wood/steel 10/16 Nm. Chuck range: 1 - 10 mm. Battery: BP-XS Li-ion 2.6 Ah. Charging time: Li-ion 45 min. Weight with Li-ion: 0.9 kg.

☐ Supplied in a Systerainer SYS 1 T-LOC with: charger MXC, CENTROTEC tool chuck, CENTROTEC bit holder, FastFix 10 mm keyless chuck, PZ2 bit, Elbow Adapter CXS, spare battery pack BP-XS Li-Ion 2.6 Ah.

CXS Li 1.5 Set GB	code	list	Tradeline
Drill set with attachments listed	FES564533	£241.00	£192.80



This could be your favourite tool! It is incredibly handy. Run it from its own battery or use the battery from your drill, plug it into the mains or a 12 V adapter. It throws a beautiful even light to radically improve the quality of your work. Page 328.



Festool Cordless Drill T 18+3 Li

Brains meets brawn in this powerful professional drill:

Now 5.2 Ah!

- ✓ Impressive ergonomics: compact, lightweight and perfectly balanced
- ✓ Brushless EC-TEC motor with integrated motor management for long service life and the highest output
- ✓ FastFix interface for all FastFix attachments and CENTROTEC rapid tool-change system
- ✓ Fully electronic torque setting

- and switch-off for precise screwdriving
- ✓ High-quality Li-ion battery technology for the longest sustained usage
- ✓ Highest flexibility and economy: battery packs in same voltage class can be used
- ✓ Switch over from screwdriving to drilling without changing the set torque

SPECIFICATION: Battery voltage: 18V. Idling speed: 1st gear/2nd gear: 0 - 450/0 - 1,500 min⁻¹. Drilling diameter: wood/steel 45/13 mm. Torque adjustment: 1st gear/2nd gear: 0.8 - 8/0.5 - 6 Nm. Max torque: wood/steel 35/50 Nm. Chuck range: 1.5 - 13 mm. Battery: Li-ion 5.2 Ah. Charging time: Li-ion approx 40-45 min. Weight with Li-ion: 1.8 kg.

Option One: The Full Works

☐ Supplied in a SYSTAINER SYS 2 T-LOC with: TCL 6 charger, CENTROTEC tool chuck, CENTROTEC bit holder, FastFix 13 mm keyless chuck, PZ2 bit, FastFix angle attachment, FastFix eccentric attachment, belt clip, 2 x battery pack Li-ion 5.2 Ah.

T 18+3 Li 5,2-Set GB 240 V	code	list	Tradeline
Drill set with attachments listed	FES574759	£497.00	£397.60

Option Two: The Basic Unit

As many of our clients already have Festool cordless tools it makes sense to offer an option to purchase the basic drill unit so that batteries can be shared from existing tools.

☐ Supplied in a SYSTAINER SYS 2 T-LOC with: CENTROTEC tool chuck, CENTROTEC bit holder, FastFix 13 mm keyless chuck, PZ2 bit, belt clip, without battery pack, without charger .

T 18+3 Li-Basic 240 V	code	list	Tradeline
Basic drill unit [no batteries]	FES574763	£207.00	£165.60

FESTOOL DRILL ATTACHMENTS



FastFix Angle Attachments

These are amazingly useful accessories enabling drilling or screwdriving in all sorts of awkward places. They are supplied with the full drill sets listed overleaf.

Festool Drill Attachments	code	price
FastFix Angle Attachment DD-AS [not for CXS]	FES490293	£87.90
Angle Attachment for CXS	FES497951	£60.70



Eccentric Attachment

It is surprising how often this useful accessory will get used. Whereas previously screws and drill holes near to edges would have been be squint, now they can be correctly placed. Of course, the poor

carpenter without the attachment will be stuffed when they try to dismantle your handicraft. This attachment is supplied with the drill T18+3 set listed overleaf. This is a typical piece of Festool brilliance.

Festool Drill Attachments	code	price
FastFix Eccentric Attachment DD-ES [not for CXS]	FES490294	£87.90



FastFix Depth Stop Allows you to define the depth to drive a screw head. Not suitable for CXS drills.

Festool Drill Attachments	code	price
FastFix Depth Stop	FES493539	£87.90

FESTOOL DRILLING AND DRIVING ACCESSORIES



10-Piece Drill and Holder Set

This set contains Festool drill holders from 3 - 10 mm. Designed for very rapid interchanging of drills. It is surprising how much time they save. The individual drill packs include a hex key. For standard HSS drill bits see page 270 or visit flints.co.uk.

Festool Drilling and Driving Accessories	code	price
10-Piece Drill and Holder Set	FES495128	£82.00
3 mm drill bit with holder and two spare bits	FES493421	£9.10
3.5 mm drill bit with holder and two spare bits	FES493422	£9.70
4 mm drill bit with holder and two spare bits	FES493423	£10.20
4.5 mm drill bit with holder and two spare bits	FES493424	£10.90
5 mm drill bit with holder and two spare bits	FES493425	£11.10
5.5 mm drill bit with holder and two spare bits	FES493426	£11.30
6 mm drill bit with holder and two spare bits	FES493427	£11.80
6.5 mm drill bit with holder and two spare bits	FES493428	£12.30
8 mm drill bit with holder and one spare bit	FES495308	£17.50
10 mm drill bit with holder and one spare bit	FES495309	£21.70



Countersink With Depth Stop

Total control for best quality work. For drilling and countersinking in a single work step. Adjustable rotating depth stop. A really lovely object!

Festool Drilling and Driving Accessories	code	price
Drill Countersink with depth stop [3.5 mm]	FES492523	£46.70
Spare drill bit [3.5 mm, sold each]	FES494445	£2.48
Drill Countersink with depth stop [4.5 mm]	FES492524	£49.00
Spare drill bit [4.5 mm, sold each]	FES494446	£2.48
Drill with depth stop [5.0 mm] No countersink	FES492522	£35.60



De-Burring Countersink Removes the burr from tubes from 2 - 8 mm or 5 - 15 mm.

Festool Drilling and Driving Accessories	code	price
De-burring Countersink [2 - 8 mm]	FES492520	£24.80
De-burring Countersink [5 - 15 mm]	FES492521	£30.50



Centering Bit

Makes perfectly centred holes possible and therefore precisely aligned fittings. Fitted with a depth stop for 5 mm Euro-screws.

Festool Drilling and Driving Accessories	code	price
Centering Bit [5 mm Ø]	FES492525	£46.70



CENTROTEC Extra Long Bit Holder

Magnetic. For screwing in difficult to reach places. 150 mm long.

Festool Drilling and Driving Accessories	code	price
Centrotec extra long bit holder	FES492540	£19.90



100 mm Long Bits

Sold in packs of two.

Festool Drilling and Driving Accessories	code	price
Pozidriv PZ1 [per pair]	FES500841	£13.80
Pozidriv PZ2 [per pair]	FES500842	£13.80
Pozidriv PZ3 [per pair]	FES500843	£13.80
Slotted 0.8 x 5 mm [per pair]	FES500851	£13.80
Slotted 1.2 x 6.5 mm [per pair]	FES500852	£13.80



The Whole Shooting Match! CENTROTEC

Allows you to relax when you turn up onsite - you will have whatever is needed to complete the job. What's more you won't have to waste loads of valuable time scruffing about in the bottom of your tool bag for that countersink bit.



- ✓ CENTROTEC-DRIVE screwdriver handle
- ✓ WH-CE CENTROTEC tool chuck
- ✓ Magnetic bit holder BH-60 CE
- ✓ Extra-long CENTROTEC magnetic bit holder BV 150 CE
- ✓ CENTROTEC drill adapter BA-CE
- ✓ Deburring countersink QLS D2-8 CE
- ✓ Deburring countersink QLS D5-15 CE
- ✓ Drill bit with depth stop BTA HW D5 CE
- ✓ Drill countersink with depth stop, BSTA HS D3.5 CE
- ✓ Centering bit ZB HS D5 EURO CE
- ✓ Hook driver HD D18 CE
- ✓ TwinBOX Mix
- ✓ Drill bit case HSS D3-10 CE/10
- ✓ Drill bit case BKS D3-8 CE/W-K
- ✓ 12 x long CENTROTEC bits PZ/PH/TX
- ✓ Bit assortment 25 mm, 50 pieces

It keeps the most disorganised worker organised

Festool Drilling and Driving Accessories	code	list	Tradeline
Assembly Package SYS1 CE-Sort	FES497628	£366.70	£293.36

FESTOOL JIGSAWS



Carvex PS 420 Lightweight assembly jigsaws with a powerful pulling force and unrivalled profile-cutting capacity.



- ✓ Excellent behaviour in curves thanks to three-fold saw blade guide and rigid lifter rod
- ✓ Powerful cutting stroke for rapid working progress
- ✓ Simple handling thanks to the softgrip and ergonomic design
- ✓ Electronic switch-on/off both sides, reachable in every grip position
- ✓ Fast, tool-free changing of tables, base plates and saw blades
- ✓ Low weight to save energy: 1.9 kg
- ✓ Easily visible scribe mark through switchable stroboscope light and powerful extraction
- ✓ Tool length can be shortened with swivel-mounted Plug It cable

SPECIFICATION: Power supply: 240 V. Power consumption: 550 W. Stroke rate: 1,500 - 3,800 min⁻¹. Pendulum cover adjustment in stages: 4. Cutting depth: wood 120 mm, NF metals 20 mm, steel [soft] 10 mm. Weight: 1.9 kg.

☐ Supplied in a Systainer SYS 2 T-LOC with: two blades & splinter guard.

Carvex PS 420 Jigsaws	code	list	Tradeline
Jigsaw PS 420 EBQ-Plus GB 240 V	FES561590	£311.00	£248.80
Jigsaw PSB [with top handle]	FES561605	£311.00	£248.80

Carvex Jigsaw Accessories	code	price
Angle Base for +45° to -45°	FES496134	£98.80
Core maker [for circles from 120 mm - 3 m]*	FES497304	£41.20
* Requires adapter table ADT-PS 400 listed below.		
Adapter table ADT-PS 400 [for use with guide rail/core]	FES497303	£12.40
Base runner LAS-PS 400 [for wood and similar]	FES497297	£8.80

FESTOOL PLANER



Planer EHL 65 This is a favourite with professional carpenters. Really great value.

- ✓ Low weight and perfectly balanced for non-tiring work
- ✓ Compact design, ergonomic handle, low operating noise
- ✓ Spiral blade for a smooth planing pattern – no chatter marks and less noise
- ✓ Also available a range of heads to create wave and rustic effects [please phone for details]
- ✓ Quick blade changes
- ✓ Now with Plug It lead
- ✓ Efficient dust extraction at the left/right side – no clean-up needed

SPECIFICATION: Power consumption: 720 W. Rotational speed: 15,600 min. Planing width: 65 mm. Planing depth: 0 - 4 mm. Max rebate depth: 23 mm. Connection Ø d/e: 27 mm. Noise at idling speed: 76 dB[A]. Weight: 2,4 kg.

☐ Supplied in Systainer SYS 2 T-LOC with: parallel fence and tool.

EHL 65 EQ GB 240 V	code	list	Tradeline
One-Handed Planer	FES574560	£256.00	£204.80
Spiral Blade HW 65	FES488503		£14.10

FESTOOL DOMINO JOINTING SYSTEM



The DOMINO jointing system An essential component in wooden jointing.

- ✓ More versatile: suitable for panel joins, and jointing frames and racks
 - ✓ More stable: the special shape and large surface area for gluing on the DOMINO dowel ensure maximum stability
 - ✓ Quicker: the first dowel hole is aligned with extreme ease and routed accurately using stop pins. It secures the joined work pieces immediately, accurately and flush with the edge
 - ✓ The system also tolerates smaller inaccuracies in adjacent dowel holes, allowing you to work even more quickly and easily
- DOMINO Jointing System DF 500 Q-Plus GB**
As unique as the system: the DOMINO jointer combines exceptional versatility with simple handling and maximum precision.
- ✓ **Efficient extraction.** Extracts up to 95% of chips generated
 - ✓ **Depth stop.** Quick, precise adjustment for five different depths
 - ✓ **Routing height adjuster with scale.** Simple and precise routing
 - ✓ **Movable stepped stop.** Height adjuster for central hole in material thicknesses 16, 20, 22, 25, 28, 40 mm
 - ✓ **Retractable stop pins.** For quick and precise positioning of the first DOMINO dowel on both work pieces
 - ✓ **Refined technology.** High-quality, robust inner mechanism for consistently accurate routing results
 - ✓ **Patented principle.** Route long holes in an instant thanks to the simultaneous turning and oscillating movement. No kickbacks
 - ✓ **Hole width selection.** Easy to adjust while the biscuit jointer is operating – fixed long hole [1] or with clearance [2]

DOMINO Jointing System XL DF 700 EQ-Plus GB

The latest model capable of 140 mm tenons! Extra mobile. Extra stable.

- ✓ Maximum stability of joints up to a dowel size of 14 x 140 mm
- ✓ Patented routing principle unique to hand-held machines for



- accurate work with no kickbacks
- ✓ Saves more time compared to a stationary machine
- ✓ Stops that are quick and easy to adjust, for accurate results
- ✓ System accessories compatible with both DOMINO jointers

Domino Jointing System Machines	code	list	Tradeline
Domino Jointer DF 500 Q-Plus GB 240 V	FES574327	£678.00	£542.40
Domino Jointer DF 700 EQ-Plus GB 240 V	FES574420	£938.00	£750.40



Beechwood DOMINO XL assortment

Two great versions.
The 498204 contains: DOMINOs 8x50, 8x80, 8x100, 10x50, 10x80, 10x100 and DOMINO XL cutter for sizes 8 and 10.
The 498205 contains: DOMINO 12x100, 12x140, 14x100, 14x140 and DOMINO XL cutter for size 14.

Domino Jointing System Consumables	qty	code	price
Domino XL Assortment Box plus cutter for size 8 and 10		FES498204	£168.30
Domino XL Assortment Box plus cutter size 14		FES498205	£145.20
Beechwood Dominos 5 x 30 mm	1,800	FES493296	£66.50
Beechwood Dominos 5 x 30 mm	300	FES494938	£12.40
Beechwood Dominos 6 x 40 mm	1,140	FES493297	£66.50
Beechwood Dominos 8 x 40 mm	780	FES493298	£66.50
Beechwood Dominos 8 x 50 mm	600	FES493299	£66.50
Beechwood Dominos 8 x 50 mm	100	FES494941	£12.40
Beechwood Dominos 10 x 50 mm	510	FES493300	£66.50
Beechwood Dominos 10 x 50 mm	85	FES494942	£12.40
Beechwood Dominos 8 x 750 mm	36	FES498686	£50.10
Beechwood Dominos 10 x 750 mm	28	FES498687	£48.80
Beechwood Dominos 12 x 750 mm	22	FES498688	£45.80
Beechwood Dominos 14 x 750 mm	18	FES498689	£45.80

For more Dominos visit flints.co.uk. For Pizzas visit dominos.co.uk

FESTOOL SLIDING COMPOUND MITRE SAW

The ultimate
chopsaw!



KS 120 UG-set GB 240 V A sliding compound mitre saw that combines a large cutting capacity with a compact lightweight design that achieves the precision needed for high-quality results and detailed solutions to inspire any professional user. Absolutely packed with unique features. Including:

- ✓ **Variable speed pre-selection** Smooth start up, safety brake and overload protection. Special electronics adapt the machine performance to the working material
- ✓ **Precision dual-line laser** The dual laser lines will always show the exact cut whether viewed from left or right
- ✓ **FastFix rapid blade changing system**
- ✓ **Convenient operation** The guard release is integrated in the two-stage switch and can be operated by both right- and left-handers. The same applies for the safety switch-on lock
- ✓ **Dust extraction** The KAPEX is fitted with an extraction connector and an efficient chip deflector funnel – the chips are extracted directly where they are produced.
- ✓ **Accurate Settings** Fine adjuster operated from the front, for precise cutting angles. Make complex cuts in no time at all
- ✓ **Precision grooving** Cut accurate grooves with the stepless trenching depth adjuster – simply actuate the lever, set the trenching depth with a single turn and start working
- ✓ **120 mm cutting depth** The unique special cutting position on the KAPEX allows you to cut strip material with a maximum height of 120 mm quickly, safely and accurately
- ✓ **Intelligent base height** The saw base is the same height as the SYSTAINER SYS 1, which can be used to support long workpieces when working on the floor

SPECIFICATION: Power consumption: 1,600 W. Idle engine speed: 1,400 - 3,400 rpm. Saw blade diameter: 260 mm. Inclination angle: 47° - 47°. Mitre angle: 50°/60°. Cutting depth at 90°/90°: 305 x 88 mm. Cutting depth at 45°/90°: 215 x 88 mm. Cutting depth at 45°/45°[left]: 215 x 55 mm. Cutting depth at 45°/45°[right]: 215 x 35 mm. Special cutting depth at 45°/90°[right]: 20 x 120 mm. Crown moulding diagonal cut 168 mm 0 - 43/0 - 55 mm. Connection Ø d/e: 27/36 mm. Dimensions: 713 x 500 x 470 mm. Work height: 900 mm. Weight: 21.5 kg.

☐ Supplied in a carton with: HW universal saw blade W60, bevel, work piece clamp, operation tool, underframe, adjustable stop, telescopic slide-out scale, fold-out pedestal and carry case.

KS 120 UG-Set GB 240 V	code	list	Tradeline
Sliding Compound Mitre Saw	FES561417	£1,608.00	£1,286.40
Universal Saw Blade 260 mm Ø	FES494604		£123.70
Fine tooth Saw Blade 260 mm Ø	FES494605		£148.40

**For Festool Dust Extraction
Equipment see page 265.**

FESTOOL PLUNGE SAWS



The best plunge-
cut saw Festool
have ever built!

TS55 REBQ Plus-FS GB The hugely popular TS55! The best ever circular saw offering very precise cutting in materials up to 55 mm thick. Perfect for cutting ply tops to size or doors to length using the guide rail. This saw will provide splinter-free very high-quality results.

- ✓ **Maximum flexibility** due to flat housing for minimum wall distance of just 12 mm.
- ✓ **Even more precise** thanks to angle setting with snap-in points and indentation [-1° and/or 47°]
- ✓ **Guide wedge** for safer work and simple positioning in existing joint
- ✓ **Good view** of scribe line and saw blade thanks to the new flush and movable viewing window
- ✓ **Improved dust extraction** thanks to the new shape of the duct
- ✓ **Simpler operation** with the double cutting depth scale [with/without guide rail]
- ✓ **More benefits** – splinter guard, FastFix, play adjustment without the need for tools, quick brake, etc.

SPECIFICATION: Power consumption: 1,200 W. Idle engine speed: 2,000 - 5,200 min⁻¹. Saw blade diameter: 160 mm. Inclination: -1/+47°. Cutting depth: 0 - 55 mm. Cutting depth at 45°: 43 mm. Cutting depth at 90°/45°: 0 - 43/0 - 55 mm. Connection Ø d/e: 27/36 mm. Weight: 4.5 kg.

☐ Supplied in Systainer 4 T-LOC complete with: fine-tooth blade HW W48, guide rail FS 1400/2, splinter guard, flag window, vision panel and operation tool.

TS55 REBQ-Plus-FS-GB 240 V and 110 V	code	list	Tradeline
Circular Saw 240 V [inc. 1,400 mm guide rail]	FES561583	£478.00	£382.40
Circular Saw 110 V [guide rail not included]	FES561554	£429.00	£343.20
Fine Tooth Blade 160 mm Ø	FES491952		£64.60
Panther Saw Blade 160 mm Ø [for rips]	FES496301		£45.40
Splinter Guard SP-TS R [pack of 5]	FES499011		£11.50
Guide Rail [800 mm]	FES491499		£50.90
Guide Rail [1,400 mm]	FES491498		£76.00
FS-Carry Bag [for guide rails]	FES466357		£56.30
Connecting piece FSV	FES482107		£13.90
Parallel Fence	FES491469		£38.60

For Gecko suction pad to secure guide rail see page 337.



TS75 EBQ Plus FS GB Another winner from Festool with all the features of the TS55 but with more power delivering an increased cutting depth of 75 mm. Ideal

for cutting through multiple boards in one pass.

SPECIFICATION: Power consumption: 1,600 W. Idle engine speed: 1,350 - 3,550 min⁻¹. Saw blade diameter: 210 mm. Cutting depth: 0 - 75 mm. Cutting depth at 45°: 55 mm. Cutting depth at 90°/45°: 0 - 55/0 - 75 mm. Inclination: 0 - 47°. Connection Ø d/e: 27/36 mm. Weight: 6.2 kg.

☐ Supplied in Systainer SYS5 T-LOC complete with: universal blade W36, guide rail FS1400/2, splinter guard, kickback stop and operation tool.

TS75 EBQ-Plus-FS-GB 240 V	code	list	Tradeline
Circular Saw	FES561514	£636.00	£508.80
Fine Tooth Blade 210 mm Ø	FES493199		£90.40
Universal Saw Blade 210 mm Ø	FES493198		£66.80
Panther Saw Blade 210 mm Ø [for rips]	FES493196		£64.60
Splinter Guard [each]	FES491473		£11.50
Parallel Fence PA-TS 75	FES492243		£44.10

See above for guide rails and connectors ☰ .

NEW TYPE

The best ever plunge-cut saw is INDEPENDENT

**TSC55 Cordless Plunge Saw**

The best ever circular saw offering very precise cutting in materials up to 55 mm thick. Perfect for cutting ply tops to size or doors to length by using

the guide rail. This saw will provide splinter-free very high-quality results. The new cordless set-up ensures that you'll get the job done regardless of the site location and proximity to a power point, without compromising on power!

- ✓ Brushless EC-TEC motor combined with lithium-ion batteries for maximum cutting power
- ✓ Flexible dual battery concept: can be operated with two 18-volt battery packs [36 V] for maximum power or one 18-volt battery pack for low weight
- ✓ High-speed EC-TEC motor for perfect cutting quality and rapid working progress
- ✓ New Fastfix generation for even quicker and easier saw blade changes and adaptation to the working material

Ideal for working on site or outside!

SPECIFICATION: Battery Voltage: 18/36 V. Idle engine speed: 2,650-3800/5,200 min⁻¹. Saw blade diameter: 160 mm. Inclination: -1/+47°. Cutting depth: 0 - 55 mm. Cutting depth at 45°: 43 mm. Connection Ø d/e: 27/36 mm. Weight: 4.6/5.3 kg. Li-ion battery capacity: 5.2 Ah.

❑ **BASIC Version** Supplied in a SYSTAINER SYS 5 T-LOC with: a fine tooth saw blade HW W48, chip collection bag, splinter guard, operation tool, Flag window [vision panel].

❑ **PLUS Version** Supplied as listed in basic version above in addition to: 2 x battery pack BPC 18 Li 5.2 Ah, TCL 6 charger.

TSC55 Cordless Plunge Saw	code	list	Tradeline
Basic Version	FES201395	£430.00	£344.00
Plus Version	FES201390	£647.00	£517.60

FESTOOL SANDING AND POLISHING EQUIPMENT

The round tool that also sands in corners

Geared Eccentric Sander ROTEX RO 90 DX

The sander from Festool is ideally suited for sanding off paint and varnish especially on vertical or overhead surfaces. The interchangeable heads allow

access into corners and edges and the lightweight compact housing prevents fatigue.

- ✓ Four tools in one: for coarse sanding, fine sanding, delta sanding and polishing. Resulting in low investment costs and savings on working time
- ✓ Eccentric motion for high-quality scratch-free surfaces
- ✓ Sanding up to the edge thanks to the Festool PROTECTOR
- ✓ ROTEX rotary motion for efficient material removal
- ✓ FastFix sanding pad system – tool-less
- ✓ Ideal ergonomic grip positions
- ✓ Effortless work thanks to a weight < 1.5 kg

SPECIFICATION: Power consumption: 400 W. ROTEX rotary motion speed: 260 - 520 min⁻¹. Eccentric motion speed: 3,500 - 7,000 min⁻¹. Sanding stroke: 3 mm. FastFix sanding pad Ø: 90 mm. Connection Ø d/e: 27 mm. Weight: 1.5 kg.

❑ Supplied in a Systainer SYS 2 T-LOC with: FastFix Ø 90 mm [soft-HT] sanding pad, StickFix sanding pad V93 and a Festool PROTECTOR.

RO 90 DX FEQ-Plus GB 240 V	code	list	Tradeline
90 mm Geared eccentric sander	FES571821	£416.00	£332.80
FastFix polishing pad [for 80 mm Ø pads]	FES495625		£27.60
Polishing sponge yellow coarse [pack of 5]	FES493842		£19.10
Polishing sponge white fine [pack of 5]	FES493863		£19.10
Polishing felt soft [pack of 5]	FES488341		£18.10

NEW TYPE

A personal favourite

Sander Polisher RO 150/125 FEQ-Plus GB 240 V

I have used the 125 mm version of this machine since its introduction and I can't praise it too highly. There is a choice between a coarse sanding motion for very rapid

stock removal and a fine sanding motion for superb finishes. The 150 mm version is even more powerful but a little heavier. These machines will pay back their cost many times in efficiency savings. The new 150 mm sander can now be used with Multi-Jetstream 2. This modified hole pattern increases airflow and results in even better dust extraction!

- ✓ Coarse sanding, fine sanding, and polishing!
- ✓ ROTEX rotary motion for efficient material removal
- ✓ Eccentric motion for high-quality scratch-free surfaces
- ✓ FastFix sanding pad system, quick and tool-less
- ✓ Ideal ergonomic grip positions
- ✓ Sanding up to the edge thanks to the Festool PROTECTOR
- ✓ Virtually no dust! [when connected to a Festool extractor]

SPECIFICATION: ROTEX 150/125 Power supply: 240 V. Power consumption: 720/500 W. ROTEX rotary motion speed: 320 - 660/300 - 600 min⁻¹. Eccentric motion speed: 3,300 - 6,800/3,000 - 6,000 min⁻¹. Sanding stroke: 5/3.6 mm. FastFix sanding pad Ø: 150/125 mm. Connection Ø d/e: 27 mm. Weight: 2.3/1.9 kg.

❑ 125 mm supplied in Systainer SYS 2 T-LOC with: FastFix Pad Ø 125 mm [soft HT] and a Festool PROTECTOR.

❑ 150 mm supplied in Systainer SYS 3 T-LOC with: Multi-Jetstream 2 FastFix Pad Ø 150 mm [soft W] and a Festool PROTECTOR.

RO 150 [125] FEQ-Plus GB 240 V	code	list	Tradeline
150 mm Geared Eccentric Sander	FES575072	£506.00	£404.80
125 mm Geared Eccentric Sander	FES571784	£431.00	£344.80
150 mm Spare soft sanding pad	FES202461		£40.30
125 mm Spare soft sanding pad	FES492125		£34.00

NEW TYPE**Sander Polisher ETS 150/3 EQ-Plus GB 3 mm sanding stroke**

for an excellent surface finish. Perfect for final sanding on paintwork, wood and plastic. Weighs only 1.8 kg for effortless work. Sanding pad brake for safe and faultless work. This can now be used with

Multi-Jetstream 2 for increased airflow and better dust extraction.

SPECIFICATION: Power consumption: 310 W. Speed: 4,000 - 10,000 min. Sanding stroke: 3 mm. Interchangeable sanding pad Ø: 150 mm. Connection Ø d/e: 27 mm. Weight: 1.8 kg.

❑ Supplied in a Systainer SYS 3 T-LOC with: sanding pad StickFix Ø 150 mm [extra-soft], filter cartridge and operation tool.

ETS 150/3 EQ-Plus GB 240 V	code	list	Tradeline
150 mm Eccentric Sander	FES575024	£319.00	£255.20

NEW TYPE**Delta Triangular Sander DTS 400 REQ-Plus GB**

Triangle-shaped sanding pad for efficient sanding of corners and other awkward spots. Significant time saving and less reworking. The enclosed dustproof bearing and extremely tear-resistant

MPE sanding pad ensure a long service life and maximum economic efficiency. Effective integral turbo dust extractor. Small, lightweight and extremely handy for non-tiring work.

SPECIFICATION: Power consumption: 250 W. Speed: 6,000 - 12,000 min. No. of strokes: 12,000 - 28,000 min. Sanding stroke: 2 mm. Interchangeable sanding pad: 100 x 150 mm. Connection Ø d/e: 27 mm. Weight: 1.2 kg.

❑ Supplied in a Systainer SYS 2 T-LOC with StickFix 100 x 150 mm sanding pad, long-life chip collection bag, Festool Protector.

DTS 400 REQ-Plus GB	code	list	Tradeline
Delta Triangular Sander	FES201227	£271.00	£216.80

8: POWER TOOLS - FESTOOL



Totally brilliant!

Festool DUPLEX Linear Sander At last a profile sander with a hand action which will easily sand handrails, poles, cove lines, recesses etc.

✓ Linear motion provides an efficient alternative to manual

work in rebates and profiles for non-tiring work

- ✓ A variety of different sanding pads and abrasives for a wide range of applications
- ✓ Simple, quick and tool-less sanding pad changes
- ✓ Wear-resistant design for a long service life
- ✓ Linear motion for sanding wood along the grain
- ✓ DIY sanding pad kit for adaptation to individual profiles
- ✓ Sanding hand rails
- ✓ Sanding louveres along the grain

Power consumption: 260 W. Speed: 4,000 - 6,000 min⁻¹. No of strokes 8,000 - 1,2000 min⁻¹. Sanding stroke: 3 mm. Interchangeable sanding pad: 133 x 80 mm. Connection Ø d/e: 27 mm. Weight: 1.7 kg. Supplied in a Systainer SYS 1 T-LOC with: StickFix standard sanding pad, profile sanding pad 90° and StickFix abrasive discs.

LS 130 EQ-Plus GB 240V	code	list	Tradeline
Linear Profile Sander	FES567853	£349.00	£279.20
DIY Profile kit	FES490780		£39.00
100 mm wide scraper	FES491199		£20.10

Sanding and Polishing Accessories 150/125mm

Accessories	code	price	code	price
	150 mm	150 mm	125 mm	125 mm
125 mm Polishing Sponge coarse [pack of 5]			FES493844	£35.25
150/125 mm Polishing Sponge fine	FES493866	£12.10	FES493864	£9.95
150 mm Polishing Felt [soft]	FES485972	£7.80		
125 mm Polishing Felt [soft] [pack of 5]			FES493077	£24.00
150/125 mm Sanding Pad [hard]	FES202460	£40.30	FES492127	£34.00
150/125 mm Sanding Pad [soft]	FES202458	£40.30	FES492125	£34.00
500 ml Polishing agent 1-step	FES496300	£16.85		

FESTOOL ABRASIVES

Granat Abrasives These abrasives from Festool have a special dust repellent coating that results in even longer life. Designed to work cooler and clog less. Operators who have tried these discs say they will never change back! Festool's best-selling paper.

Granat Abrasives	code	price
size	grit	pack quantity
90 mm Ø	P40	50 FES497363 £25.60
90 mm Ø	P60	50 FES497364 £23.80
90 mm Ø	P80	50 FES497365 £22.20
90 mm Ø	P100	100 FES497366 £37.70
90 mm Ø	P120	100 FES497367 £37.70
90 mm Ø	P180	100 FES497369 £37.70
90 mm Ø	P240	100 FES497371 £37.70
90 mm Ø	P320	100 FES497372 £37.70
90 mm Ø	P400	100 FES497373 £37.70
125 mm Ø	P60	10 FES497146 £11.80
125 mm Ø	P120	10 FES497148 £9.40
125 mm Ø	P320	10 FES497150 £9.40
125 mm Ø	P60	50 FES497166 £36.60
125 mm Ø	P80	50 FES497167 £34.30
125 mm Ø	P100	100 FES497168 £58.20
125 mm Ø	P120	100 FES497169 £58.20
125 mm Ø	P180	100 FES497171 £58.20
125 mm Ø	P240	100 FES497173 £58.20
125 mm Ø	P320	100 FES497175 £58.20
125 mm Ø	P360	100 FES497176 £58.20
125 mm Ø	P400	100 FES497177 £58.20



Granat Abrasives - this size now features the Multi-jetstream 2 technology which has optimised the air intake and exhaust system.

Granat Abrasives	code	price
size	grit	pack quantity
150 mm Ø	P40	10 FES575154 £14.00
150 mm Ø	P60	10 FES575155 £13.00
150 mm Ø	P80	10 FES575156 £12.10
150 mm Ø	P120	10 FES575157 £10.30
150 mm Ø	P180	10 FES575158 £10.30
150 mm Ø	P320	10 FES575159 £10.30
150 mm Ø	P40	50 FES575160 £43.30
150 mm Ø	P60	50 FES575161 £40.30
150 mm Ø	P80	50 FES575162 £37.60
150 mm Ø	P120	100 FES575164 £63.90
150 mm Ø	P180	100 FES575166 £63.90
150 mm Ø	P240	100 FES575168 £63.90
150 mm Ø	P320	100 FES575170 £63.90
150 mm Ø	P360	100 FES575171 £63.90
150 mm Ø	P400	100 FES575172 £63.90

Granat Abrasives Delta Shaped

Granat Abrasives	code	price
size	grit	pack quantity
100 x 150 mm delta	P40	10 FES497131 £10.50
100 x 150 mm delta	P80	10 FES497132 £9.10
100 x 150 mm delta	P120	10 FES497133 £7.80
100 x 150 mm delta	P180	10 FES497134 £7.80
100 x 150 mm delta	P40	50 FES497135 £32.50
100 x 150 mm delta	P60	50 FES497136 £30.30
100 x 150 mm delta	P80	50 FES497137 £28.20
100 x 150 mm delta	P120	100 FES497138 £48.00
100 x 150 mm delta	P180	100 FES497140 £48.00
100 x 150 mm delta	P240	100 FES497142 £48.00
100 x 150 mm delta	P320	100 FES497143 £48.00
100 x 150 mm delta	P400	100 FES497144 £48.00
93 mm triangular	P40	50 FES497390 £20.40
93 mm triangular	P60	50 FES497391 £19.00
93 mm triangular	P80	50 FES497392 £17.80
93 mm triangular	P120	100 FES497394 £30.10
93 mm triangular	P180	100 FES497396 £30.10
93 mm triangular	P240	100 FES497398 £30.10
93 mm triangular	P320	100 FES497399 £30.10
93 mm triangular	P400	100 FES497400 £30.10

Granat Abrasives Rectangular Shaped

Granat Abrasives	code	price
size	grit	pack quantity
80 x 133 mm	P40	10 FES497127 £8.50
80 x 133 mm	P80	10 FES497128 £7.40
80 x 133 mm	P120	10 FES497129 £6.30
80 x 133 mm	P180	10 FES497130 £6.30
80 x 133 mm	P40	50 FES497117 £26.40
80 x 133 mm	P60	50 FES497118 £24.50
80 x 133 mm	P80	50 FES497119 £23.00
80 x 133 mm	P120	100 FES497120 £38.80
80 x 133 mm	P180	100 FES497122 £38.80
80 x 133 mm	P240	100 FES497124 £38.80
80 x 133 mm	P320	100 FES497125 £38.80
80 x 133 mm	P400	100 FES497126 £38.80

For more Festool Equipment and seasonal special offers visit flints.co.uk.

FESTOOL RUSTOFIX TIMBER TEXTURER

The fast and healthy option to sandblasting or torching



Rustofix Timber Texturer This amazing machine will produce three-dimensional raised texture wooden surfaces in no time at all. One tool for texturing, intermediate sanding and smoothing. When coupled with a Festool extractor, dust and mess will be minimal. This is certainly a massive improvement on sandblasting or blowtorching timber – and safer too!

- ✓ Three-in-one tool – texturing, intermediate sanding and smoothing
- ✓ Adjustable support rollers for precise setting of the texturing depth
- ✓ Quick, easy brush changes
- ✓ Overload protection for a long service life
- ✓ Dust extraction system for healthy work
- ✓ MMC electronics for adaptation to the working material and temperature monitoring

SPECIFICATION: Power consumption: 1,500 W. Idle engine speed: 800-4,000 min⁻¹. Tool diameter: 150 mm. Connection Ø d/e: 27mm. Weight: 7.5 kg.

☐ Supplied in carrying case with: LD 85 brush, KB 80 brush, extractor hood with handle, tool arbour, clamping flange, operation tool.

RAS 180.03 E-HR GB 240 V	code	list	Tradeline
Rustofix Timber Texturer	FES570748	£793.00	£634.40
Spare Wheels		code	price
Rustilon LD85 for texturing [inc. with machine]		FES411549	£146.10
Rustilon KB80 for 2nd step sanding [inc. with machine]		FES411969	£134.00
Rustilon BG85 for 3rd step final smoothing		FES411887	£108.80

FESTOOL ROUTER



Router OF 1400 EBQ Plus GB

- ✓ Robust and reliable thanks to the dual-bearing cutter spindle
- ✓ Special base runner with extension and chip deflector to guide the router accurately along edges [accessory]
- ✓ MMC electronics for adaptation to the working material

✓ Ergonomically arranged control elements for safe routing

SPECIFICATION: Power supply: 240 V. Mains frequency: 50 Hz. Power consumption: 1,400 W. Idle engine speed: 10,000 - 22,500 min⁻¹. Routing depth adjustment range: 70 mm. Fine height adjustment range: 8 mm. Connection Ø d/e: 27/36 mm. Weight: 4.5 kg.

☐ Supplied in a Systainer SYS 4 T-LOC complete with: Ø 8 mm clamping collet, Ø 12 mm clamping collet, Ø 12.7 mm [1/2"] clamping collet, parallel side fence with fine adjustment and extraction hood, copy ring Ø 30 mm, extraction hood, top, chip deflector and operation tool.

OF 1400 EBQ-Plus GB	code	list	Tradeline
Router	FES574345	£528.00	£422.40
Guide Rail Adapter	FES492601		£50.70
Copying Ring KR-D 17 [17 mm]	FES493315		£14.90
Copying Ring KR-D 24 [24 mm]	FES492183		£15.20
Copying Ring KR-D 27 [27 mm]	FES492184		£15.20
Copying Ring KR-D 30 [30 mm]	FES492185		£15.20

Routing Template [needs copying ring] FES492611 £321.60 **£289.44**

See page 273 or visit flints.co.uk for Router Bits.

FESTOOL MOBILE DUST EXTRACTION

Festool Dust Extractors

Anyone performing sawing, sanding or routing work on a regular basis will appreciate the importance of an efficient dust extractor. Not only are there significant health benefits for you and those working around you, but by keeping the work clear of dust precise results can be achieved. Each of the extractors has a SYS-Dock for holding Festool Systainers firmly in place. You will notice a substantial difference to your working environment by choosing Festool extractors.

All the Festool Extractors listed on these pages have these outstanding features!

- ✓ Approved for dust category L [does not allow more than 1% of dust to pass out of extractor]
- ✓ Antistatic function prevents static developing during work
- ✓ Attachment of Systainers via SYS-Dock
- ✓ Integral automatic electronic switch-on/shut-off for extraction from electric power tools. A really useful feature – the suction even runs for a few seconds after you turn off the tool to clean out the hose!
- ✓ Suitable for dust with limit values > 1 mg/m³
- ✓ For both wet and dry extraction

NEW TYPE



Mobile Dust Extractor CTL MINI

A small, practical mobile dust extractor. This is great choice if you need to work in confined areas or if you have to lift it onto upper levels. Even narrow ladders do not pose a problem.

- ✓ Very compact and lightweight
- ✓ Practical store for hose & mains cable

- ✓ Storage compartment for replacement filter bag
- ✓ Economical – optimal utilisation of the filter bag in the container
- ✓ Ideal for assembly work
- ✓ Best suited to smaller sanding, routing, sawing and drilling tasks
- ✓ Ideal for final clean-up

Fitted with tapered D32/27 hose for improved suction and the robust housing featuring the T-Loc design locking system.

SPECIFICATION: Power consumption: 400 - 1,200 W. Airflow max: 3,700 L/min. Max vacuum: 24,000 Pa. Filter surface area: 5,000 cm². Rubber-insulated mains cable: 7.5 m. Container/filter bag capacity: 10/7.5 L. Dimension LxDxH: 430 x 330 x 422 mm. Max appliance socket connected load: 2,400 W. Weight: 8.8 kg. ☐ Supplied in a carton with: fitted filter bag, suction hose Ø 32/27 mm x 3.5 m AS/CT with rotating angle adapter at extractor side, hose holder, and SYS-Dock with T-Loc function.

CTL MINI GB	code	list	Tradeline
Dust Extractor Mini 240 V	FES575258	£329.00	£263.20
Dust Extractor Mini 110 V	FES575257	£329.00	£263.20
Self Clean Filter Bag [pack of 5]	FES498410		£15.20
Wet Filter [must be used when extracting water]	FES456805		£9.80
Main Filter [filters any residual dust]	FES456790		£17.50



Compact Cleaning Set

This compact cleaning set includes all the basic accessories.

- ✓ 4 different attachments for different flooring
- ✓ Crevice nozzle for dust extraction in places that are difficult to access
- ✓ You receive the set in a practical Systainer 1 T-LOC
- ✓ The Systainer 1 T-LOC will lock in place on any extractor shown

D 27/D 36 K-RS-Plus	code	price
Compact Cleaning Set	FES497697	£58.60

NEW
TYPE**Mobile Dust Extractor CTL MIDI** Small on the outside, large on the inside. The most popular Festool extractor.

- ✓ Very compact and lightweight
- ✓ Practical store for hose and mains cable
- ✓ Storage compartment for replacement filter bag
- ✓ Economical, thanks to optimal utilisation of the filter bag in the container

Our best
selling dust
extractor!

- ✓ Ideal for assembly work
- ✓ For sanding, milling and sawing work that generates medium quantities of dust

- ✓ Ideal for final clean-up

Fitted with tapered D32/27 hose for improved suction and the robust housing featuring the T-Loc design locking system.

SPECIFICATION: Power consumption: 400 - 1,200 W. Airflow max: 3,700 L/min. Max vacuum: 24,000 Pa. Filter surface area: 5,000 cm². Rubber-insulated mains cable: 7.5 m. Container/filter bag capacity: 15/12.5 L. Dimension [LxDxH]: 430 x 330 x 470 mm. Max appliance socket Connected load: 2,400 W. Weight: 9.1 kg.

- Supplied in a carton with: fitted filter bag, smooth suction hose Ø 32/27 mm x 3.5 m AS/CT with rotating angle adapter on the extractor side, SYS-Dock with T-LOC function and hose holder.

CTL MIDI GB	code	list	Tradeline
Midi Dust Extractor 240 V	FES575265	£285.60	£357.00
Midi Dust Extractor 110 V	FES575264	£285.60	£357.00
Self Clean Filter Bag [pack of 5]	FES498411		£22.20
Wet Filter [must be used when extracting water]	FES456805		£9.80
Main Filter [filters any residual dust]	FES456790		£17.50

NEW
TYPE**Mobile Dust Extractor CLEANTEC CTL 26E** The giant 26 L container makes this a great choice for the construction site or workshop.

- ✓ Constantly high suction because of the compact high performance turbine
- ✓ Hose garage and cable windup for greater tidiness and safety

- ✓ Economical because of the optimal use of the available volume with a SELFCLEAN filter bag in the container
- ✓ Flexible and clean in the workshop and at the construction site thanks to a compact design and a container volume of 26 litres
- ✓ Infinitely variable suction power adjustment.

SPECIFICATION: Power consumption: 350 - 1,200 W. Airflow max: 3,900 L/min. Max vacuum: 24,000 Pa. Filter surface area: 6,318 cm². Rubber-insulated mains cable: 7.5 m. Container/filter bag capacity: 26/24 L. Dimension [LxDxH]: 630 x 365 x 540 mm. Max appliance socket connected load: 2,400 W. Weight: 13.9 kg.

- Supplied in a carton with: SELFCLEAN filter bag, smooth suction hose Ø 27 mm x 3.5 m AS/CT, hose holder, SYS-Dock with T-LOC function and cable holder.

CTL 26 E GB 240 V and 110 V	code	list	Tradeline
Dust Extractor CTL26 240 V	FES574951	£494.00	£395.20
Dust Extractor CTL26 110 V	FES574950	£494.00	£395.20
SELFCLEAN Filter Bag [pack 5]	FES496187		£33.90
Longlife Filter Sack	FES496120		£130.90
Wet Filter [must be used when extracting water]	FES496169		£13.40
Main Filter [filters any residual dust]	FES496170		£28.20

NEW

**Mobile Dust Extractor CLEANTEC CTL SYS**

The brilliant Festool extractor now in SYSTAINER format. Inspirational all round and in every little detail. The CTL SYS Systainer dust extractor demonstrates yet again

what the name "Festool" stands for: High functionality, excellent performance and easy operation. Everything is as it should be. In short, it provides perfect preconditions for achieving perfect results. Very small, lightweight and compact, in a SYSTAINER format for maximum mobility.

- ✓ With a new suction hose: Smooth and flexible - with a smooth exterior which allows it to slide over surfaces perfectly
- ✓ The integrated hose, cable and nozzle store mean everything is always available
- ✓ Compatible with T-LOC in a SYSTAINER system for optimum workplace organisation
- ✓ Convenient transportation, whether using the handle or the shoulder strap
- ✓ Approved for dust category L
- ✓ To hand in an instant, and quickly restowed, efficiently and securely
- ✓ Extremely quiet thanks to the low sound pressure level of 67 dB
- ✓ Container/filter bag capacity 4.5/3.5 l
- ✓ Approval for dust class L
- ✓ Only suitable for dry extraction

SPECIFICATION: Power consumption: 1,000 W. Airflow max: 3,000 L/min. Max vacuum: 20,000 Pa. Filter surface area: 5,357 cm². Rubber-insulated mains cable: 5 m. Container/filter bag capacity: 4.5/3.5 L. Dimension [LxDxH]: 396 x 296 x 270 mm. Max appliance socket Connected load: 1,200 W. Weight: 6.9 kg.

- Supplied in a carton with: fitted filter bag, smooth suction hose Ø 27 mm x 3 m AS/CT with rotating angle adapter on the extractor side, SYS-Dock with T-LOC function, upholstery nozzle D36 PD, crevice nozzle D 36 FD-150, SYS-CT carrying belt and hose holder.

CLEANTEC CTL SYS	code	list	Tradeline
Systainer Dust Extractor 240 V	FES575284	£283.00	£226.40

PLUG IT CABLE

Plug It Cable Most Festool machines are supplied with pluggable cables. If you accidentally damage one they can be replaced in seconds to keep your production on time. So long as you have a spare one to hand!

Plug It Cable 240 V	code	price
4 m long cable [UK plug]	FES490650	£21.30

All of our Festool Prices are highly competitive. We are able to offer these amazing prices on the condition that we register the tool with Festool on your behalf.

- By registering your tool you get all these outstanding benefits:**
- ✓ 36 months Free Theft Protection
 - ✓ Free 15 day Trial
 - ✓ 36 months Cost Protection Guarantee
 - ✓ 10 Years Spare Parts Availability
 - ✓ Fast online repair and pickup system.

Any problems with your tools, just call Festool direct on 01284 760 791