



Rosco Foamcoat A water based flame retardant protective coating for styrofoam and polystyrene, with a consistency of wet plaster that dries to a hard durable coating which can be sanded, carved or smoothed. Uses include creating patterns such as bark or stone. Can

Foamcoat sprayed with Hopper Gun also be used as a surface coating on fibre glass. This product can suffer slightly from consolidation in the pot and may need some aggressive mixing prior to use. See our mixers on page 1.39. Foamcoat can be applied with a gloved hand, stiff brush, trowel or a hopper spray gun. See page 1.56.

- ✓ Use straight from the pot. ✓ Ideal for protecting polystyrene.
- ✓ Waterbased, easy clean up.

Foamcoat	code	3.79L	13.26L
	ROS6071X	£48.50	£154.00
		[7]	[9]

new



Almost impossible to break by hand!



Paint Plus Hard-Kote

An acrylic high-solids coating specially designed for set construction. This is a new coating that we have been testing. When wet it feels quite gritty and may require some mixing

prior to use [see page 1.39 for mixers]. When applied to polystyrene it forms a rock solid coating light brown in colour but can be easily painted with Paint Plus or Rosco paints. The coating is so hard that it is impossible to pierce it with a finger nail or to dent it by hand. Although the finish was very hard it also remained flexible and was extremely difficult to break [impossible by my hands!]. We were very impressed by the results. Suitable for use on polystyrene, concrete, brick, wallboard, plaster, wood, chipboard and plywood. Use on interior or exterior surfaces. Can be applied with a gloved hand, stiff brush, trowel or a hopper spray gun. See page 1.56. Minimum recommended film thickness 1mm, maximum 3mm per coat. Extra strength can be obtained with more coats. Touch dry in 1hr, recoatable in 3hrs. Full water resistant cure may take several days.

- ✓ Impart impact and structural strength to lightweight construction materials such as polystyrene.
- ✓ Highly flexible.
- ✓ Indoors and out.
- ✓ Ultra tough.
- ✓ Environmentally friendly, waterbased, virtually odourless.

Hard-Kote	code	10L
	PPHK10	£76.70



Rosco Flexcoat is a non-toxic, waterbased coating that is excellent for use as a flexible protective coating over all types of polystyrene and soft foams. It is especially useful on foam scenery and props which require added protection yet need to remain lightweight. It performs

well over concrete, primed metal and primed wood. Flexcoat contains no plasticisers, so it will not become brittle with age or exterior exposure. It is compatible with all Rosco paints used either as tints or surface coatings. Flexcoat can be mixed with rubber and foam granules to provide a strong and flexible bonding agent. It is weatherproof and provides a flame retardant coating over most substrates. Colour: White.

Flexcoat	code	3.79L	18.95L
	ROS60712XX	£43.50	£203.00
		[01]	[02]

This page was updated 13/01/12



Fire retardant best seller



Idenden Brushcote

A thick waterborne copolymer that provides a durable and flexible texture coating that will not crack or flake. It can be easily applied with a brush, trowel or gloved

hand directly to timber, canvas, polystyrene, hessian, vacuum formed plastics, underfelt and carpet. Its consistency makes it suitable for a wide range of textured applications, including wood grains, stippling, simulated mud and stone floors etc. When dry it is resistant to flame [Class 1 BS476 part 7 and Class 0 surface spread of flame Building Regs E15] and most types of chemical attack. Idenden is available in three colours, the white can be coloured using one of the acrylic colour systems, Flints liquid pigments or our dry pigment powders. It can be made lighter by adding glass bubbles [page 1.38]. Health and safety sheets can be downloaded from flints.co.uk. Coverage approximately 1 sq m per litre resulting in a dry film thickness of 0.5mm.

- ✓ Waterbased. ✓ Good adhesion to difficult surfaces.
- ✓ Fireproof to Class 1 and Class 0. ✓ Will not crack or flake.
- ✓ Interior and exterior. ✓ Flexible. ✓ Durable. ✓ Can be tinted or overpainted. ✓ Thixotropic, will not droop. ✓ Reliable and easy to use.

Idenden Brushcote	code	10L	Tradelines [each]	
			10x10L	20x10L
White	PAT810	£66.15	£61.95	£58.80
Grey	PAT812	£66.15	£61.95	£58.80
Black	PAT811	£66.15	£61.95	£58.80

The Tradeline Idenden prices include FREE UK mainland delivery.

[Applies to standard deliveries only ie. not timed].



Idenden Spraycote [Stagecoat] A slightly thinner product than the popular Brushcote listed above. Spraycote is a soft paste which can be sprayed with an airless system. For best results use airless spray equipment such as the ASM H2700 [for hire details see p 3.78]. Air texture guns may also be used [see p 1.54] or it can be applied by brush. Spraycote is waterbased, flexible, durable and dries to a flame resistant finish [Class 1 BS476 part 7 Building Regulations Class 0].

Idenden Spraycote	code	10L
White	PAT813	£63.38
Grey	PAT814	£63.38
Black	PAT815	£63.38



Artex AX The original Artex textured finish is formulated from selected water soluble binders combined with inert fillers. It is supplied as a powder for mixing with water. When applied to non-combustible surfaces Artex provides a Class 0 surface in accordance with National Building Regulations. Artex is non-toxic and non-hazardous, however the use of gloves and a dust mask are recommended to prevent irritations. Available in white. Artex can be overpainted when dry.

Artex AX	code	25kg
	PAT835	£19.25

See also Toupret TX110 overleaf and Jesmonite water based glass fibre system on pages 1.69-1.70. For Texture Strippers see page 1.36.

new




Murex - All substrates
 Exceptional adherence to all substrates including old painted surfaces, glazed tiles, primed wood, brick and even many plastics. Working time 30 minutes at 20°, can be over painted in 24hrs.
 ✓ No thickness limitation. ✓ Can be nailed or screwed into. ✓ Impact resistant.

Murex	code	each
2kg	PROMUR2	£12.98
5kg	PROMUR5	£28.93
15kg	PROMUR15	£68.56

See also Toupret TX110 on page 1.39 and Plaster of Paris on page 1.73.

TRANSPARENT COATINGS



CrystalGel sprayed with Hopper Gun

Rosco CrystalGel is a non-toxic, water-based material which provides a clear, plastic-like coating on virtually any surface used on stage. It air dries quickly, usually within hours, to form a flexible translucent surface. When dry it can be painted with Rosco paint, cloths can be rolled up without cracking, peeling or sticking. Sand, sawdust, or powdered clay can be added to make unique textures. Being clear, CrystalGel is perfect for permanently securing glitter and when splattered onto windows it makes a great rain effect. It will adhere to glass, plastics, canvas, foam, metal and wood and it is very effective on plexiglass type materials.

CrystalGel	code	1L	3.79L	18.95L
	ROSCGxxx	£19.50	£42.00	£185.00
		[1]	[128]	[210]

TEXTURE ADDITIVES



Rubber chips consolidated with Flexcoat tinted with Rosco Supersat.

Rubber Chips Ideal for creating onstage texture and foliage effects. Rubber chips are soft and quiet so they are a good choice of texture for opera scenery. They can be mixed with FR Binder [see next column] or added to Rosco Flexcoat or even Idenden Brushcote to create the desired effect. Great value. Black. 2mm-8mm [other colours available POA].

Rubber Chips	code	25kg bag	5 x 25kg bags
	PROCHIP	£19.50	£11.00 per bag

new size



Foam Crumbs consolidated with Flexcoat tinted with Rosco Supersat.

Foam Crumbs Soft fire retardant [Class 0] foam crumbs widely used for creating soft textures. Excellent for hedge foliage and earth effects. Light in weight very soft under foot. They can be mixed with Flints Cyclorama Adhesive [page 1.77] FR Binder [see next column] or added to Rosco Flexcoat or even Idenden Brushcote to create the desired effect. Now in two crumb sizes.

Foam Crumbs	code	4kg bag
2-8mm [medium]	PROFCAMED	£39.27
10-20mm [chunky]	PROFCAMEDL	£39.27



Micafil consolidated with Flexcoat tinted with Rosco Supersat.

Micafil	code	4 cubic ft bag	Tradeline per 10x4cft
standard	PAT836	£25.43	£17.29 each
coarse	PAT837	£24.55	£16.69 each



Glass Bubbles This very lightweight material can be mixed with textures such as Idenden and fillers to form a much less dense texture material. It is of particular use when applying textures to scenic cloths which will rapidly become too heavy using conventional textures. [see also Colloidal Silica page 1.72 and Micro fibres p1.72].

Glass Bubbles	approx volume	code	each
.12kg	1-1.5L [Hagen Daas Tub]	FILA230005	£8.54
.3kg	3L	FILA230001	£14.31
5kg	50L	FILA230003	£130.77

CONSOLIDATING MEDIUMS

Consolidating Binder An excellent binder discovered by Simon Kenny of Souvenir. This binder will consolidate materials such as foam, rubber granules, Vermiculite, straw and sawdust into strong, resilient and effective textures. It can also be used as a gold size or for sticking glitters.

Consolidating Binder	code	5L	10x5L
	PAT803	£69.50	£595.00

For other consolidating mediums see also Flints Cyclorama Glue page 1.77, PVA glues such as Flint Bond on page 1.77, Flexcoat on page 1.37, CrystalGel page 1.38 and Idenden page 1.37.

WEAVE FILLERS

new



Weave Filler 916 & 916 SE (Fire Resistant)

Weave Filler 916 and 916SE are a highly elastic material for open weave textiles from the finest bobbinet to inch square architectural net. This product is also available in a fire resistant version (916SE). The fireproofing chemical used may discolour some dark coloured materials so please undertake a test before using. Only available in 10 kg size.



916	code	size	price
	PROWF9161	1kg	£13.30
	PROWF9165	5kg	£53.23
916 SE (fire resistant)	code	size	price
	PROWF91612	10kg	£116.53

new



Plastic Weave Filler 1047

1047 is highly elastic, opaque and suitable for applying dimensional decoration to all kinds of textiles. It's elasticity is not affected even by freezing temperatures. Custom colours can easily be by mixed using Rosco Supersaturated Paints.



1047	code	size	price
	PROWF10471	1kg	£10.95
	PROWF10475	5kg	£48.70

MIXING ACCESSORIES



65L Mortar Tub A large plastic tub for mixing textures etc. 610mm internal diameter.

Mortar Tub	code	price
	SAFWT9001	£14.45

new



Gorilla Tubs these multi purpose highly flexible tubs are ideal for mixing large batches of texture. Available is a 35 litre shallow version shown above or deep versions to take 42 or 75 litres.

Gorilla Tubs	code	diameter	height	price
35L shallow	GORTUB35	570mm	160mm	£11.61
42L deep	GORTUB42	440mm	330mm	£8.29
75L deep	GORTUB75	580mm	370mm	£17.55

Flexible Mixing Bowls [Splash Bowls] These useful re-useable mixing bowls are ideal for mixing fillers and small quantities of textures. Hardened fillers can be cracked out. Available in two sizes.



Flexible Mixing Bowls code

each		code	price
120mm		PATFMB150	£2.99
240mm		PATFB300	£3.75

MIXING MACHINES

HIRER



Mixing Machines This purpose built professional machine will quickly cope with those large mixing tasks. Using a power drill is fine for small jobs but not for mixing 50L of Idenden with glass bubbles and vermiculite! This machine has a powerful 230v 1600w motor driving through a two gear unit with variable speed to deliver continuous mixing power. User fatigue is reduced by the ergonomic grips and the variable speed ensures splash free mixing. For hire see page 3.78.

CX60 Mixing Machine	code	each
Supplied with MK160	FIL19534	£335.59

new



Only £99.95!



Perles Paddle Mixer PM6-1000E

Professional electronic mixer ideal for mixing up to 40

litres. 1000 Watt motor. Robust design and metal gear case for greater durability. Soft start variable control for splash free mixing. Swiss manufacture.


No load speed 0-650, Max torque 73Nm, Max paddle size 120mm, Weight 3.4kg.

Perles Mixing Machine	code	list	each
Supplied with PERWK120	PERPM61000E	£158.40	£99.95



MK160. Rugged professional tool for mixing heavy high viscosity materials such as filled epoxy resins, plaster, Idenden etc. 160mm Ø Shaft M14

thread.



WK140. Medium tool suitable for diverse applications including fillers, plasters, adhesives and viscous materials. 140mm Ø. Shaft M14 thread.



PERWK120. Smaller tool with double helix suitable for loads 10-15kgs. Lifts material through the centre, allowing flow back down the sides. 120mm Ø. Shaft M14 thread.

Mixing Tools for Power Drills



Economy Paint Mixer. Suitable for mixing paints etc. May be used in 10mm chuck drills. 120mm Ø. Shaft 10mm hex x 600mm



Small Economy Mixer For mixing small quantities of paint in less powerful 10mm chuck drills. 80mm Ø Shaft 8mm hex x 400mm.

Mixing tool	mix quantity	code	each
For CX60	15-25kg	MK160	£25.80
For CX60	15-30kg	WK140	£18.90
For Perles	10-15kg	PERWK120	£24.00
Economy	N/A	PBRPADDL120	£4.75
Small Economy	N/A	PBRPADDL80	£3.35

For hand paint stirrers and tongue depressors see page 1.51.

FILLERS

Can be used as a texture too!



Toupret TX110 This is a rapid drying filler to replace the old Toupret Rapide. It can be used as thick as you like, as a filler or texture. It will be set after 40minutes [at 20°] and ready to rub down or overcoat in less than 3 hours. It will adhere to glazed ceramic tiles, old painted surfaces, brick, stone, primed timber, concrete etc. Once dry it can be screwed or nailed into.

See also Murex page 1.38 and Plaster of Paris page 1.73.

Toupret TX110	code	2kg	5kg	10kg
				(10x1kg bags)
	PAT832X(X)	£9.34	£16.94	£29.08
		[2]	[5]	[15]



Big Smooth Easy One A popular creamy very easy to sand two part polyester body filler which will not shake loose.

Easy Sand No 1	code	3.5L	3x3.5L
	FIL194	£33.67	£30.93 ea



Isopon P38 Body Filler A two part polyester based filler, designed as a standard grade professional car body filler but suitable for most filling tasks. It is also widely used in model making. Dries quickly and gives a very smooth finish. Comes complete with hardener but extra can be bought separately.

Isopon P38 Body Filler	code	600ml	1.2L	2.25L	3.5L
	FIL13X	£12.64	£22.39	£34.53	£45.74
		[6]	[7]	[8]	[9]

P38/P40 Hardener	code	19.5g tube
	FIL140	£2.25



Love it!



FEW Filler Fine Elastic White. A very fine particle filler intended for surfacing work on metal, GRP, plywood and other fillers, prior to spraying. Whitish in colour [the hardener is red], the dense finish generally requires no priming prior to top coat application. [20min cure]

FEW Filler [Polyester]	code	1.5kg
	PRO09136	£16.46

Isopon P40 Glass fibre bridging compound for holes etc.

P40 No2 Repair Kit	code	1L
	FIL142	£28.94

Brushing Filler White spirit based grain filler to create a high build smooth base coat on plywood and new timber, significantly reducing preparation times. Apply liberally. The filler is self levelling and dries to a super smooth surface that will need little or no further treatment prior to applying a finishing coat. Works extremely well on vertical surfaces and makes a good treatment for MDF fretwork.

Brushing Filler	code	2.5L
	BRIFILL	£28.93



Polyfilla Traditional decorator's filler. Powder mixed with water. A slower drying filler.

Polyfilla	code	450g	900g	1.8kg
	FIL16X	£2.33	£4.12	£6.82
		[0]	[1]	[2]



Fine Surface Polyfilla A convenient tube filled with very fine ready mixed super smooth filler for a perfect blemish free finish.

Also widely used by art restorers to repair damaged artwork.

Fine Surface Polyfilla	code	400g
tube	FIL165	£4.16