

SAFETY DATA SHEET – SHEPPY PVA M155 ADH009

1. IDENTIFICATION OF SUBSTANCE/PREPARATION & COMPANY

Product Name / Code:	Sheppy PVA M155 / ADH009
REACH Key Notes:	N/A
Application of Substance:	<p>A medium viscosity compounded emulsion glue. It has good running characteristics in a wide variety of coating and application systems. The emulsion dries to a strong flexible film. Excellent for gluing large areas of canvas.</p> <p>May be used in a variety of packaging and book binding applications, either by machine or hand, particularly suited for use on a Swift, Balema or Nubal machine for hand case making.</p>
Company:	Flints Theatrical Chandlers Ltd Unit 9 Deptford Trading Estate Blackhorse Road SE8 5HY
Telephone:	+44 (0) 20 7703 9786
Email:	sales@flints.co.uk

Telephone operated from 08:30 – 17:30 Monday to Friday, 09:00 – 14:00 Saturday.
In an emergency, seek advice from a medical professional.

2. HAZARDS IDENTIFICATION

Classification (1999/45/EEC):	Not classified.
Risk Phrases:	Not classified.
Safety Phrases:	Wear suitable protective clothing, gloves and eye/face protection.

3. COMPOSITION / INFORMATION ON INGREDIENTS

No hazardous materials present as defined by Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 (CHIP 3).

4. FIRST AID MEASURES

General information:	General first aid, rest, warmth and fresh air.
Eyes:	Rinse the eye with water immediately. Continue to rinse for at least 15 minutes and get medical attention.
Skin:	Remove affected person from source of contamination. Rinse the skin immediately with lots of water. Get medical attention if irritation persists after washing.
Ingestion:	DO NOT induce vomiting. Get medical attention immediately.
Inhalation:	Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

5. FIRE FIGHTING MEASURES

Extinguishing media:	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.
Specific hazards:	Fire or high temperatures create: Toxic Gases/vapours/fumes of: Carbon dioxide (CO ₂). Carbon monoxide (CO).
Advice for firefighters:	Protective equipment for fire-fighters. Wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Wear protective clothing as described in Section 8 of this safety data sheet.
Environmental Precautions:	Do not discharge into drains, water courses or onto the ground.
Containment and cleaning up:	Stop leak if possible without risk. Do not contaminate water sources or sewer. Pick up with vacuum or absorbent solid, store in closed container for disposal. Avoid generation and spreading of dust. Avoid contact with skin or inhalation of spillage, dust or vapour. Wear necessary protective equipment. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

7. HANDLING AND STORAGE

Precautions for safe handling:	Avoid spilling, skin and eye contact. Do not handle broken packages without protective equipment. Use mechanical ventilation in case of handling which causes formation of dust.
Conditions for safe storage:	Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Control Parameters:	Ingredient: WEL = Workplace Exposure Limits
Protective Equipment:	Gloves, goggles mask
Process Conditions:	Use engineering controls to reduce air contamination to permissible exposure level.
Engineering Measures:	All handling to take place in well-ventilated area.
Respiratory Equipment:	Wear respirator if there is dust formation.
Hand Protection:	Use suitable protective gloves if risk of skin contact. Use thin cotton gloves inside the rubber gloves if allergy risk.
Eye Protection:	If risk of splashing, wear safety goggles or face shield.
Other Protection:	Wear suitable protective clothing as protection against splashing or contamination.

Hygiene Measures: Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke. Wash at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin. **DO NOT SMOKE IN WORK AREA!**

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colour: White
Total Solids: 46%
Relative Density: 1.08
Viscosity: 62.5 Poises @ 20°C (room temperature)
Brookfield LVT Spindle 4 Speed 60
pH: 5.5 to 6.5
Specific Gravity: @ 20°C (room temperature) 1.06 to 1.10
Mechanical Stability: Excellent

10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal temperature conditions.
Possibility of Hazardous Reactions: Hazardous Polymerisation: Unknown.
Conditions to Avoid: Avoid excessive heat for prolonged periods of time.
Materials to Avoid: No incompatible groups noted.
Hazardous Decomposition Products: Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

11. TOXICOLOGICAL INFORMATION

Serious long-term effects are not known to be related to this type of product. Particles in the eyes may cause irritation and smarting. May cause discomfort if swallowed.

12. ECOLOGICAL INFORMATION

Not regarded as dangerous for the environment. However, contamination of the aquatic or terrestrial environments should be avoided.

13. DISPOSAL INFORMATION

This material is not classified as special waste as defined by Special Waste Regulations 1996. Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

14. TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID). Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code is not applicable.

UN Number: N/A
UN Proper Shipping Name: N/A

Transport Hazard Class(es):	Transport Labels: No transport warning sign required.
Packing Group:	N/A
Environmental Hazards:	Environmentally Hazardous Substance/Marine Pollutant: No.

15. REGULATORY INFORMATION

Statutory Instruments:	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).
Approved Code Of Practice:	Classification and Labelling of Substances and Preparations Dangerous for Supply.
Guidance Notes:	Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).
EU Legislation:	Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

16. OTHER INFORMATION

Special Notes:	Protect from frost. Keep lids on containers to prevent skinning and drying out. Always rotate stock, ensuring oldest material is used first. Use product within 6 months of date of manufacture. Material stored for prolonged periods should be agitated before use.
-----------------------	---

This data sheet is provided under CLP and REACH Regulation and is not intended to constitute an assessment of work place risk associated with product(s) used as required under any other Health and Safety Regulation.

Date of Issue: 10/06/2019

Disclaimer: Every care is taken in compiling this information and is believed accurate and reliable as of the date indicated. However, Flints Theatrical Chandlers Ltd disclaims all liability for any loss, damage or expense arising from any inaccuracy therein. It is the user's responsibility to satisfy themselves as to the suitability and completeness of such information for their own use.