

Safety data sheet  
according to 1907/2006/EC, Article 31

Printing date 27.02.2017

Version number 10

Revision: 27.02.2017

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1 Product identifier
- Trade name: Epifanes Spraythinner for Paint & Varnish
- CAS Number:  
64742-49-0
- EC number:  
265-151-9
- Index number:  
649-328-00-1
- Registration number 01-2119475133-43
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Product category  
PC35 Washing and cleaning products (including solvent based products)  
PC0 Other
- Process category  
PROC10 Roller application or brushing  
PROC11 Non industrial spraying
- Environmental release category ERC2 Formulation into mixture
- Application of the substance / the mixture  
See our technical datasheet for application of this product.  
thinner for spray application of one-component paints and varnishes
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:  
W.Heeren & Zoon bv.  
P.O. box 166  
1430 AD Aalsmeer  
Netherlands  
tel.+31-(0)297-360366  
fax +31-(0)297-342078  
email: r&d@epifanes.nl
- Further information obtainable from: Research & Development.
- 1.4 Emergency telephone number:  
W.Heeren & Zoon bv. tel: +31 297 360678, E-mail: rend@epifanes.nl  
Office hours: weekdays from 08:00 to 17:00.  
The National Poisons Information Service; dial 111  
Solely intended to inform professionals in acute poisoning!  
See manufacturer

**SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2                      H225 Highly flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1                      H304 May be fatal if swallowed and enters airways.



GHS09 environment

Aquatic Chronic 2    H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)

Safety data sheet  
according to 1907/2006/EC, Article 31

Printing date 27.02.2017

Version number 10

Revision: 27.02.2017

Trade name: Epifanes Spraythinner for Paint &amp; Varnish

(Contd. of page 1)



GHS07

STOT SE 3

H336 May cause drowsiness or dizziness.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008  
The substance is classified and labelled according to the CLP regulation.
- Hazard pictograms



GHS02



GHS07



GHS08



GHS09

- Signal word Danger
- Hazard-determining components of labelling:  
Naphtha (petroleum), hydrotreated light
- Hazard statements  
H225 Highly flammable liquid and vapour.  
H336 May cause drowsiness or dizziness.  
H304 May be fatal if swallowed and enters airways.  
H411 Toxic to aquatic life with long lasting effects.
- Precautionary statements  
P102 Keep out of reach of children.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- 3.1 Chemical characterisation: Substances
- CAS No. Description  
64742-49-0 Naphtha (petroleum), hydrotreated light
- Identification number(s)
- EC number: 265-151-9
- Index number: 649-328-00-1
- Additional information:  
Note P: The substance does not have to be classified as a carcinogen or mutagen as can be shown that the substance contains less than 0.1% (w / w) benzene (EINECS No 200-753-7.). This note applies only to certain complex oil-derived substances in Part 3.
- Description: Solvent mixture

(Contd. on page 3)

Safety data sheet  
according to 1907/2006/EC, Article 31

Printing date 27.02.2017

Version number 10

Revision: 27.02.2017

Trade name: Epifanes Spraythinner for Paint &amp; Varnish

(Contd. of page 2)

- Dangerous components: Void

**SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Seek medical treatment.
- 4.2 Most important symptoms and effects, both acute and delayed  
No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed  
No further relevant information available.

**SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture  
During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- Protective equipment:  
Wear fully protective suit.  
Mouth respiratory protective device.

**SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures  
Ensure adequate ventilation  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions:  
Prevent seepage into sewage system, workpits and cellars.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- 6.4 Reference to other sections  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

GB

(Contd. on page 4)

Safety data sheet  
according to 1907/2006/EC, Article 31

Printing date 27.02.2017

Version number 10

Revision: 27.02.2017

Trade name: Epifanes Spraythinner for Paint &amp; Varnish

(Contd. of page 3)

**SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling  
Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- Information about fire - and explosion protection:  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Keep respiratory protective device available.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:  
Store only in the original receptacle.  
Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

- Additional information about design of technical facilities:  
No further data; see item 7.
- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:  
Not required.

Not required.

- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.
- Respiratory protection:  
Suitable respiratory protective device recommended.  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
Filter AX
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

Safety data sheet  
according to 1907/2006/EC, Article 31

Printing date 27.02.2017

Version number 10

Revision: 27.02.2017

Trade name: Epifanes Spraythinner for Paint &amp; Varnish

(Contd. of page 4)

- Material of gloves  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- Penetration time of glove material  
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- For the permanent contact gloves made of the following materials are suitable: nitrile rubber;  
recommended glove thickness > 0.45mm. permeability / permeation time:> 480 min. according to EN 374.
- As protection from splashes gloves made of the following materials are suitable:  
Cloropene; handglove thickness >0.7mm, penetration time >60min. according EN374.  
Nitrilrubber; handglove thickness >0.3mm, penetration time >60min. according EN374.
- Eye protection:



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- Appearance:
 

Form:	Fluid
Colour:	Clear
- Odour: Characteristic
- Odour threshold: Not determined.
- pH-value: Not determined.
- Change in condition
 

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
- Flash point: <10 °C
- Flammability (solid, gas): Not applicable.
- Ignition temperature:
- Decomposition temperature: Not determined.
- Auto-ignition temperature: Not determined.
- Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
- Explosion limits:
 

Lower:	Not determined.
Upper:	Not determined.
- Vapour pressure: Not determined.
- Density at 20 °C: 0.738 g/cm<sup>3</sup>

(Contd. on page 6)

Safety data sheet  
according to 1907/2006/EC, Article 31

Printing date 27.02.2017

Version number 10

Revision: 27.02.2017

Trade name: Epifanes Spraythinner for Paint &amp; Varnish

(Contd. of page 5)

· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/ water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	100.0 %
VOC content:	100.0 %
	VOC content:
	738.0 g/l / 6.16 lb/gl
· 9.2 Other information	No further relevant information available.

#### SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:  
No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: n.a.

#### SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity  
Based on available data, the classification criteria are not met.

- LD/LC50 values relevant for classification:

64742-49-0 Naphtha (petroleum), hydrotreated light

Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50 Rat	>2000 mg/kg (rat)
Inhalative	LC50 Rat	>20 mg/l / 4 U (rat)

- Primary irritant effect:
- Skin corrosion/irritation  
Based on available data, the classification criteria are not met.
- Serious eye damage/irritation  
Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation  
Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity  
Based on available data, the classification criteria are not met.
- Carcinogenicity  
Based on available data, the classification criteria are not met.

(Contd. on page 7)

Safety data sheet  
according to 1907/2006/EC, Article 31

Printing date 27.02.2017

Version number 10

Revision: 27.02.2017

Trade name: Epifanes Spraythinner for Paint &amp; Varnish

(Contd. of page 6)

- Reproductive toxicity  
Based on available data, the classification criteria are not met.
- STOT-single exposure  
May cause drowsiness or dizziness.
- STOT-repeated exposure  
Based on available data, the classification criteria are not met.
- Aspiration hazard  
May be fatal if swallowed and enters airways.

**SECTION 12: Ecological information**

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxicological effects:
- Remark: Toxic for fish
- Additional ecological information:
- General notes:  
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

**SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- Recommendation  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 01 00	wastes from MFSU and removal of paint and varnish
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

-GB-

(Contd. on page 8)

Safety data sheet  
according to 1907/2006/EC, Article 31

Printing date 27.02.2017






Version number 10

Revision: 27.02.2017

Trade name: Epifanes Spraythinner for Paint &amp; Varnish

(Contd. of page 7)

### SECTION 14: Transport information

<ul style="list-style-type: none"> <li>· 14.1 UN-Number</li> <li>· ADR, IMDG, IATA</li> </ul>	<p align="right">UN1263</p>
<ul style="list-style-type: none"> <li>· 14.2 UN proper shipping name</li> <li>· ADR</li> <li>· IMDG</li> <li>· IATA</li> </ul>	<p align="right">1263 PAINT RELATED MATERIAL (not viscous), ENVIRONMENTALLY HAZARDOUS PAINT RELATED MATERIAL, MARINE POLLUTANT PAINT RELATED MATERIAL</p>
<ul style="list-style-type: none"> <li>· 14.3 Transport hazard class(es)</li> <li>· ADR</li> </ul>	<div style="display: flex; align-items: center; gap: 10px;">   </div> <ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>
	<p align="right">3 (F1) Flammable liquids. 3</p>
<ul style="list-style-type: none"> <li>· IMDG</li> </ul>	
<div style="display: flex; align-items: center; gap: 10px;">   </div> <ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>	<p align="right">3 Flammable liquids. 3</p>
<ul style="list-style-type: none"> <li>· IATA</li> </ul>	
<div style="display: flex; align-items: center; gap: 10px;">  </div> <ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>	<p align="right">3 Flammable liquids. 3</p>
<ul style="list-style-type: none"> <li>· 14.4 Packing group</li> <li>· ADR, IMDG, IATA</li> </ul>	<p align="right">III</p>
<ul style="list-style-type: none"> <li>· 14.5 Environmental hazards:</li> <li>· Marine pollutant:</li> <li>· Special marking (ADR):</li> </ul>	<p align="right">No Symbol (fish and tree) Symbol (fish and tree)</p>
<ul style="list-style-type: none"> <li>· 14.6 Special precautions for user</li> <li>· EMS Number:</li> <li>· Stowage Category</li> </ul>	<p align="right">Warning: Flammable liquids. F-E, S-E B</p>
<ul style="list-style-type: none"> <li>· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</li> </ul>	<p align="right">Not applicable.</p>
<ul style="list-style-type: none"> <li>· Transport/Additional information:</li> <li>· ADR</li> <li>· Limited quantities (LQ)</li> <li>· Excepted quantities (EQ)</li> </ul>	<p align="right">5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml</p>

(Contd. on page 9)



Safety data sheet  
according to 1907/2006/EC, Article 31

Printing date 27.02.2017

Version number 10

Revision: 27.02.2017

Trade name: Epifanes Spraythinner for Paint &amp; Varnish

(Contd. of page 8)

- |                           |   |
|---------------------------|---|
| · Transport category      | 3   |
| · Tunnel restriction code | D/E   |
| · UN "Model Regulation":  | UN 1263 PAINT RELATED MATERIAL (NOT VISCOUS), 3, III, ENVIRONMENTALLY HAZARDOUS |

**SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Directive 2012/18/EU
  - Named dangerous substances - ANNEX I Substance is not listed.
  - Seveso category  
E2 Hazardous to the Aquatic Environment  
P5c FLAMMABLE LIQUIDS
  - Qualifying quantity (tonnes) for the application of lower-tier requirements  
200 t
  - Qualifying quantity (tonnes) for the application of upper-tier requirements  
500 t
  - REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 28, 29
  - National regulations:
  - Technical instructions (air):
- | Class | Share in % |
|-------|------------|
| NK    | 50-100     |
- Waterhazard class:  
Water hazard class 3 (Self-assessment): extremely hazardous for water.
  - 15.2 Chemical safety assessment:  
A Chemical Safety Assessment has been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Abbreviations and acronyms:  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 2: Flammable liquids - Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) - Category 3  
Asp. Tox. 1: Aspiration hazard - Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

(Contd. on page 10)



Safety data sheet  
according to 1907/2006/EC, Article 31

Printing date 27.02.2017

Version number 10

Revision: 27.02.2017

Trade name: Epifanes Spraythinner for Paint & Varnish

· \* Data compared to the previous version altered.

(Contd. of page 9)

GB

(Contd. on page 11)

Trade name: Epifanes Spraythinner for Paint & Varnish

(Contd. of page 10)

#### Annex: Exposure scenario

- Short title of the exposure scenario
- Product category  
PC35 Washing and cleaning products (including solvent based products)  
PC0 Other
- Process category  
PROC10 Roller application or brushing  
PROC11 Non industrial spraying
- Environmental release category ERC2 Formulation into mixture
- Description of the activities / processes covered in the Exposure Scenario  
See section 1 of the annex to the Safety Data Sheet.
- Conditions of use
- Duration and frequency 5 workdays/week.
- Physical parameters
- Physical state Fluid
- Concentration of the substance in the mixture Raw material.
- Other operational conditions
- Other operational conditions affecting environmental exposure  
Use only on hard ground.
- Other operational conditions affecting worker exposure  
Take precautionary measures against static discharge.  
Keep away from sources of ignition - No smoking.
- Other operational conditions affecting consumer exposure  
Keep out of the reach of children.
- Other operational conditions affecting consumer exposure during the use of the product  
Not applicable.
- Risk management measures
- Worker protection
- Organisational protective measures No special measures required.
- Technical protective measures  
Provide explosion-proof electrical equipment.  
Use product only in enclosed systems.  
Ensure that suitable extractors are available on processing machines
- Personal protective measures  
Do not inhale gases / fumes / aerosols.  
Protective gloves  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- Measures for consumer protection  
Ensure adequate labelling.  
Keep locked up and out of the reach of children.
- Environmental protection measures
- Water Do not allow to reach sewage system.
- Soil Prevent contamination of soil.
- Disposal measures Ensure that waste is collected and contained.
- Disposal procedures  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.