

<p>Solvite Extra Strong All Purpose Wallpaper Adhesive</p>	<p>Issue Date 18/10/01 Supply Date 2/9/02 13:11</p> <p>Ref HE206V05</p>
--	--

1. Identification of the	<p>1.1 substance/preparation Solvite All Purpose Extra Strong Wallpaper Adhesive, packed in yellow plastic sachets.</p>
And	<p>1.2 company/undertaking Henkel Consumer Adhesives Road 5 Winsford Industrial Estate Winsford Cheshire United Kingdom</p> <p>Tel 01606 593933 Fax 01606 863762</p>
2. Composition/ information on ingredients	<p>Potato starch carboxymethylether – sodium salt (cold water soluble). CAS No 64812-91-9.</p> <p>There are no hazardous ingredients present that require notification. However, the product contains a fungicide to inhibit mould growth.</p>
3. Hazards identification	<p>Contains fungicide to inhibit mould growth. Keep away from children and animals. Wash hands after use.</p>
4. First aid measures	<p>4.1 Inhalation Not applicable.</p>
	<p>4.2 Skin Contact Wash affected area with luke warm water.</p>
	<p>4.3 Ingestion If casualty is uncomfortable, wash mouth out with water and give no more than a cupful to drink.</p>
	<p>4.4 Eye contact Wash eyes out with copious amounts of water. If irritation persists seek medical aid.</p>

Solvite
 Extra Strong All Purpose
 Wallpaper Adhesive

Issue Date 18/10/01 16:10
 Supply Date 2/9/02
 13:11

Ref HE206V05

<p>5. Fire fighting measures</p>	<p>5.1 Suitable extinguishing media: Standard media such as powder, foam or water.</p> <p>5.2 Extinguishing media which must not be used for safety reasons: Not applicable.</p> <p>5.3 Special exposure hazards arising from the product itself, from combustion products or from resulting gases: Combustion produces carbon dioxide, hydrochloric acid and sometimes carbon monoxide.</p> <p>5.4 Special protective equipment for fire fighters: Standard breathing apparatus.</p>																																																				
<p>6. Accidental release measures</p>	<p>Collect spilled containers and recover undamaged units. Dried product and containers can be handled as normal waste. Recover spillage in a dry state if possible. Wet material on floor surface can be a slip hazard.</p>																																																				
<p>7. Handling and storage</p>	<p>No special handling measures are necessary.</p> <p>Store in sealed containers in a cool, dry place.</p>																																																				
<p>8. Exposure controls/ personal protection</p>	<p>8.1 Exposure Controls None.</p> <p>8.2 Personal protection None required in normal use.</p>																																																				
<p>9. Physical and Chemical Properties</p>	<table border="0"> <tr> <td>Appearance</td> <td colspan="3">Off white solid dusty flakes</td> </tr> <tr> <td>Odour</td> <td colspan="3">Mild, distinctive</td> </tr> <tr> <td>Density</td> <td colspan="3">Approximately 280g/litre</td> </tr> <tr> <td>pH or Conc %</td> <td colspan="3">Approximately 10.5 for 3% aqueous solution.</td> </tr> <tr> <td>Boiling Point^oC</td> <td>NA</td> <td>Melting Point^oC</td> <td>NA</td> </tr> <tr> <td>Flash point ^oC</td> <td>NONE</td> <td>Flammability</td> <td>combustible</td> </tr> <tr> <td>Auto flammability</td> <td>NONE</td> <td></td> <td></td> </tr> <tr> <td>Explosive/Oxidising properties</td> <td colspan="3">NONE</td> </tr> <tr> <td>Vapour Pressure KPa</td> <td colspan="3">NA</td> </tr> <tr> <td>Vapour Density</td> <td colspan="3">NA</td> </tr> <tr> <td>Evaporation rate</td> <td colspan="3">NA</td> </tr> <tr> <td>Solubility</td> <td colspan="3">Soluble, gives viscous solution</td> </tr> <tr> <td>Partition Co-efficient: n-Octanol/water</td> <td colspan="3">NA</td> </tr> </table>	Appearance	Off white solid dusty flakes			Odour	Mild, distinctive			Density	Approximately 280g/litre			pH or Conc %	Approximately 10.5 for 3% aqueous solution.			Boiling Point^oC	NA	Melting Point^oC	NA	Flash point ^oC	NONE	Flammability	combustible	Auto flammability	NONE			Explosive/Oxidising properties	NONE			Vapour Pressure KPa	NA			Vapour Density	NA			Evaporation rate	NA			Solubility	Soluble, gives viscous solution			Partition Co-efficient: n-Octanol/water	NA		
Appearance	Off white solid dusty flakes																																																				
Odour	Mild, distinctive																																																				
Density	Approximately 280g/litre																																																				
pH or Conc %	Approximately 10.5 for 3% aqueous solution.																																																				
Boiling Point^oC	NA	Melting Point^oC	NA																																																		
Flash point ^oC	NONE	Flammability	combustible																																																		
Auto flammability	NONE																																																				
Explosive/Oxidising properties	NONE																																																				
Vapour Pressure KPa	NA																																																				
Vapour Density	NA																																																				
Evaporation rate	NA																																																				
Solubility	Soluble, gives viscous solution																																																				
Partition Co-efficient: n-Octanol/water	NA																																																				
<p>10 Stability and reactivity</p>	<p>There are no known adverse reactions.</p>																																																				
<p>11. Toxicological Information</p>	<p>No adverse toxicological effects are expected via any absorption route.</p>																																																				
<p>12. Ecological Information</p>	<p>No adverse ecological effects are known or expected from the storage, use or disposal of these products.</p>																																																				
<p>13. Disposal Considerations</p>	<p>Empty containers or wet and dried product can be disposed as normal household waste.</p>																																																				
<p>14. Transport Information</p>	<p>Not classified as hazardous according to transport regulations.</p>																																																				
<p>15. Regulatory Information</p>	<p>Not classified as hazardous according to CHIP 2 regulations as amended.</p>																																																				

Solvite
 Extra Strong All Purpose
 Wallpaper Adhesive

Issue Date 18/10/01 16:10
Supply Date 2/9/02
 13:11

Ref HE206V05

	<p>15.2 Applicable Regulations</p> <p>CHIP 2 as amended CDGCPL 2 HSWA 1974 COSHH The user must make their own assessment of the risks to health due to the use to which this product is put. EH 40/-- See 2000 edition. Manual Handling Regulations The user must make their own assessment of the applicability of these regulations to the product. Personal Protective Equipment at Work Regulations The users must make their own assessment of the suitability of equipment for the specific end use The Controlled Waste Regulations Users must assess their own obligations under these regulations. VOC Content Low</p>
16 Other Information	<p>16.1 Poisons Centres Henkel products are registered with the National Poisons Information Service from whom medical professionals can obtain further information.</p>
	<p>16.2 Revision Data All sections were rewritten in this issue</p>
	<p>16.3 Sources of information Component supplier data, general reference texts.</p>
	<p>16.4 Restrictions of use This product is intended for use as a wallpaper adhesive only. Other uses may not be covered by the scope of advice in this datasheet.</p>
	<p>16.5 Disclaimer Every effort has been made to ensure that this information is accurate and up to date. Users are reminded that they should ensure that they have retained or internally circulated the most up to date copy as provided to the persons or work locations which require them. No warranty is implied or given as to suitability for use for any activity which is not covered by either the technical data or the restrictions of use above.</p>
	<p>Compiled by: Technical Services Department. Winsford. Cheshire.</p>